
# U.S. Army Center for Health Promotion and Preventive Medicine

PYROTECHNICS HEALTH RISK ASSESSMENT
NO. 39-EJ-1485-99
RESIDENTIAL EXPOSURE FROM INHALATION OF
AIR EMISSIONS FROM THE
M116A1 HAND GRENADE SIMULATOR
L (0)



#### Prepared by:

Environmental Health Risk Assessment & Risk
Communication Program
and
Ambient Air Quality Management Program



U.S. Army Environmental Center

#### Published date:

19 May 2000

20010327 140

Approved for public release; distribution unlimited











### Readiness Thru Health

#### U.S. Army Center for Health Promotion and Preventive Medicine

The lineage of the U.S. Army Center for Health Promotion and Preventive Medicine (USACHPPM) can be traced back over 50 years. This organization began as the U.S. Army Industrial Hygiene Laboratory, established during the industrial buildup for World War II, under the direct supervision of the Army Surgeon General. Its original location was at the Johns Hopkins School of Hygiene and Public Health. Its mission was to conduct occupational health surveys and investigations within the Department of Defense's (DOD's) industrial production base. It was staffed with three personnel and had a limited annual operating budget of three thousand dollars.

Most recently, it became internationally known as the U.S. Army Environmental Hygiene Agency (AEHA). Its mission expanded to support worldwide preventive medicine programs of the Army, DOD, and other Federal agencies as directed by the Army Medical Command or the Office of The Surgeon General, through consultations, support services, investigations, on-site visits, and training.

On 1 August 1994, AEHA was redesignated the U.S. Army Center for Health Promotion and Preventive Medicine with a provisional status and a commanding general officer. On 1 October 1995, the nonprovisional status was approved with a mission of providing preventive medicine and health promotion leadership, direction, and services for America's Army.

The organization's quest has always been one of excellence and the provision of quality service. Today, its goal is to be an established world-class center of excellence for achieving and maintaining a fit, healthy, and ready force. To achieve that end, the CHPPM holds firmly to its values which are steeped in rich military heritage:

- ★ Integrity is the foundation
  - ★ Excellence is the standard
    - ★ Customer satisfaction is the focus
      - ★ Its people are the most valued resource
        - ★ Continuous quality improvement is the pathway

This organization stands on the threshold of even greater challenges and responsibilities. It has been reorganized and reengineered to support the Army of the future. The CHPPM now has three direct support activities located in Fort Meade, Maryland; Fort McPherson, Georgia; and Fitzsimons Army Medical Center, Aurora, Colorado; to provide responsive regional health promotion and preventive medicine support across the U.S. There are also two CHPPM overseas commands in Landstuhl, Germany and Camp Zama, Japan who contribute to the success of CHPPM's increasing global mission. As CHPPM moves into the 21st Century, new programs relating to fitness, health promotion, wellness, and disease surveillance are being added. As always, CHPPM stands firm in its commitment to Army readiness. It is an organization proud of its fine history, yet equally excited about its challenging future.

#### REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

			lington, VA 22202-4302. Resp f information if it does not displa IE ABOVE ADDRESS.	ondents should be y a currently valid (	aware that o	notwithstanding any other provision of law, no person shall be number.
	TE (DD-MM-YY 0-05-2000	YY) 2. REPO	Technical Re	eport		3. DATES COVERED (From - To) March 1999-May 2000
Residential Ex	Health Risk As xposure from I	nhalation of th	39-EJ-1485-99 e Air Emissions from	the M116A1		NTRACT NUMBER
Hand Grenade	e Simulator DO	ODIC- L601			5b. GR/	ANT NUMBER
					5c. PRO	GRAM ELEMENT NUMBER
6. AUTHOR(S) Hsieng-Ye Ch		D.F.R.Coakle	y, Jeffrey S. Grow, P.	E.	5d. PRC	DJECT NUMBER
			×		5e. TAS	SK NUMBER
	·				5f. WOI	rk unit number
	enter for Healt		ID ADDRESS(ES) nd Preventive Medicin	e		8. PERFORMING ORGANIZATION REPORT NUMBER
	ving Ground,	Maryland 2101	10-5422			Risk Assessment # 39-EJ-1485-99
U.S. Army End ATTN: SFIM	nvironmental ( 1 AEC-ETD	Center	E(S) AND ADDRESS(ES)	1		10. SPONSOR/MONITOR'S ACRONYM(S) USAEC
Aberdeen Pro	ving Ground,	MD 21010-540	01			11. SPONSOR/MONITOR'S REPORT NUMBER(S) SFIM-AEC-ET-CR-200028
12. DISTRIBUT	ION/AVAILABILI	TY STATEMENT	r Distribution Approved for F			
13. SUPPLEME	NTARY NOTES act: Tamera C	lork Duch 410	126 6910			
		Tark-Rusii 410	-430-0049			
M116A1 hand illumination d hypothetical rewere collected determine and concentrations. This intake we inhjalation of concentrations	ant evaluated the grenade simuluring training esident from it in a test chambient air conces were combined withese substances. Study result	lator during tracexercises to sinulation of air aber ( at Dugwentrations at a led with exposuith the substances. The health	aining exercises. The mulate battle condition temissions from the May Proving Grounds, location 100 meters (doing information to estimate the ce's health information risk included both lor	military uses s. Study resist 116A1. To could be used to the transfer of transfer of the transfer of t	pyrotech ults show onduct the ormation in the site unt of sult he if ther hort term	eathing air emissions following use of the nnics for signaling, obscuring, and red no protential for health risks to the nis study, air emissions from the M116A1 was then used in an air dispersion model to where the item was activated. Modeled air ostances the hypothetical resident breathes. The is a potential for health risks from a exposures to the modeled substance ir emissions from the M116A1
15. SUBJECT T	ERMS					
			•			
16. SECURITY a. REPORT	CLASSIFICATIO b. ABSTRACT	N OF: c. THIS PAGE	17. LIMITATION OF ABSTRACT	18. NUMBER OF	19a. NA	ME OF RESPONSIBLE PERSON
U	U	U	บบ	PAGES	19b. TEL	EPHONE NUMBER (Include area code)



## DEPARTMENT OF THE ARMY U.S. ARMY CENTER FOR HEALTH PROMOTION AND PREVENTIVE MEDICINE 5158 BLACKHAWK ROAD ABERDEEN PROVING GROUND, MARYLAND 21010-5422

MCHB-TS-EHR

#### PYROTECHNICS HEALTH RISK ASSESSMENT NO. 39-EJ-1485-99 RESIDENTIAL EXPOSURE FROM INHALATION OF AIR EMISSIONS FROM THE M116A1 HAND GRENADE SIMULATOR

#### **EXECUTIVE SUMMARY**

This assessment evaluated the potential for human health effects to offsite residents breathing air emissions following use of the M116A1 hand grenade simulator (M116A1) during training exercises. The military uses pyrotechnics for signaling, obscuring, and illuminating during training and combat. Pyrotechnics are also used during training exercises to simulate battle conditions. Study results showed no potential for health risks to the hypothetical resident from inhalation of air emissions from the M116A1.

To conduct this study, air emissions from the M116A1 were collected in a test chamber (Bang Box) at the Dugway Proving Ground, Utah. This information was then used in an air dispersion model to determine ambient air concentrations at a location 100 meters (328 feet) downwind from the site where the M116A1 was activated. Since the training facility in this study is hypothetical, the air model used assumptions that provided conservative estimates of air concentrations.

Modeled air concentrations were combined with exposure information (e.g., number of exposures per year) to estimate the amount of substances the hypothetical resident breathes. This intake was combined with the substance's health information, which was obtained from agencies such as the U.S. Environmental Protection Agency, to determine if there is a potential for health risks from inhalation of these substances.

The health risk study included both long-term (30 years) and short-term (15-minute or 1-hour) exposures to modeled substance concentrations. Study results showed no potential for health risks to the hypothetical resident from inhalation of air emissions from the M116A1.

Readiness thru Health

## TABLE OF CONTENTS

1.	Рί	JRPOSE	1
2.	Αl	JTHORITY	1
3.	RE	EFERENCES	1
4.	BA	ACKGROUND	1
	a.	PYROTECHNICS AND THEIR USE	1
	b.	WHAT IS THE M116A1 HAND GRENADE SIMULATOR?	1
	C.	USE OF THE M116A1 HAND GRENADE SIMULATOR	2
	d.	ASSESSMENT SUMMARY	2
5.	ME	ETHODS AND DATA COLLECTION	2
	a.	EMISSION FACTORS	2
	b.	AIR MODEL	3
	c.	EXPOSURE ASSESSMENT	7
	d.	TOXICITY ASSESSMENT	11
6.	RI	SK CHARACTERIZATION	15
	a.	CHRONIC HEALTH RISK	15
	b.	ACUTE HEALTH RISK	15
	c.	SUBSTANCES WITH NO TOXICITY DATA	15
	d.	FACT SHEET	16
7.	UN	ICERTAINTY DISCUSSION	16
8.	CC	ONCLUSION	18
9.	RE	ECOMMENDATIONS	18
10	Pί	OINT OF CONTACT	18

### LIST OF APPENDICES

REFERENCES	APPENDIX A
AIR DISPERSION MODELING OUTPUT DATA	APPENDIX B
HEALTH-BASED SCREENING LEVELS	
AND ACUTE TOXICITY VALUES	APPENDIX C
RISK EVALUTION DATA	APPENDIX D
FACT SHEET SUBMITTED TO AEC	APPENDIX E
LIST OF TABLES	
TABLE 1 – AIR MODEL INPUT PARAMETERS	4
TABLE I - AIR WIDDEL INFOT FARAWILTERS	
TABLE 2 – FREQUENCY OF USE FOR THE M116A1	
	8
TABLE 2 - FREQUENCY OF USE FOR THE M116A1	10

#### LIST OF ACRONYMS

AEC U.S. Army Environmental Center

AEGL Acute Exposure Guideline Levels

AIHA American Industrial Hygiene Association

ATV Acute Toxicity Value

DOE U.S. Department of Energy

EPA U.S. Environmental Protection Agency

ERPG Emergency Response Planning Guidelines

HBSL Health-Based Screening Level

NAAQS National Ambient Air Quality Standards

NAC/AEGL National Advisory Committee for Acute Exposure Guideline Levels

NEW Net Explosive Weight

OEL Occupational Exposure Limit

PM<sub>10</sub> Particulate Matter under 10 micrometers in size

PRG Preliminary Remediation Goals

RBC Risk-Based Concentration

RfC Reference Concentration

TEEL Temporary Emergency Exposure Limits

TPCWG Total Petroleum Criteria Working Group

TSP Total Suspended Particulates

USACHPPM U.S. Army Center for Health Promotion and Preventive Medicine

# PYROTECHNICS HEALTH RISK ASSESSMENT NO. 39-EJ-1485-99 RESIDENTIAL EXPOSURE FROM INHALATION OF AIR EMISSIONS FROM THE M116A1 HAND GRENADE SIMULATOR

#### 1. PURPOSE

This document presents the evaluation of the potential for human health effects to offsite residents breathing air emissions following use of the M116A1 hand grenade simulator (M116A1) during training exercises.

#### 2. AUTHORITY

Memorandum, U.S. Army Environmental Center, 4 June 1999, Subject: Pyrotechnics Risk Assessment.

#### 3. REFERENCES

See Appendix A.

#### 4. BACKGROUND

#### a. PYROTECHNICS AND THEIR USE

The term pyrotechnic is derived from the Greek words "pyr" and "techne" meaning fire and art. The terms pyrotechnics and fireworks are often used interchangeably. Examples of pyrotechnics include distress flares and fireworks for commercial (e.g., public displays) and consumer (e.g., sparklers) use. Every year during New Year's Eve and Independence Day celebrations, fireworks are used for public displays across the country. During the 1998 Olympic Winter games in Nagano, Japan, almost 5000 pyrotechnics were launched during a firework display that lasted for 8 minutes.

The military uses pyrotechnics for four purposes: 1) as a method of communication through the use of signals, 2) to produce smoke to reduce enemy effectiveness, 3) for illuminating the field, and 4) to simulate battle conditions during training exercises. Pyrotechnics play an important role in both military training and combat. Therefore, it is important that our troops are adequately trained to use them properly.

#### b. WHAT IS THE M116A1 HAND GRENADE SIMULATOR?

The M116A1 is a pyrotechnic simulator used exclusively in training to imitate battle sounds and flashes. It mimics actual grenades used during combat and is only used on land. It is 4.30 inches long, 2.18 inches wide, and weighs 0.43 pounds (Reference 1). The body of the M116A1 consists of a cylindrical paper tube

containing a sealed charge of photoflash powder. This component creates the flash and bang after ignition and consists primarily of potassium perchlorate, magnesium powder, and aluminum powder.

#### c. USE OF THE M116A1 HAND GRENADE SIMULATOR

The M116A1 is used to create battle noises and flashes during troop maneuvers on land, mimicking actual combat detonations. It is thrown in the same manner as a live grenade and creates a loud bang and flash 5-10 seconds after igniting (Reference 2). For safety purposes, personnel must maintain a distance of 15 meters (Reference 3). In general, about 60 items are used during a day of training.

#### d. ASSESSMENT SUMMARY

The approach for this study consisted of two main parts: air dispersion modeling and exposure assessment. These are briefly discussed in the paragraphs below. Sections 5-7 present a more explicit discussion of the methodology used for this study.

Data generated in the "Bang Box" at the Dugway Proving Ground, Utah (Reference 4), were used with an atmospheric dispersion model (Reference 5) to estimate the average concentrations that would be experienced by an offsite resident. Since this study is designed to provide results that would be applicable to most Army training facilities, the training area used in this evaluation was a hypothetical one. In addition, air-modeling parameters were selected to mimic worst-case conditions.

The exposure assessment included calculations of time-averaged concentrations for both long-term (chronic) and short-term (acute) exposures. For the purpose of this study, air concentrations were averaged over 30 years for chronic exposures and 1 hour or 15 minutes for acute exposures. These concentrations were compared to chronic health-based screening levels (HBSLs) established by the EPA or acute toxicity values (ATVs) established by selected agencies depending on the exposure duration (i.e., 30 years versus 1 hour or 15 minutes). If the chronic or acute averaged concentrations (C<sub>chronic</sub> and C<sub>acute</sub>) were greater than these screening levels, further analysis would be warranted to determine the potential for health effects. It should be noted that concentrations greater than the screening level do not indicate an onset of health effects, but rather the potential for such.

#### 5. METHODS AND DATA COLLECTION

#### a. EMISSION FACTORS

The air modeling emission rates were derived from the pyrotechnics emission studies conducted at Dugway Proving Ground, Utah (Reference 4). These

studies sampled air emissions from the firing of weapons and/or munitions used in training. The purpose of this sampling was to identify and quantify air emissions. The data provided by Dugway Proving Ground included the identification of the munitions item and compounds sampled, net explosive weight (NEW) of item, and compound emission factors. Emissions data from this study used in the air modeling is included in the first four columns of the air dispersion modeling output data in Appendix B.

#### b. AIR MODEL

#### (1) BACKGROUND

Air dispersion models are available to mathematically simulate atmospheric conditions and behavior to predict downwind concentrations caused by emissions from various sources. However, specific models are not available to estimate the dispersion of emissions from the use of munitions in training. The emissions from munitions used in training result in ambient concentrations of compounds at various locations. The magnitude and location of these concentrations depend on many factors including the amount and type of emissions, the behavior of the source, and meteorological conditions. Based on the evaluation of air dispersion models for military munitions, the U.S. Army Center for Health Promotion and Preventive Medicine (USACHPPM) recommended using the Integrated PUFF (INPUFF) Model to estimate the dispersion of emissions from pyrotechnics (Reference 5).

#### (2) MODEL SELECTION

The INPUFF Model (Reference 6) was developed to simulate dispersion from instantaneous or semi-continuous point sources. This Gaussian-integrated puff model is capable of addressing a puff type release over short periods of time, and computations can be performed for a single point source for multiple receptors. The algorithm used to calculate concentrations uses a vertically uniformed wind direction (with no chemical reaction) to compute the contribution of each puff at a receptor for each time step/interval.

#### (3) ASSUMPTIONS

Some assumptions were made to best represent the M116A1 in the model. These assumptions were as follows:

(a) For unconventional sources with no physical stack dimensions, the initial horizontal and vertical dispersion values ( $\sigma_y$  and  $\sigma_z$ ) of the released puff were used to define the dimensions of the puff. Therefore, plume rise and formation were not determined by characterizing flue gas exit velocity and stack diameter, as they are with conventional point sources. The initial dimensions were set to values measured during Dugway Proving Ground testing and the

dispersion of the initial cloud was modeled. The physical dimensions, including height and length of the puff or cloud, were estimated from the thermograph data recorded at every time step. The data also included minimum, mean, and maximum temperature readings during the duration of the emission test and were used to define the flue gas exit temperature.

- (b) The worst-case release scenario analysis was performed using EPA Risk Management Program Guidance (Reference 7). This guidance includes tables for estimating the footprint of chemical releases. These guidelines were intended to inform emergency responders of the worst possible accidental release, but not necessarily the most likely. The EPA has defined most default conditions for meteorological modeling parameters. Table 1 lists the parameters that were used in the model.
- (c) The resident used in this study was assumed to be directly downwind from the source. The meander of the puff is a major factor when estimating concentrations at given locations downwind from the source. Assuming that the resident is directly downwind from the source is the same as assuming that there is no puff meander and provides the most conservative modeled concentrations.
- (d) Emissions were assumed to be emitted from a single representative source. This method is more conservative than the assumption that several individual sources are emitted over an area. The EPA guidance document *Screening Procedures for Estimating the Air Quality Impact of Stationary Sources* (Reference 8) recommends merging parameters for multiple sources that are within 100 meters of each other. For the purpose of this study, an event was defined as the activation of 30 items at the same time.

TABLE 1: AIR MODEL INPUT PÄRAMETERS

TABLE 1: AIR MODEL INFOT FARAMETERS	
MODEL PARAMETERS	
Number of meteorological periods (NTIME)	1
Duration of each meteorological period (ITIME)	200 s
Number of updates to the source (NSRCDS)	100
Duration/time step between each source	2 s
update (ISUPDT)	
Total time modeled/Simulation Period	200 s
(NTIME * ITIME)	
(NTIME * ITIME = NSRCDS * ISUPDT)	
SOURCE PARAMETERS	
Source/Stack Diameter	0.97 m
Source/Stack Height	1 m
Source Exit Temperature	293 degrees Kelvin (°K) or (68 °F)
Exit Velocity	NA
Emission Rate	Unit Emission Rate of 1 g/s

Initial horizontal dispersion (σ <sub>v</sub> )	0.66 m
Initial vertical dispersion ( $\sigma_z$ )	0.97 m
WORST CASE METEOROLOGICAL P	ARAMETERS
Wind Speed	1 m/s
Atmospheric Stability	Category F
Wind Direction	270°
Ambient Temperature	293 degrees Kelvin (°K) or (68 °F)
Worst case Receptor Location	100 m directly downwind

#### (4) GENERAL METHODOLOGY

- (a) The INPUFF model determined the amount of time it would take for the puff to pass over a location 100 meters (m) downwind. The released puff migrated at the constant wind speed of one meter per second (1 m/s) downwind from the point of activation. Assuming a distance of 100 m and a travel velocity of 1 m/s, it took 100 seconds (s) for the center of each puff to reach this distance.
- (b) The model was run for a total calculation time of 200 s to ensure that the total mass of the puff had passed the 100 m location and the source behavior recorded in the thermograph data was sufficiently simulated. Since the model is capable of providing 100 updates (puffs), the initial puff was assumed to have a time length of 200 s divided by 100 updates (or the puff lasted 2 s). Calculated concentrations every time step (2 s) indicated that the puffs reached the resident within 74 s and dissipated below the lowest concentration the model could calculate in this instance (1 x 10<sup>-12</sup> g/m³) within 150 s.

#### (5) USE OF MODEL OUTPUT

The concentrations provided by the INPUFF model were based on a unit emission rate of 1 g/s from an emission source and did not represent any pollutant-specific concentrations from the use of pyrotechnics. The relationship between the emission rate and predicted concentration is linear. Therefore, the ratio of the predicted concentration to the unit emission rate was multiplied by each pollutant-specific emission rate to provide pollutant-specific concentrations.

#### (6) DETERMINATION OF POLLUTANT-SPECIFIC EMISSION RATES

(a) The actual pollutant emission rate per item (ER<sub>1</sub>) for each pollutant was calculated using the following equation:

$$ER_1 = \frac{M \cdot CV}{t}$$
 Equation 1

where:

 $ER_1$  = emission rate for one item (g/(item\*sec))

= total mass (lb) of pollutant emitted per item (lb/item)

CV = conversion factor (453.59 g/lb)

= release duration in seconds (References 1 and 9)

#### Example 1 Sample Calculation Using Equation 1\*:

$$ER_1 = \frac{(8.619E - 02)(453.59)}{2}$$

= 1.955E+01 g/(s\*item)

\*Calculation for TSP. Averaged adjusted emission factor of total suspended solids (TSP) in lb/item was obtained from Appendix B.

(b) The pollutant emission rate for an event (ER<sub>EV</sub>) for each pollutant was calculated using the estimated number of potential items used in a training event according to the following equation:

$$ER_{FV} = ER_1 \cdot I$$

Equation 2

where:

 $ER_{EV}$  = emission rate for the estimated number of potential items used in a training event (g/s)

= emission rate for one item (g/(item\*sec)) ER₁ = items per event (item/event)

Example 2 Sample Calculation Using Equation 2\*:

$$ER_{EV} = (1.955E + 01)(30)$$

\* Calculation for TSP

(c) Pollutant-specific ambient concentrations for an event (CONC) were calculated using the following equation:

$$CONC = ER_{EV} \cdot \frac{UC}{ER_{unit}}$$
 Equation 3

where:

CONC = pollutant concentration based on the number of

items used in a training event  $(g/m^3)$  $ER_{EV}$  = emission rate for the estimated number of items used

in a training event (g/s)

 $ER_{unit}$  = unit emission rate as used in the model (g/sec)

UC = concentration based on the unit emission rate (g/m<sup>3</sup>)

## Example 3 Sample Calculation Using Equation 3\*:

$$CONC = (5.864 + 02) \frac{(2.196E - 04)}{(1)}$$

$$= 1.288E-01 g/m^3$$

Calculation for TSP

#### c. EXPOSURE ASSESSMENT

#### (1) EXPOSURE ASSUMPTIONS

(a) Exposure assumptions were selected using a typical use scenario for the M116A1. This use scenario was developed based on consultation with the U.S. Army Environmental Center's (AEC) senior training advisor (References 10,11). The frequency of use of the M116A1 was required to determine how much substance an offsite resident would be exposed to in the time period of interest (i.e., acute or chronic exposure). For the purposes of this study, a training scenario is defined as a day or session of training, whereas a training event is defined as a single use of pyrotechnics. A training scenario may consist of multiple training events. Table 2 summarizes the specific assumptions used to determine how often the M116A1 is used during a training scenario.

TABLE 2: FREQUENCY OF USE FOR THE M116A1

Parameter Used	Value Used
Number of items used per training scenario	60
Number of items used per training event	30
Number of training events per scenario	2
Time between events	12 hours
Number of scenarios per year	5

(b) In order to conservatively estimate emissions, it was assumed that 30 M116A1s were activated at the same time. The puff that resulted from this event was modeled to a point 100 meters downwind. Since the unit emission rate was calculated using a runtime of 200 seconds, each event was assumed to last 200 seconds (3.33 minutes).

#### (2) TIME-AVERAGING

For the chronic assessment, time-averaged concentrations were calculated using the EPA's default residential exposure duration of 30 years (this value assumes that the resident spends 30 years at the same residence). This was done to derive concentrations that would be consistent with the exposure duration used by the EPA so that estimated substance concentrations could be compared to their respective health-based screening levels.

In this evaluation, training scenarios occur five times a year (References 10, 11). Using the default residence time established by the EPA, the assumption was made that someone could be exposed to five training scenarios per year for 30 years. The time-averaged concentrations were calculated as follows:

(a) The daily averaged concentrations were calculated using Equation 4. An example calculation using manganese is included in Example 4. It should be noted that the average modeled concentration was converted from g/m³ to µg/m³ before it was used in Equation 4.

$$C_d = \frac{CONC \cdot ET \cdot EF_{day}}{1440}$$
 Equation 4

where:

 $C_d$  = the average daily concentration ( $\mu$ g/m<sup>3</sup>) CONC = average modeled concentration ( $\mu$ g/m<sup>3</sup>)

ET = exposure time (minutes/event)  $EF_{dav}$  = exposure frequency (events/day) 1440 = unit conversion from minutes to day

## Example 4 Sample Calculation Using Equation 4:

$$C_{d \, (manganese)} = \frac{(1.432E + 01)(3.33\overline{3})(2)}{1440}$$
  
= 6.630E-02 \text{ \text{µg/m}}^3

The averaged modeled concentration (CONC) for manganese was obtained from Appendix B. The exposure parameters were obtained from Table 3.

(b) Chronic averaged concentrations were calculated using Equation 5. The resulting concentration ( $C_d$ ) from Equation 4 was used in Equation 5 to determine the average chronic concentration. Example 5 shows how this calculation was performed.

$$C_{chronic} = \frac{C_d \cdot EF_{year} \cdot ED}{AT}$$
 Equation 5

where:

 $C_{chronic}$  = average chronic concentration ( $\mu$ g/m<sup>3</sup>)  $C_d$  = average daily concentration ( $\mu$ g/m<sup>3</sup>)  $EF_{vear}$  = exposure frequency (days/year)

ED = exposure duration (years)

AT = averaging time (days)

(for carcinogenic endpoint, AT = 70 years x 365 days; noncarcinogenic endpoint, AT = ED x 365 days)

## Example 5 Sample Calculation Using Equation 5:

$$C_{chronic(manganese)} = \frac{(6.630E - 02)(5)(30)}{(30)(365)}$$
$$= 9.082E-04 \text{ ug/m}^3$$

The averaging time for manganese is based on a noncarcinogenic endpoint, as determined by the EPA.

(c) This study assumed that the same person would be exposed 5 days every year for 30 years. Since the air model was run for 30 items, and from Table 2, 60 items could potentially be used per training scenario, the number of events per day (EF<sub>day</sub>) was two. Table 3 lists the exposure parameters used in Equations 4 and 5.

TABLE 3: EXPOSURE PARAMETERS USED TO DETERMINE TIME-AVERAGED CHRONIC AIR CONCENTRATIONS

Exposure Parameter	Value Used
Exposure Time (ET)	3.33 minutes/event
Exposure Frequency (EF <sub>day</sub> )	2 events/day
Exposure Frequency (EF <sub>year</sub> )	5 days/year
Exposure Duration (ED)	30 years

- (d) Unlike the chronic evaluation, guidance for evaluating acute exposures is not currently available. Due to the nature of the use of pyrotechnics and short duration of the concentration plume, acute exposures cannot be overlooked. For the purpose of this study, acute exposure is defined as a 1-hour or 15 minute exposure. The 1-hour or 15 minute acute exposure averaging time allows for comparison with guidelines developed specifically for emergency planning purposes (see discussion on acute toxicity below). This is a conservative assumption since the air model indicated that the resident is not expected to be exposed for more than 4 minutes to the concentration plume following activation of 30 M116A1s.
- (e) The acute averaged concentrations were calculated using Equation 6. The exposure frequency is based on the number of events per 1-hour or 15 minutes depending on the acute toxicity value used for comparison. Example 6 contains a sample calculation of this equation.

$$C_{acute} = \frac{CONC \cdot ET \cdot EF_{hour}}{60}$$
 Equation 6

where:

C<sub>acute</sub> = average acute concentration (μg/m³) CONC = average modeled concentration (μg/m³)

ET = exposure time (minutes/event) EF<sub>hour</sub> = exposure frequency (events/hour) 60 = unit conversion, 60 minutes/hour

## Example 6 Sample Calculation Using Equation 6:

$$C_{acute(manganese)} = \frac{(1.432E + 01)(3.33\overline{3})(1/0.25)}{60} = 3.180E + 00$$
$$= 3.18 \text{ µg/m}^3$$

The average modeled concentration (CONC) for manganese from Appendix B was used to determine the average acute concentration. For manganese, the acute toxicity value is based on a 15-minute exposure (TEEL). Therefore, the acute concentration was adjusted so that  $C_{\text{acute}}$  can be compared with its toxicity value. This assumes an exposure frequency of 15 minutes (0.25 hours) per event.

#### d. TOXICITY ASSESSMENT

The potential for health risks was determined by comparing time-averaged air concentrations to health-based screening levels, which are developed from a substance's known toxicity. These toxicity values typically include different levels of safety factors depending on the level of confidence of the critical study. Appendix C contains a table of the screening values used for the chronic and acute evaluations.

#### (1) CHRONIC ASSESSMENT

- (a) The chronic assessment was evaluated using a screening approach. Using this method, a substance's estimated time-averaged air concentration was compared to its health-based screening level. If this ratio was less than one, no further analysis was required. This screening approach is conservative because the exposure assumptions used by the EPA to establish health-based screening levels, assume that the resident is exposed for 350 days per year (assuming 2 weeks vacation per year). Since the number of training scenarios, in which the M116A1 is used, are not expected to exceed 5 days per year, health-based screening levels specific to this study (if they were developed) may be higher.
- (b) Health-based screening levels were obtained from the EPA, primarily from Regions 3 and 9 (References 12, 13). To ensure that the most recent information was used, the Internet sites of both regions were checked. Although the general approach used by both Region 3 and Region 9 is the same, the exposure assumptions differ enough so that final recommended screening levels can vary to a certain degree. In both methods a substance's health-based screening level is selected using the toxicity endpoint that derives a lower concentration. For example, if a substance has a known systemic toxicity and is a carcinogen, concentrations were calculated using both toxicity

information. The lower concentration was then selected as the recommended screening level to maintain a conservative approach.

- (c) A hierarchy was developed in order to quantitatively evaluate for as many of the identified substances as possible. Since the methodology used by Region 9 results in lower health-based screening levels than Region 3, the Region 9 preliminary remediation goals (PRGs) were used first. Region 3's risk-based concentrations (RBCs) were only used when a PRG was not available. The only exception was for chromium (VI) [Cr (VI)] where Region 9 used a carcinogenic toxicity value that was seven times greater than EPA's recommended value (Reference 14) to develop its screening level for inhalation exposure (Reference 15). Since the EPA does not advocate the application of this multiplication factor, the RBC for Cr (VI) was used instead of the PRG.
- (d) Some substances have neither PRGs nor RBCs because they have their own set of regulatory standards. Under the Clean Air Act, the EPA is required to establish National Ambient Air Quality Standards (NAAQS) (Reference 15) for several substances considered harmful to public health and the environment. Currently, NAAQS are available for six substances, of which carbon monoxide, nitrogen dioxide, lead, sulfur dioxide, and particulate matter < 10 micrometers (PM<sub>10</sub>) have been detected in the M116A1 Bang Box study. The NAAQS for the longer averaging time were used for the chronic evaluation. Depending on the substance, this can range from an 8-hour average to an annual average. In addition, since the majority of the measured total suspended particulates (TSP) were PM<sub>10</sub> (Reference 4), the NAAQS for PM<sub>10</sub> was used to evaluate the potential for health effects from exposure to TSP.

## Example 7 Sample Calculation Comparing a Substance's Estimated Chronic Concentration to Its Health-Based Screening Level:

$$\frac{C_{chronic (manganese)}}{HBSL} = \frac{9.08E - 04}{5.11E - 02}$$
$$= 1.78E-02 \text{ (or } 0.0178) < 1$$

The health-based screening level used for manganese is a PRG. In this case, the resulting ratio is two orders of magnitude less than one.

(e) Many petroleum hydrocarbons were detected but do not have specific screening levels. Therefore, the approach recommended by the Total Petroleum Criteria Working Group (TPHCWG) (Reference 16) was adopted to evaluate petroleum hydrocarbon mixtures. Based on the working group's assessment of various hydrocarbons, they recommended that mixtures be separated according to a substance's number of carbons and its chemical class (i.e., aliphatic or aromatic<sup>1</sup>). Generally, as a substance's carbon number increases, its molecular weight increases and it is therefore, not a substance of concern via inhalation. The working group also concluded that aromatic hydrocarbons tend to be more toxic than aliphatic hydrocarbons (Reference 14).

(f) Table 4 tabulates the inhalation toxicity values used to evaluate exposure to petroleum mixtures. To be consistent with the methodology used in this study, the reference concentrations (RfCs) were converted to PRGs using Region 9 assumptions. The resulting PRGs are included in Table D-4 in Appendix D.

TABLE 4: SUMMARY OF RfCs USED FOR PETROLEUM HYDROCARBONS

(Reference 16)

Carbon Range	Aromatic Inhalation RfC (mg/m³)	Aliphatic Inhalation RfC (mg/m³)
C <sub>5</sub> – C <sub>6</sub> C <sub>&gt;6</sub> – C <sub>8</sub>	Trinical actions of	18.4
C>7 - C8	0.4	
$C_{>8} - C_{10}$ $C_{>10} - C_{12}$ $C_{>12} - C_{16}$	0.2	1.0
C <sub>&gt;16</sub> – C <sub>21</sub> C <sub>&gt;21</sub> – C <sub>35</sub>	NA	NA

NA = not applicable for high molecular weight TPHs (C<sub>>16</sub>) because compounds in this carbon range are not volatile and therefore, inhalation is not a pathway of concern.

#### (2) ACUTE ASSESSMENT

- (a) As previously indicated, an acceptable method for assessing acute health effects is not currently available. It was not until recently that EPA guidance addressed the need to evaluate acute health effects from inhalation (Reference 17). Even then, acute toxicity data for risk assessment purposes were not readily available. The EPA recognized this deficiency and spearheaded the National Advisory Committee for Acute Exposure Guideline Levels for Hazardous Substances (NAC/AEGL Committee). However, AEGLs are currently available for only a handful of substances.
- (b) To circumvent this problem, several state regulatory agencies have suggested that guidelines developed for emergency purposes be used in the interim. Although suggestions have been made to use occupational exposure limits (OELs) by applying additional safety factors (References 18, 19), OELs were not used in this study because they introduce even more uncertainty than the

<sup>&</sup>lt;sup>1</sup> Aliphatic hydrocarbons are hydrocarbons in which the carbon atoms are joined by single covalent bonds consisting of two shared electrons (e.g., butane). Aromatic hydrocarbons have ring structures (e.g., benzene) (Reference 22).

- use of emergency guidelines. OELs are designed to protect the workplace environment and assume eight hours a day, 5 days a week exposures. By definition, these exposures are more chronic than acute.
- (c) In comparison, emergency planning guidelines are more appropriate because they are typically developed for exposures of 1-hour or less. In addition, safety factors may also have been included so that the values are protective of the general population.
- (d) Emergency Response Planning Guidelines (ERPGs) published by the American Industrial Hygiene Association (AIHA) (Reference 20) and the Temporary Emergency Exposure Limits (TEELs) developed by the Department of Energy (DOE) (Reference 21) were used for this study; specifically the ERPG-1s and the TEEL-1s. Since TEEL-1s are intended for 15-minute exposures, air concentrations compared to TEELs were averaged over a 15-minute period as opposed to 1-hour in this assessment. The AIHA defines ERPG-1 as follows:
  - "ERPG-1 The maximum concentration in air below which it is believed nearly all individuals could be exposed for up to one hour without experiencing other than mild transient adverse health effects or perceiving a clearly defined objectionable odor;"

The DOE defines TEEL-1 as follows:

- "TEEL-1 The maximum concentration in air below which it is believed nearly all individuals could be exposed without experiencing other than mild transient adverse health effects or perceiving a clearly defined objectionable odor."
- (e) For this study, ERPGs were preferred over the TEELs because they are more vigorously reviewed before they are published whereas the TEELs are not. Example 8 shows a sample calculation of how a substance's estimated acute concentration is compared to its acute toxicity value.

#### Example 8

Sample Calculation of Comparing a Substance's Estimated Acute Concentration to Its Acute Toxicity Value:

$$\frac{C_{acute (manganese)}}{ATV} = \frac{3.18E + 00}{3.00E + 03}$$
$$= 1.06E - 03 < 1$$

The acute toxicity value available for manganese is a TEEL. In this example with manganese, the ratio is three orders of magnitude below one, indicating that further analysis is not necessary.

#### 6. RISK CHARACTERIZATION

Appendix D presents the results from the M116A1 risk characterization. Note that for some substances, two concentrations were reported because of different analytical test methods (as noted in bold). In those instances, the higher concentration was used.

#### a. CHRONIC HEALTH RISK

The outcome indicated that no chronic health risks are expected from breathing air emissions from the M116A1. Since all ratios were below one, no further evaluation was needed. The highest ratio of 0.221 was estimated for aluminum, which shows that the estimated aluminum concentration is still well below its health-based screening level.

#### b. ACUTE RISK

For the acute analysis, all ratios were below one, indicating there is no potential for acute health risks. The highest ratio from the comparison of the averaged acute concentrations to a substance's acute screening level was 0.112 for magnesium. This low ratio indicates that the estimated acute concentration of magnesium is well below its acute toxicity value.

#### c. SUBSTANCES WITH NO TOXICITY DATA

Some substances were not quantitatively evaluated because they do not have established toxicity data. Comparing the concentrations of these substances to similar compounds with available toxicity data, it may be concluded that no potential for health effects would be expected from exposure to these substances.

#### d. FACT SHEET

A copy of the fact sheet submitted to AEC is included as Appendix E. The fact sheet uses the results from this study to summarize health concerns related to inhalation of M116A1 air emissions.

#### 7. UNCERTAINTY DISCUSSION

The limitations inherent in modeling and the added conservatism of the evaluation contribute to the uncertainty of the study results. In addition, the risk assessment methodology typically includes safety factors that are embedded in the toxicity data to ensure adequate protection of the general population, particularly, susceptible individuals such as the sick, elderly, and children. Table 5 identifies areas of uncertainty associated with this assessment.

TABLE 5: TYPES OF UNCERTAINTY

Issue	Uncertainty	Direction of Effect
The second secon	Modeling	- Commence - Control C
Modeled versus real- time sampling	The air concentrations in this study were modeled. Actual air concentrations taken from the field may be higher or lower.	Varies
Frequency of use for the M116A1	Actual frequency of use of M116A1s during a training event may be different from those stated in this report.	Varies
Hypothetical resident assumed to be located directly downwind	Unless the area around the training facility is populated, the chances that a person living directly downwind is low.	Overestimates
Assumption that 30 M116A1s are activated simultaneously	Although the M116A1s may be activated within minutes of each another, the chance that 30 M116A1s are activated all at once from the same location is unlikely.	Overestimates
Use of worst-case meteorological conditions	To ensure that this study is applicable to most training areas, worst-case meteorological conditions were used in the air model.	Overestimates
	Exposure Assessment	
Estimating time- averaged concentrations	Actual exposure from the M116A1 is intermittent. If one were to plot a person's exposure profile, the plot would consist of a series of spikes. Since current risk assessment methodology does not allow the evaluation of the potential for health	Varies

**TABLE 5: TYPES OF UNCERTAINTY** 

Issue	Uncertainty	Direction of Effect
	risks as a function of time, a single concentration, averaged over the exposure duration was used.	
Chromium speciation	All chromium was assumed to be present as Cr(VI), which is more toxic than Cr(III).	Overestimates
Comparing estimated concentrations to established screening levels	The Region 3 and Region 9 health-based screening levels were developed using different exposure assumptions than those in this study, resulting in more conservative screening levels.	Overestimates
Screening assessment versus calculating an average daily intake	Calculating an average daily intake allows the use of scenario-specific assumptions. However, unless the ratio of concentration to screening level approaches one, a screening assessment is useful as a first-cut evaluation.	Varies
Exposure to other munitions	Other munitions are typically used during the same training event. These items may contain similar or different substances from to those detected in the M116A1.	Underestimates
The same states of the same states and the same states are same states and the same states are same states and	Toxicity Assessment	
Lack of toxicity data	Some substances were not quantitatively evaluated because they have no known toxicity data.	Underestimates
Modifying and uncertainty factors for toxicity data	Modifying factors and uncertainty factors of varying degree are typically applied to toxicological values. These factors are used to conservatively account for extrapolating from animal studies for human health evaluation, and to conservatively account for variation in human populations.	Overestimates

#### 8. CONCLUSION

Results indicated that residents who live as close as 100 meters directly downwind from training areas are safe from breathing air emissions from the M116A1 used during training exercises. It is believed that the assumptions contained in this analysis are conservative enough to be protective of all the population including the sick, elderly, and children.

#### 9. RECOMMENDATIONS

Since the results from this study are intended for a hypothetical training facility, they can vary depending on site-specific conditions. However, because of the conservative assumptions used (e.g., worst-case meteorological conditions) it is believed that most site-specific analyses would result in even lower concentrations. Therefore, the results from this evaluation should be applicable to most training facilities unless site-specific conditions vary significantly.

#### 10. POINT OF CONTACT

Questions about this report should be directed to Ms. Joleen Mobley at (800) 222-9698 x2953, (410) 436-2953, or by email to joleen.mobley@apg.amedd.army.mil.

PREPARED BY:

JOLEEN MOBLEY
Environmental Scientist

ATSDR/DOD Program

STAFFORD D.F.R. COAKLEY

Environmental Engineer

Ambient Air Quality Management

Program

APPROVED BY:

DENNIS E. DRUCK

Acting Program Manager

Environmental Health Risk Assessment

and Risk Communication

JAMES D. WOOD, P.E

Program Manager

Ambient Air Quality Management

JEPFREY S. GROW, P.E.

Supervisory Environmental Engineer

Ambient Air Quality Management Program

APPENDIX A
REFERENCES

- 1. U.S. Army (1994). *Technical Manual, Army Ammunition Data Sheets: Military Pyrotechnics* (Federal Supply Class 1370). TM-43-0001-37.
- 2. U.S. Army (date unknown). *Chapter 1: Fundamentals of Hand Grenades*. http://155217.58.58/cgi-bin/atdl.dll/fm/23-30/Ch1.htm.
- 3. U.S. Army (1991). Operator's Manual, Pyrotechnics Simulators. TM 9-1370-207-10.
- 4. U.S. Army (1999). Sampling Results for AEC Phase I Training Ordnance Emission Characterization, Volume I-Summary Report. Prepared by Radian International LLC, Oak Ridge, TN, for U.S. Army Dugway Proving Ground, Dugway, UT.
- 5. USACHPPM (April 2000). *Draft Ambient Air Quality Consultation NO. 43-EL-1485-00 Air Dispersion Modeling Evaluation For Military Munitions*, Aberdeen Proving Ground, MD.
- 6. Bowman Environmental, Inc. (1999). INPUFF2, Multiple Source Integrated Puff Model, Version 4.1.
- 7. Title 40, Code of Federal Regulations, Part 68 (40 CFR 68), Chemical Accident Prevention Provisions, 1 July 1998.
- 8. EPA (1992). Screening Procedures for Estimating the Air Quality Impact of Stationary Sources, EPA-454/R-92-019.
- 9. U.S. Army Training and Doctrine Command Digital Library, http://www.adtdl.army.mil/
- 10. U.S. Army (1999). Personal communication between Mr. Tony Pitrat, USACHPPM, and Ms. Tamera Clark-Rush, AEC. July 1999.
- 11. Army Training Evaluation Protocol (ARTEP) 7-20-MTP, *Mission Training Plan for the Infantry Battalion*.
- 12. EPA (April 1999). Region 3 Risk Based Concentration (RBC) Tables. Available online at www.epa.gov/reghwmd/risk/riskmenu.htm
- 13. EPA (Oct. 1999). Region 9 Preliminary Remediation Goals (PRG). Available online at www.epa.gov/region09/waste/sfund/prg/index.html
- 14. EPA (1999). Integrated Risk Information System. Available online at http://www.epa.gov/iris/
- 15. EPA. National Ambient Air Quality Standards. Available online at http://www.epa.gov/ airprogm/airs/criteria.html

- 16. Total Petroleum Hydrocarbon Criteria Working Group (1997). Development of Fraction Specific Reference Doses (RfDs) and Reference Concentrations (RfCs) for Total Petroleum Hydrocarbons (TPH), Volume 4. Amherst Scientific Publishers. Amherst, MA.
- 17. EPA (1998). Human Health Risk Assessment Protocol for Hazardous Waste Combustion Facilities, Volumes I-III. EPA530-D-98-001A-C.
- 18. U.S. Army (1996). Final Screening Risk Assessment for the Anniston Chemical Agent Disposal Facility at the Anniston Army Depot, Alabama. Revision No. 5. Prepared by the U.S. Army Center for Health Promotion and Preventive Medicine for the Program Manager for Chemical Demilitarization. Aberdeen Proving Ground, Maryland.
- 19. U.S. Army (1997). Final Screening Risk Assessment for the Pine Bluff Chemical Agent Disposal Facility at the Pine Bluff Arsenal, Arkansas. Revision No. 1. Prepared by the U.S. Army Center for Health Promotion and Preventive Medicine for the Program Manager for Chemical Demilitarization. Aberdeen Proving Ground, Maryland.
- 20. American Industrial Hygiene Association (AIHA). *Emergency Response Planning Guidelines*. AIHA Press, Fairfax, VA.
- 21. Department of Energy (1998). *Temporary Emergency Exposure Limits*, Revision 15. http://www.scapa.bnl.gov.
- 22. Manahan, Stanley (1994). *Environmental Chemistry*. Sixth edition. CRC Press, Inc. Boca Raton, FL.

# APPENDIX B AIR DISPERSION MODELING OUTPUT DATA

Table B-1: Air Modeling Output data for Metals, Particulates and Miscellaneous Compounds

Adjustical Containing Concentration   Pollutant Concentration   Pollutant Concentration   Pollutant (grams)   4 djustical Emission Factor (grams/m²)   ER,			Simulator I Average N Average Nun	Simulator Hand Grenade Average NEW, tb = 0.32 Average Number of Items = 4		Items per event (I): release duration (I): Unit Concentration (UC):	30 items/t 2 second 2.196E-04 g/m^3	30 items/hour 2 seconds 04 g/m^3	
1,424E-02   NIM (d)   1,064E-00   8,83E-02   4,483E+01   1,288E-01   1,288E-	Compound	Measured Actual Concentration (mg/m³)	Measured Background Concentration (mg/m³)	Average Adjusted Emission Factor (Ib/Ib NEW)	Average Adjusted Emission Factor (lb/item)	Total Mass of Pollutani Emitted Per Item (grams) M	Pollutant Concentration 30 Items (grams/m³) CONC	Pollutant Emission Rate (g/sec)/item ER,	• <u>P</u>
1,428E-02	Particulate								
1678E+02   NM (q)   1220E+00   989E-02   4483E+01   1477E+01   2241E+01   6     ND	TSP	1.424E+02	(p) WN	1.064E+00	8.619E-02	3.910E+01	1.288E-01	1.955E+01	5.864E+02
ND   ND   ND   ND   ND   ND   ND   ND	PM <sub>10</sub>	1.678E+02	(p) MN	1.220E+00	9.883E-02	4.483E+01	1.477E-01	2.241E+01	6.724E+02
ND   ND   ND   ND   ND   ND   ND   ND									
1,108E-02   387FE-03   5,560E-05   4,504E-05   2,043E-03   6,728E-06   1,021E-03   3   3   3   3   3   3   3   3   3	HCI/CI <sub>2</sub>								
1,108E-02   38/FE-03   5,506E-04   1,108E-07   1,108	HCI (a)	Q	Q.	QN	QN	ON ON	ON OF S	ND 45.03	NO SATI
1459E-10   ND	Cl <sub>2</sub> (a)	1.108E-02	3.877E-03	5.560E-05	4.504E-06	2.043E-03	0./29E-U6	1.021E-03	3.004E-02
1459E-10	Dioxin/Furan								
3871E-01         2.25E-02         3.166E-03         2.665E-04         1.163E-01         3832E-04         5.816E-02         1           7.966E-00         3.925E-02         3.166E-03         2.665E-04         1.163E-01         3.132E-04         5.816E-02         1           7.966E-00         3.925E-02         6.705E-02         5.431E-03         2.463E-00         8.116E-03         1.232E-00         3           6.927E-02         8.719E-01         ND         ND         ND         ND         ND           6.927E-02         8.719E-01         NM (c)         5.569E-03         4.510E-04         1.025E-01         3           6.927E-02         8.676E-03         4.510E-04         1.609E-05         2.046E-01         6.739E-04         1.025E-01           6.927E-02         NM (c)         1.682E-04         1.509E-03         2.845E-05         3.421E-03         3.421E-03           1.408E-01         NM (c)         1.682E-04         1.509E-03         3.859E+00         1.271E-02         1.928E-01           2.507E-02         NM (c)         1.682E-04         1.509E-03         3.431E-03         3.71E-03         3.71E-03           3.43E-04         NM (c)         2.54E-05         3.71E-05         3.71E-05         3.71E-03	Dioxin TEQ (b)	1.459E-10	QN	1.114E-12	9.021E-14	4.092E-11	1.348E-13	2.046E-11	6.138E-10
3.87E-01         3.83E-02         3.166E-03         2.565E-04         1.163E-01         3.832E-04         5.816E-02         3.166E-02         3.166E-03									
3.871E.01         2.22E.02         3.166E.03         2.565E.04         1.165E.01         3.83E2.04         5.816E.02         1.132E+00         3           7.996E.02         8.79E.02         8.716E.03         2.465E.01         8.705E.02         8.713E.03         8.039E.01         2           8.927E+02         6.829E+02         4.821E.02         3.986E.03         4.510E.04         2.046E.01         8.739E.03         9.039E.01         2           8.927E+02         6.829E+02         4.821E.02         3.986E.03         4.510E.04         2.046E.01         8.739E.04         1.023E-01         2           1.408E+01         NM (c)         1.060E-01         8.507E.02         1.806E-03         3.859E+00         8.739E.04         1.023E-01         2           2.507E-02         NM (c)         1.862E-04         1.509E-05         8.437E-05         3.47E-05         3.47E-05         3.47E-05         3.47E-05         3.77E-05         3.77E-03         3.77E-03         3.77E-03         3.77E-03         3.77E-03         3.77E-03         3.77E-03         3.77E-03         3.77E-03         3.7	CEM System								
7.996E+00         3.925E-02         6.705E 02         5.431E-03         1.60E+00         8.115E-03         1.222E+00         3.079E-01           3.078E-02         8.719E-01         ND         ND         ND         ND         ND           6.927E+02         8.719E-01         3.989E-03         1.606E+00         5.955E-03         9.039E-01         3.039E-01           6.450E-01         NM (c)         5.58BE-03         4.510E-04         2.046E-01         6.738E-04         1.023E-01         3.039E-01           1.408E+01         NM (c)         1.650E-01         1.650E-03         4.510E-04         2.046E-01         6.738E-04         1.023E-01         3.039E-05           2.507E-02         NM (c)         2.54E-06         2.085E-07         9.457E-05         3.416E-07         4.738E-05         3.416E-07         4.738E-05         4.456E-05         3.416E-07         4.738E-05         4.456E-05         3.716E-07         4.456E-05         3.716E-07         1.756E-05         3.716E-07         1.756E-07         1.7	Carbon Monoxide (CO)	3.871E-01	2.252E-02	3.166E-03	2.565E-04	1.163E-01	3.832E-04	5.816E-02	1.745E+00
3.078E-02         8.719E-01         ND         ND         ND         ND         ND           6.927E-02         6.829E-02         4.921E-02         3.586E-03         1.808E-00         6.935E-03         9.039E-01         2           6.450E-01         NM (d)         5.586E-03         4.510E-04         2.046E-01         6.739E-04         1.023E-01           1.408E-01         NM (d)         1.650E-01         8.507E-03         2.868E-03         1.226E-00         1.226E-01           2.507E-02         NM (e)         1.650E-04         2.688E-03         3.889E-00         1.271E-02         1.329E-00           2.507E-02         NM (e)         2.546E-04         2.086E-07         9.487E-05         3.416E-07         4.729E-05           4.732E-05         NM (e)         2.514E-07         2.893E-05         1.328E-05         4.436E-05         6.506E-06           2.507E-04         NM (e)         3.571E-07         2.893E-05         1.758E-05         3.471E-07         3.99E-05           2.37E-04         NM (e)         1.738E-06         1.758E-03         1.079E-04         1.079E-04         1.079E-04         1.079E-05         2.446E-04         1.079E-05           2.37E-02         NM (e)         1.738E-05         1.746E-03         3.446	Nitrogen Oxide (NOx)	7.996E+00	3.925E-02	6.705E-02	5.431E-03	2.463E+00	8.115E-03	1.232E+00	3.695E+01
6.927E+02         6.829E+02         4.921E-02         3.98E-03         1.808E+00         5.55EE-03         9.039E-01         2           6.430E+01         NM (c)         1.68E-03         4.510E-04         2.046E-01         6.739E-04         1.023E-01         3           1.408E+01         NM (c)         1.68CE-04         1.508E-03         3.889E+00         1.271E-02         1.929E+00         5           2.507E-02         NM (c)         1.68CE-04         1.508E-05         6.843E-05         3.421E-03         3.421E-03           2.507E-02         NM (c)         2.54E-06         2.083E-05         1.358E-05         3.421E-03         3.421E-03           4.948E-02         NM (c)         3.571E-07         2.983E-05         4.53E-05         3.421E-03         3.421E-03           2.507E-04         NM (c)         3.571E-07         2.983E-05         1.35E-05         3.421E-03         3.421E-03           2.507E-04         NM (c)         3.471E-07         2.983E-05         1.35E-05         3.421E-03         3.421E-03           2.507E-04         NM (c)         3.471E-04         4.756E-07         7.98E-05         2.64E-07         3.99E-05           2.507E-04         NM (c)         1.727E-04         1.738E-05         1.754E-04	HCI (a)	3.078E-02	8.719E-01	ON	QN	QN	Q.	QN	Q
6.450E-01         NM (d)         5.569E-03         4.510E-04         2.046E-01         6.738E-04         1.023E-01         3           1.409E+01         NM (c)         1.050E-01         8.507E-03         3.859E+00         1.271E-02         1.929E+00         6           2.507E-02         NM (c)         1.60E-04         1.509E-05         6.843E-05         3.41E-07         4.729E-05         3.421E-03           3.443E-02         NM (c)         2.574E-06         2.083E-04         2.983E-05         4.456E-05         3.421E-03         4.729E-05           4.732E-05         NM (c)         3.571E-07         2.993E-06         1.353E-05         4.456E-05         3.41E-07         4.729E-05           2.907E-04         NM (c)         2.546E-06         1.754E-07         7.956E-05         3.71E-07         4.729E-05           2.907E-04         NM (c)         2.166E-06         1.754E-07         7.956E-05         2.621E-07         3.979E-05           2.907E-04         NM (c)         1.727E-04         1.754E-07         1.66E-06         3.476E-05         3.772E-06         6.560E-06           2.907E-04         NM (c)         1.732E-04         1.754E-07         1.764E-04         1.674E-04         1.674E-04         1.674E-04         1.674E-04         1.	Carbon Dioxide (CO <sub>2</sub> )	6.927E+02	6.829E+02	4.921E-02	3.986E-03	1.808E+00	5.955E-03	9.039E-01	2.712E+01
140BE+01         NM (c)         1.050E-01         8.507E-03         3.859E+00         1.271E-02         1.929E+00         6           2.507E-02         NM (c)         1.650E-04         1.509E-05         6.843E-03         2.24E-05         3.415E-07         4.729E-05           3.443E-04         NM (c)         2.574E-06         2.085E-07         9.457E-05         3.115E-07         4.729E-05           4.93E-02         NM (c)         3.571E-07         2.993E-05         1.353E-02         4.456E-05         6.764E-03           4.73E-05         NM (c)         3.571E-07         2.993E-05         1.355E-05         4.456E-05         6.764E-03           2.907E-04         NM (c)         2.166E-06         2.750E-07         1.358E-05         4.32E-08         6.560E-06           2.907E-04         NM (c)         2.570E-07         1.56E-06         2.570E-07         1.754E-04         1.077E-04           2.807E-04         NM (c)         1.727E-04         1.758E-07         1.576E-07         3.476E-03           2.807E-03         NM (c)         1.727E-04         1.398E-05         6.349E-03         1.51E-07         3.476E-03           1.676E-03         NM (c)         1.185E-05         1.079E-04         4.346E-04         1.51E-05         2.746E-0	Sulfur Dioxide (SO <sub>2</sub> )	6.450E-01	(p) WN	5.568E-03	4.510E-04	2.046E-01	6.739E-04	1.023E-01	3.069E+00
1,408E+01         NIM (c)         1,050E-01         8,507E-03         3,859E+00         1,271E-02         1,929E+00         5           2,507E-02         NIM (c)         1,682E-04         1,509E-05         6,843E-05         3,415E-07         3,421E-03         3,421E-03           3,443E-04         NIM (c)         2,574E-06         2,085E-07         9,457E-05         3,115E-07         4,729E-05           4,343E-05         NIM (c)         3,571E-07         2,893E-06         1,353E-05         4,456E-05         6,746E-03           2,507E-04         NIM (c)         2,564E-06         1,754E-07         7,988E-05         2,621E-07         3,79E-06           2,507E-04         NIM (c)         2,684E-06         4,756E-07         7,598E-05         2,621E-07         3,79E-06           1,787E-04         NIM (c)         1,777E-04         1,756E-07         1,166E-04         3,840E-05         3,77E-04           1,787E-03         NIM (c)         1,777E-04         1,398E-05         6,343E-04         1,691E-05         3,77E-03           1,787E-03         NIM (c)         1,289E-05         1,079E-04         1,398E-05         1,438E-05         3,746E-05           1,786E-03         NIM (c)         1,249E-04         1,398E-05         2,591E-07									
1,40BE+01         NM (c)         1,050E-01         8,50F+03         3,856F+00         1,271E-02         1,928E+00         2           2,507E-02         NM (c)         1,862E-04         1,508E-05         6,843E-03         2,254E-05         3,421E-03           3,443E-04         NM (c)         2,848E-06         2,083E-07         4,845E-05         4,322E-08         6,764E-03           4,349E-02         NM (c)         3,571E-07         2,893E-09         1,312E-05         4,322E-08         6,764E-03           7,372E-04         NM (c)         2,166E-06         1,754E-07         7,958E-05         2,621E-07         3,976E-05           7,377E-04         NM (c)         2,166E-06         4,750E-07         1,166E-04         3,840E-05         1,077E-04           4,251E-04         NM (c)         3,173E-06         4,750E-07         1,166E-04         3,840E-05         3,976E-05           1,732E-03         NM (c)         1,727E-04         1,398E-05         6,343E-03         2,691E-06         3,172E-04           1,732E-03         NM (c)         1,332E-05         1,076E-04         3,840E-07         1,671E-03         3,172E-04           1,732E-03         NM (c)         1,332E-06         1,754E-04         1,398E-05         2,746E-04         1	Particulate-phase Metals				,				
2.507E-02         NM (c)         1.862E-04         1.508E-05         6.843E-03         2.254E-05         3.421E-05         3.421E-03           3.443E-04         NM (c)         2.874E-06         2.085E-07         4.729E-05         4.729E-05 <td>Aluminum</td> <td>1.40BE+01</td> <td>NM (c)</td> <td>1.050E-01</td> <td>8,507E-03</td> <td>3.859E+00</td> <td>1.271E-02</td> <td>1.929E+00</td> <td>5.788E+01</td>	Aluminum	1.40BE+01	NM (c)	1.050E-01	8,507E-03	3.859E+00	1.271E-02	1.929E+00	5.788E+01
3.443E-04         NM (c)         2.574E-05         2.08E-07         9.457E-05         3.115E-07         4.72E-05           4.94E-02         NM (c)         3.68E-04         2.983E-05         1.353E-02         4.456E-05         6.764E-03           4.94E-02         NM (c)         2.16E-04         7.98E-05         1.73E-05         4.456E-06         6.764E-03           4.73E-05         NM (c)         2.16E-07         1.75E-03         2.15E-07         1.70F-04           4.25F-04         NM (c)         3.173E-06         2.570E-07         1.166E-04         7.09TE-07         1.07FE-04           4.25F-02         NM (c)         1.77E-04         1.738E-05         2.570E-07         1.166E-04         3.840E-07         5.829E-05           1.782E-03         NM (c)         1.77E-04         1.738E-05         1.079E-05         4.892E-04         1.61E-07         2.46E-04           1.782E-03         NM (c)         1.248E-01         1.079E-05         4.892E-04         1.61E-02         2.46E-04           1.65GE-03         NM (c)         1.248E-01         1.071E-02         4.892E-04         1.61E-02         2.73E-04           1.65GE-03         NM (c)         1.183E-04         1.079E-06         4.892E-04         1.51E-05         2.73E-04	Antimony	2.507E-02	NM (c)	1.862E-04	1.509E-05	6.843E-03	2.254E-05	3.421E:03	1.026E-01
4,848E-02         NM (c)         3,682E-04         2,983E-05         1,353E-02         4,456E-05         6,764E-03           4,72E-05         NM (c)         3,671E-07         2,893E-05         1,312E-05         4,322E-08         6,506E-06           2,907E-04         NM (c)         2,166E-06         1,754E-07         2,154E-04         7,097E-07         1,077E-07           4,251E-02         NM (c)         3,773E-06         2,570E-07         1,166E-04         3,840E-07         1,077E-07           1,782E-02         NM (c)         1,727E-04         1,398E-05         6,343E-03         2,090E-05         3,172E-05           1,782E-02         NM (c)         1,238E-05         1,079E-06         4,892E-04         1,612E-06         2,446E-04           1,673E-01         NM (c)         1,248E-01         1,079E-06         4,892E-04         1,612E-05         2,446E-04           1,673E-02         NM (c)         1,248E-01         1,071E-02         4,346E-03         1,512E-04         2,732E-05           1,566E-03         NM (c)         1,183E-04         1,182E-05         2,090E-07         1,516E-05         2,732E-04           1,566E-03         NM (c)         1,698E-04         1,698E-07         1,518E-05         2,732E-04           1	Arsenic	3.443E-04	NM (c)	2.574E-06	2.085E-07	9.457E-05	3.115E-07	4.729E-05	1.419E-03
4,73E-05         NM (c)         3.571E-07         2.893E-08         1.312E-05         4.322E-08         6.56GE-06           2,907E-04         NM (c)         2.166E-06         1.754E-07         7.958E-05         2.621E-07         3.979E-05           7,877E-04         NM (c)         3.173E-06         4.750E-07         1.168E-04         7.097E-07         1.077E-04           4,251E-04         NM (c)         3.173E-06         2.570E-07         1.168E-04         3.840E-07         5.829E-05           1,782E-03         NM (c)         1.232E-05         1.079E-06         4.586E-00         1.61E-05         2.732E-03           1,782E-03         NM (c)         1.248E-01         1.01E-02         4.586E+00         1.51E-04         2.233E-03           1,686E-02         NM (c)         1.183E-04         1.01E-02         2.298E-04         1.61E-05         2.233E-03           1,782E-03         NM (c)         1.183E-04         1.01E-02         4.386E+00         1.51E-04         2.172E-04           1,566E-05         NM (c)         1.185E-05         9.56E-07         4.244E-04         1.398E-05         2.103E-03           ND         ND         ND         ND         ND         ND         ND         ND           ND	Barium	4.949E-02	NM (c)	3.682E-04	2.983E-05	1.353E-02	4.456E-05	6.764E-03	2.029E-01
2.907E-04         NM (c)         2.166E-06         1.754E-07         7.958E-05         2.621E-07         3.979E-05           7.877E-04         NM (c)         5.864E-06         4.750E-07         1.166E-04         7.097E-07         1.077E-04           4.251E-04         NM (c)         3.173E-06         2.570E-07         1.166E-04         3.840E-07         5.829E-05           2.377E-02         NM (c)         1.277E-04         1.398E-05         4.892E-04         1.617E-06         2.733E-03           1.673E-01         NM (c)         1.248E-01         1.01F-02         4.892E-04         1.617E-06         2.233E-03           1.650E-03         NM (c)         1.133E-05         9.36E-07         4.246E-04         2.233E-03           1.650E-03         NM (c)         1.135E-05         9.56E-07         4.244E-04         1.398E-05         2.173E-03           1.666E-03         NM (c)         1.156E-05         9.56E-07         4.244E-04         1.398E-05         2.103E-04           ND         NM (c)         1.459E-06         2.000E-07         9.071E-05         2.888E-07         4.536E-05           ND         ND         ND         ND         ND         ND         ND         ND           ND         ND         <	Beryllium	4.732E-05	NM (c)	3.571E-07	2.893E-08	1.312E-05	4.322E-08	6.560E-06	1.968E-04
7.877E-04         NM (c)         5.864E-06         4.750E-07         2.154E-04         7.097E-07         1.077E-04           4.251E-04         NM (c)         3.173E-06         2.570E-07         1.166E-04         3.840E-07         5.829E-05           2.377E-02         NM (c)         1.277E-04         1.398E-05         6.343E-03         2.090E-05         3.172E-03           1.673E+01         NM (c)         1.332E-05         1.079E-06         4.892E-04         1.617E-06         2.233E-00           1.673E+01         NM (c)         1.138E-03         1.079E-06         4.346E-03         1.517E-03         2.173E-03           1.565E-02         NM (c)         1.185E-05         9.56E-07         4.246E-04         1.398E-05         2.173E-04           1.566E-03         NM (c)         1.155E-05         9.56E-07         4.246E-04         1.398E-05         2.173E-03           ND         ND         ND         ND         ND         ND         ND         ND           ND         ND         ND         ND         ND         ND         ND         ND           ND         ND         ND         ND         ND         ND         ND         ND           1.600E-02         NM (c)         1.	Cadmium	2.907E-04	NM (c)	2.166E-06	1.754E-07	7.958E-05	2.621E-07	3.979E-05	1.194E-03
4,251E-04         NM (c)         3,173E-06         2,570E-07         1,166E-04         3,840E-07         5,829E-05           2,327E-02         NM (c)         1,272E-04         1,398E-05         6,343E-03         2,090E-05         3,172E-03           1,782E-03         NM (c)         1,332E-05         1,079E-06         4,892E-04         1,612E-05         2,446E-04           1,505E-02         NM (c)         1,248E-01         1,011E-02         4,586E+00         1,511E-02         2,173E-03           1,560E-03         NM (c)         1,165E-05         9,581E-06         4,346E-04         1,342E-05         2,173E-03           1,560E-03         NM (c)         1,165E-05         9,581E-07         4,244E-04         1,342E-05         2,173E-03           ND         NM (c)         1,459E-05         2,000E-07         9,071E-05         2,688E-07         4,536E-05           ND         ND         ND         ND         ND         ND         ND           ND         NM (c)         ND         ND         ND         ND         ND           ND         NM (c)         1,189E-04         9,628E-05         1,439E-05         2,184E-03         1,636E-05           ND         ND         ND         ND	Chromium	7.877E-04	NM (c)	5.864E-06	4.750E-07	2.154E-04	7.097E-07	1.077E-04	3.232E-03
2.3.7FE-02         NM (c)         1.727E-04         1.396E-05         6.343E-03         2.090E-05         3.172E-03           1.782E-03         NM (c)         1.332E-05         1.079E-06         4.892E-04         1.61ZE-06         2.446E-04           1.673E+01         NM (c)         1.248E-01         1.011E-02         4.89E-04         1.51ZE-05         2.293E+00           1.585E-02         NM (c)         1.183E-04         9.58E-07         4.346E-03         1.432E-05         2.173E-03           1.560E-03         NM (c)         1.165E-05         9.36E-07         4.24E-04         1.39E-05         2.172E-04           1.964E-02         NM (c)         1.455E-05         2.006E-05         5.36E-03         1.435E-05         2.606E-03           ND         ND         ND         ND         ND         ND         ND         ND           1.600E-02         NM (c)         1.189E-04         9.62	Cobait	4.251E-04	NM (c)	3.173E-06	2.570E-07	1.166E-04	3.840E-07	5.829E-05	1.749E-03
1.782E-03         NM (c)         1.332E-05         1.079E-06         4.892E-04         1.612E-06         2.44E-04           1.673E+01         NM (c)         1.248E-01         1.01Fc-02         4.586E+00         1.511E-05         2.293E+00           1.58E-02         NM (c)         1.183E-04         9.581E-06         4.346E-03         1.432E-05         2.173E-04           1.560E-03         NM (c)         1.165E-05         9.036E-07         4.244E-04         1.398E-06         2.680E-03           1.560E-03         NM (c)         1.459E-04         1.182E-05         2.681E-07         4.244E-04         1.398E-06         2.680E-03           ND         NM (c)         ND         ND         ND         ND         ND         ND         ND           ND         NM (c)         ND         ND         ND         ND         ND         ND         ND           ND         NM (c)         ND         ND         ND         ND         ND         ND         ND           1.600E-02         NM (c)         ND	Copper	2.327E-02	NM (c)	1.727E-04	1.398E-05	6.343E-03	2.090E-05	3.172E-03	9.515E-02
1.673E+01         NM (c)         1.248E-01         1.011E-02         4.58E+00         1.511E-02         2.293E+00           1.58E-02         NM (c)         1.183E-04         9.581E-06         4.346E-03         1.432E-05         2.173E-03           1.50E-03         NM (c)         1.155E-05         9.356E-07         4.244E-04         1.398E-05         2.173E-04           3.371E-04         NM (c)         1.459E-05         2.000E-07         9.071E-05         2.680E-03         2.680E-03           ND         NM         NM         ND         ND         ND         ND         ND           ND         NM         NM         NM         ND         ND         ND         ND           1.600E-02         NM         ND         ND         ND         ND         ND         ND           ND         NM         NM         ND         ND         ND         ND         ND         ND           1.600E-02         NM         ND         ND         ND         ND         ND         ND         ND           ND         NM         ND         <	Lead	1.782E-03	NM (c)	1.332E-05	1.079E-06	4.892E-04	1.612E-06	2.446E-04	7,339E-03
1.585E-02         NM (c)         1.185E-04         9.581E-06         4.346E-03         1.432E-05         2.173E-03           1.550E-03         NM (c)         1.155E-05         9.356E-07         4.244E-04         1.398E-05         2.122E-04           1.964E-02         NM (c)         1.459E-04         1.182E-05         5.361E-03         1.766E-05         2.680E-03           3.371E-04         NM (c)         2.469E-06         2.000E-07         9.071E-05         2.988E-07         4.536E-05           ND         NM         NM (c)         ND         ND         ND         ND         ND           ND         NM         NM (c)         NM         ND         ND         ND         ND           1.600E-02         NM (c)         1.189E-04         9.628E-05         2.184E-05         2.184E-03         3.008E-07	Magnesium	1.673E+01	NM (c)	1.248E-01	1.011E-02	4.586E+00	1.511E-02	2.293E+00	6.879E+01
1.55GE-03         NM (c)         1.155E-05         9.356E-07         4.244E-04         1.398E-06         2.122E-04           1.964E-02         NM (c)         1.459E-04         1.182E-05         5.361E-03         1.766E-05         2.680E-03           3.371E-04         NM (c)         2.469E-06         2.000E-07         9.071E-05         2.988E-07         4.536E-05           ND         NM         NM (c)         ND         ND         ND         ND         ND           ND         NM         NM (c)         ND         ND         ND         ND         ND           1.600E-02         NM (c)         1.189E-04         9.628E-05         4.367E-03         2.184E-03         2.184E-03           2.198E-05         NM (c)         1.638E-06         1.326E-09         3.008E-07         3.008E-07	Manganese	1.585E-02	NM (c)	1.183E-04	9.581E-06	4.346E-03	1.432E-05	2.173E-03	6.519E-02
1.964E-02         NM (c)         1.459E-04         1.182E-05         6.361E-03         1.766E-05         2.680E-03           3.371E-04         NM (c)         2.469E-06         2.000E-07         9.071E-05         2.988E-07         4.536E-05           ND         ND         ND         ND         ND         ND         ND           ND         NM (c)         ND         ND         ND         ND         ND           1.600E-02         NM (c)         1.189E-04         9.628E-05         2.988E-07         4.536E-05           2.198E-06         NM (c)         ND         ND         ND         ND           2.198E-07         NM (c)         1.638E-08         4.367E-03         1.439E-09         3.008E-07	Nickel	1.550E-03	NM (c)	1.155E-05	9.356E-07	4.244E-04	1.398E-06	2.122E-04	6.366E-03
3.371E-04         NM (c)         2.469E-06         2.000E-07         9.071E-05         2.988E-07         4.536E-05           ND         NM (c)         ND	Phosphorus	1.964E-02	NM (c)	1.459E-04	1.182E-05	5,361E-03	1.766E-05	2.680E-03	8.041E-02
ND         NM (c)         ND         ND <th< td=""><td>Selenium</td><td>3.371E-04</td><td>NM (c)</td><td>2.469E-06</td><td>2.000E-07</td><td>9.071E-05</td><td>2.988E-07</td><td>4.536E-05</td><td>1.361E-03</td></th<>	Selenium	3.371E-04	NM (c)	2.469E-06	2.000E-07	9.071E-05	2.988E-07	4.536E-05	1.361E-03
ND         NM (c)         ND         ND <th< td=""><td>Silver</td><td>QV</td><td>NW (c)</td><td>QN</td><td>QN</td><td>QN</td><td>QN</td><td>QN</td><td>Q</td></th<>	Silver	QV	NW (c)	QN	QN	QN	QN	QN	Q
1.600E-02         NM (c)         1.189E-04         9.628E-06         4.367E-03         1.439E-05         2.184E-03           2.198E-06         NM (c)         1.638E-08         1.326E-09         6.017E-07         1.982E-09         3.008E-07	Thallium	QN	NM (c)	QN	QN	QN	QN	Q	Q
2.198E-06 NIM (c) 1.638E-08 1.326E-09 6.017E-07 1.982E-09 3.008E-07	Zinc	1.600E-02	NM (c)	1.189E-04	9.628E-06	4.367E-03	1.439E-05	2.184E-03	6.551E-02
	Mercury	2.198E-06	NM (c)	1.638E-08	1.326E-09	6.017E-07	1.982E-09	3.008E-07	9.025E-06

ND = Not Determined

NM = Not Measureable

a: HCI/Cl<sub>2</sub> levels were too low to be reliably measured b: Presence questionable - reported at similar levels in samples and blanks c: Insufficient material to analyze.

d: Concentration reported was less than zero.

Table B-2: Air Modeling Output Data for Volatile Organic Compounds

		Simulator Hand Grenade	Grenade		Items per event (I):	30	30 items/hour	
		Average NEW, ib = 0.32 Average Number of Items = 4	tb = 0.32 of Items = 4		release duration (t): Unit Concentration (UC):	2 Second 2.196E-04 g/m^3	seconds g/m^3	
Compound (a)	Measured Actual Concentration (mofm3)	- 2 8	ð	Average Adjusted Emission Factor	Total Mass of Pollutant Ernitted Per (tem (grams)	Pollutant Concentration 1 Item (grams/m³)	Pollutant Emission Rate (g/sec)/item	*Event Pollutant Emission Rate 30 Ilem (g/sec)
CHIMITY AND		(mg/m3)	(ID/ID NEW)	(lb/item)	×	CONC	ER,	EKgy
Total Nonmethane Hydrocarbons (TNMHC)	0 1605.00	2 3400 02	E 134E.04	4 1595.05	1 8865-02	6 213F.05	9 432F-03	2 829F-01
OLIMA	3,1005-02	70-101-07	0.1045	1.132-33	70.7000			
Volatile Organic Compounds (VOCs)								
1,1,2,2-Tetrachloroethane	Q	QN	Q	ą	QN	QN	ON.	QN
1,1,2-Trichloro-1,2,2-trifluoroethane	7.966E-04	8.874E-04	Q	Q	QN	QN	QN	QN
1,1,2-Trichloroethane	Q	Q	QN	QN	QN	ND	ND	ON
1,1-Dichloroethane	Q	Q	QN	QN	ON	QN	ND	ND
1,2,4-Trichlorobenzene	Q.	QN	QN	QN	QN	ND	QN	ND
1,2,4-Trimethylbenzene	7.515E-04	5.401E-04	1.587E-06	1.285E-07	5.829E-05	1.920E-07	2.915E-05	8.744E-04
1,2,4-Trimethylbenzene & sec-Butylbenzene	1.000E-03	3.000E-04	5.303E-06	4.295E-07	1.948E-04	6.418E-07	9.742E-05	2.922E-03
1,2-Dibromoethane	Q	QN	QN	QN	QN	QN	ND	ND
1,2-Dichloroethane	Q	QN	QN	QN	QN	ON	QN	ND
1,2-Dichloroethene	Q	S	Q	Q	QN	ND	QN	ND
1,2-Dichloropropane	Q	Q	QN	QN	QN	QN	ND	ND
1,3,5-Trimethylbenzene	4.000E-04	2.000E-04	2.251E-06	1.823E-07	8.271E-05	2.724E-07	4.136E-05	1.241E-03
1,3,6-Trimethylbenzene	Q	Q	QN	QN	GN	GN	QN	ND
1,3-Butadiene	2.500E-04	QN	1.883E-06	1.525E-07	6.919E-05	2.279E-07	3.459E-05	1.038E-03
1,3-Butadiene	2.543E-04	QN	1.915E-06	1.551E-07	7.037E-05	2.318E-07	. 3.519E-05	1.056E-03
1,4-Dioxane	QN	QN	QN	QN	ON	GN	QN	QN
1-Butanol	ON	QN	QN	QN	QN	GN	QN	QN
1-Butene	5.000E-04	Q	3.766E-06	3,051E-07	1.384E-04	4.558E-07	6.919E-05	2.076E-03
1-Hexene	QV	ON	ND	ON	ON	GN	QN	QN
1-Hydroxy-2-propanone	2.545E-03	1.136E-03	1.534E-05	1.243E-06	5.637E-04	1.857E-06	2.818E-04	8.455E-03
1-Methylnaphthalene	NO	ND	Q	Q	QN	Q	ON.	Q
1-Pentene	QN	ON.	QN	QN	ON	QN	Q	Q.
1-Propanol	Ñ	QN.	Q.	Q	QN	Q	Q	QN
2,2,4-Trimethylhexane	Q	Q.	QN.	Q	QV	QV	QN	Q
2,2,4-Trimethylpentane	6.000E-04	2.000E-04	3.009E-06	2.437E-07	1.105E-04	3.641E-07	5.527E-05	1:658E-03
2,2-Dimethylbutane	Q	4.000E-04	Q	QN	ON	Q	Q	2
2,2-Dimethylheptane	Ð	Q	Q.	Q	QN	Q	QV	Q
2,2-Dimethylpropane	QN	ON	ON.	QN	QN	QN	QN	Q
2,3,4-Trimethylpentane	1.000E-04	1.000E-04	Q.	QN	QN	Q	Q	Q
2,3-Butanedione	ON	QN	QN	Q	ND	ON.	QN	Q
2,3-Dihydro-1-methyl-1H-indene	QN	QN	QN	QN	QN	QN	QN	Q
2,3-Dihydro-4-methyl-1H-indene	Q.	QN	QN	QN	QN	2	QN	Q
2,3-Dimethylbutane	Q	QN	Q	QN	QN	2	QN	Q
2,3-Dimethylhexane	QN	QN	QN	QN	QN	Q	QN	Q
2,3-Dimethylpentane	QN	1.000E-04	QN	Q	QN	QN	QN	QN
2,4,4-Trimethyl-1-pentene	Q	2.000E-04	QN	QN	QN	S	QN	QN
2,4,4-Trimethyl-2-pentene	QV	QN	QN	QN	QN	QN	QN	QN

• Event Poliutant Emission Rate 30 Item (g/sec) ERey	QN	S.	QN	3.634E-03	QV	QN	8.758E-03	QN	4.057E-04	Q	9	Q	QN	Q	Q	QN	4.057E-04	Q.	Q.	QN	1.162E-03	QN	Q.	QN	QN	QN	QN	QN	8.410E-04	2.261E-02	5.053E-04	1.339E-03	4.963E-02	4 195F-03	ND ON	Q	4.877E-03	9.925E-03	1.010E-02	1.453E-03	QV Q	QN	Q.
Pollutant Emission Emi	QN	QN	ON	1.211E-04	2	Q	2.919E-04	QN	1.352E-05	QN	QN	QN	QN	QN	QV	Q	1.352E-05	QN	QN	QN	3.872E-05	9	9	QV	QN	QN	QN	ON	2.803E-05	7.538E-04	1.684E-05	4.463E-05	1.654E-03	1.398F-04	QN	Q	1.626E-04	3.308E-04	3.365E-04	4.843E-05	QN	QN	S
Pollutant Concentration 1 Item (grams/m²) CONC	ND	QN	QN	7.981E-07	Q	QN	1.923E-06	QV	8.908E-08	QN	QN	QN	QN	ON	QN	Q	8.908E-08	QN	QV	QN	2.551E-07	QV	ON	QN	QN	QN	QN	QN	1.847E-07	4.966E-06	1.110E-07	2.940E-0/	7.090E-05	9.213E-07	Q	Q.	1.071E-06	2.180E-06	2.217E-06	3.190E-07	ON	ND	QX
Total Mass of Pollutant Emitted Per Item (grams)	QN	QN	Q.	2.423E-04	QN	QN	5.839E-04	QN	2.704E-05	ON	ON	QN	ON	ON	QN	QN	2.704E-05	QN	ON	QN	7.744E-05	QN	QN	QN	QN	QN	QN	ON	5.607E-05	1.508E-03	3.369E-05	8.926E-05	3.308E-03	2.797E-04	Q	QN	3.252E-04	6.617E-04	6.730E-04	9.685E-05	ON	ON	CN
Average Adjusted Emission Factor (lbfilem)	QN	QN	QN	5.342E-07	QN	QN	1.287E-06	QN	5.962E-08	ON	QN	ON	QN	QN	QN	ON	5.962E-08	QN	QV	QN	1.707E-07	QN	ON	QN	QN	QN	QN	ON	1.236E-07	3.324E-06	7.427E-08	1.908E-07	1.294E-Ub	6.166E-07	2	QN	7.169E-07	1.459E-06	1.484E-06	2.135E-07	ON	QN	CN
Average Adjusted Emission Factor E (Ibm NEW)	QN	QN	QV	6.595E-06	QN	QN	1.589E-05	QN	7.361E-07	ON	QN	ON	QN	ND	QN	ON	7.361E-07	QN	QN	QN	2.108E-06	QN	QN	QN	QN	QN	QN	Q	1.526E-06	4.104E-05	9.169E-07	2.429E-U6	9.005E-05	7.612E-06	QV.	QN	8.850E-06	1.801E-05	1.832E-05	2.636E-06	QN	QN	CN
Measured Background Concentration (mg/fri3)	QN	1.000E-04	Q.	7.609E-04	7.468E-04	QN	QN	ND	QN	ON	QN	QN	QN	QN	1.000E-04	QN	1.500E-04	ON	Q	QN	QN	1.513E-02	Q	ON	2.500E-04	1.000E-04	QN	1.540E-03	2.458E-03	8.869E-03	2	UND O	9.500E-04	QN	QV.	QN	9.684E-04	5.500E-04	5.594E-04	ND	ND	QN	CN
Measured Actual Concentration (mg/m3)	QN	1.000E-04	QV	1.639E-03	6.911E-04	ND	2.111E-03	QN	1.000E-04	QN	QN	ON	QN	QN	QN	QN	2.000E-04	QN	QN	QN	2.863E-04	QN	ON	QN	ON	QN	ON	Q	1.987E-03	8.855E-03	1.220E-04	3.193E-04	2 765E-02	9.772E-04	Q.	QN	2.144E-03	2.950E-03	3.001E-03	3.581E-04	QN	QN	GN
Compound (8)	2,4-Dimethylhexane	2,4-Dimethylpentane	2,5-Dimethylhexane	2-Butanone	2-Butoxyethanol	2-Ethyl-1-hexanol	2-Furaldehyde	2-Methyl-1,3-dioxolane	2-Methyl-1-butene	2-Methyl-1-pentene	2-Methyl-2-butene	2-Methyl-2-pentene	2-Methylfuran	2-Methylheptane	2-Methylhexane	2-Methylnaphthalene	2-Methylpentane	2-Methylpropanal	2-Methylpropanenitrile	2-Nitrophenol	2-Pentanone	2-Propanol	3-Ethylhexane	3-Methyl-1-butene	3-Methylhexane	3-Methylpentane	4-Methyl-1-pentene	6-Methyl-5-hepten-2-one	Acetic Acid	Acetone	Acetonitrile	Acetopironome	Accipient	Acylonitrile	Allylchloride	alpha-Pinene	Benzaldehyde	Benzene	Benzene	Benzofuran	Benzonitrile	Benzylchloride	beta-Pinene

SHG\_air\_print.xls

5/18/00

Table B-2: Air Modeling Output Data for Volatile Organic Compounds

	Measured Actual	Measured	Average	Average	Total Mass of Pollutant	Concentration 4	Pollutant Emission	- Event Pollutant
Compound (a)	Concentration	Concentration	Emission Factor	Adjusted Emission Factor	Emitted Per Item (grams)	Item (grams/m²)	Rate (g/sec)/item	
•	(mg/m3)	(mg/m3)	(IDAB NEW)	(lb/tem)	W	CONC	ER,	EREV
Butanal	2.5B6E-04	2.322E-04	3.889E-07	3.150E-08	1.429E-05	4.707E-08	7.145E-06	2.143E-04
Carbon Disulfide	8.951E-02	6.089E-04	6.701E-04	5.428E-05	2.462E-02	8.110E-05	1.231E-02	3.693E-01
Carbontetrachloride	7.652E-04	7.138E-04	3.828E-07	3.100E-08	1.406E-05	4.632E-08	7.031E-06	2.109E-04
Carbonyl Suifide	4.419E-04	1.790E-04	1.977E-06	1.602E-07	7.265E-05	2.393E-07	3.632E-05	1.090E-03
Chlorobenzene	QN	QN	QN	QN	ND	QN	ND	QN
Chloroethene	Q.	QN	QN	QN	QN	QN	QN	QN
Chloroform	QV	QN	QV	QN	ON	ON	QN	QN
cis 1,3-Dichloro-1-propene	Q	QN	Q	QN	QN	QN	QN	Q
cis-2-Butene	1.500E-04	QN	1.126E-06	9.117E-08	4.136E-05	1.362E-07	2.068E-05	6.203E-04
cis-2-Hexene	QV	QN	QN	QN	QN	QN	QN	QN
cis-2-Pentene	QN	QN	Q	QN	QN	QN	QN	QN.
cis-4-Methyl-2-pentene	QN	Q	QN	ON	QN	QN	QN	QN
Cyanogen	QN	QN	QN	QN	QN.	QV.	QV	QN
Cyclohexane	QN	1.000E-04	QN	Q	QN	QN	QN	QN
Cyclohexanone	Q.	Q	Q	QN	QN	QN	QN	QN
Cyclopentane	QN	ON	QN	QN	QN	QN	QN	QN
Cyclopentanone	QN	QV	QN	QN	QN	QN	QN	QN
Cyclopentene	QN	QN	QN	QN	QN	QN	ON	QN
Decanal	1.522E-03	2.042E-03	QN	QN	ND	QN	ON	QN
delta 3-Carene	ON	ĠΝ	QN	ON	QN	ON	QN	QN
Dichlorodifluoromethane	1.215E-03	9.510E-04	1.967E-06	1.593E-07	7.227E-05	2.381E-07	3.614E-05	1.084E-03
Dichlorotetrafluoroethane	QN	QN	QN	Ð	Q	Q	QN :	QN .
Dimethyldisulfide	QN	QN	QN	QN	QN	Q	Q	ON
d-Limonene	DN	QN	QN	QN	ON	Q	QN	ON
ETBE	QN	QN	QN	QN	QN	Q	QN	QN
Ethane	5.700E-03	2.900E-03	2.121E-05	1.718E-06	7.793E-04	2.567E-06	3.897E-04	1.169E-02
Ethylbenzene	4.000E-04	1.000E-04	2.251E-06	1.823E-07	8.271E-05	2.724E-07	4.136E-05	1.241E-03
Ethylbenzene	6.141E-04	QN	4.619E-06	3.742E-07	1.697E-04	5.590E-07	8.486E-05	2.546E-03
Ethylchforide	Q	Q	Q	Q	QV	ON	QN	QN
Ethylcyclohexane	Q.	Q	Q	QN	Q	QN	QN	QN
Ethylene	1.275E-02	1.500E-04	9.449E-05	7.653E-06	3.471E-03	1.144E-05	1.736E-03	5.207E-02
Furan	5.324E-04	Q	3.991E-06	3.232E-07	1.466E-04	4.830E-07	7.331E-05	2.199E-03
Heptanal	5.654E-04	6.054E-04	5.373E-07	4.352E-08	1.974E-05	6.503E-08	9.871E-06	2.961E-04
Devaciloronuladiene	ON LOS	UN TOOL T	ON JOSE	ON 1	ON O	2000	NO 424E 07	20 1301 0
Hexaneninia	D GN	ND ND	ND GN	S.36 E-03	ON ON	ND	ND	ND ND
i-Butane	4.500E-04	4.000E-04	1.472E-06	1.192E-07	5.409E-05	1.782E-07	2.704E-05	8.113E-04
i-Bulene	7.500E-04	QN	5.564E-06	4.507E-07	2.044E-04	6.733E-07	1.022E-04	3.066E-03
Indane	QN	QV	QN	QN	ON	QN	QN	ON
i-Pentane	4.500E-04	3.000E-04	1.147E-06	9.291E-08	4.214E-05	1.388E-07	2.107E-05	6.322E-04
i-Propylbenzene	QN	ON	QN	QN	ON	QN	Q	QN
Isoprene	ON	2.000E-04	QV	Q	QN	QN	QN	QN
m&p-Xylene	1.033E-03	5.045E-04	3.978E-06	3.222E-07	1.461E-04	4.814E-07	7.307E-05	2.192E-03
m-Dichlorobenzene	QN	QN	QN	QN	QN	QN	QN	QN

Measur Conce (mg	For Actual Measured Actual Background Actual Concentration Emission (mgints) (but many man)	A S ss E	Total Mas Emitted Pe	Pollutant Concentration 1 Item (grams/m³) CONC	Poliutant Emission Rale (g/sec)/ilem ER,	*Event Pollutant Emission Rate 30 Ilem (g/sec) ER <sub>EV</sub>
	ON ON	QV	ON	QN	QN	ON
			Q C	Q Z	2 2	Q
	2	QN	QN	QN	QN	2 2
3.535E-04 3.485E-04	E-04 3.777E-08	3.059E-09	1.388E-06	4.571E-09	6.938E-07	2.081E-05
	ON ON	ON	QN	QN	QN	ON
$\dashv$	1.000E-04 ND	QN	QN	QN	QN	QN
-	6.733E-04 4.711E-05	-05 3.816E-06	1.731E-03	5.702E-06	8.654E-04	2.596E-02
1.411E-03 N	-	-	3.899E-04	1.284E-06	1.949E-04	5.848E-03
4	04	+	6.919E-05	2.279E-07	3.459E-05	1.038E-03
8	2.8	2.3	1.065E-04	3.509E-07	5.326E-05	1.598E-03
			ND	QN	QN	QN
	-	_	ND	QN	QN	QN
	-	-	6.919E-05	2.279E-07	3.459E-05	1.038E-03
	E-04 3.033E-06	-06 2.457E-07	1.114E-04	3.671E-07	5.572E-05	1.671E-03
	_	_	ND	QN	QN	QN
2.000E-04 1.000E-04	E-04 7.790E-07	:-07 6.310E-08	2.862E-05	9.428E-08	1.431E-05	4.293E-04
			2.704E-05	8.908E-08	1.352E-05	4.057E-04
2.000E-04 1.000E-04			2.783E-05	9.168E-08	1.392E-05	4.175E-04
-	-		3.379E-04	1,113E-06	1.689E-04	5.068E-03
4	2.2	1.8	8.192E-05	2.699E-07	4.096E-05	1.229E-03
+	4		QN	Q	QN ,	QN
+	+	+	QN	QN	QN	ON
+	+		2.704E-05	8.908E-08	1.352E-05	4.057E-04
+	+	+	2.704E-05	8.908E-08	1.352E-05	4.057E-04
1.208E-03 1.24	-03	7	9.628E-05	3.172E-07	4.814E-05	1.444E-03
2	1 000E-04 2 273E-06	1 8415 07	ON 3050 8	0 750E 07	A 1755 OF	4 2525 03
+	+	+	9 623E.05	3 170E-07	A 812E-05	1 4435 03
$\vdash$	-	+	1,545E-04	5,089E-07	7.725E-05	2.318E-03
	QN	QN	QN	QN	QN	QN
04	1.022E-03 ND	QN	QN	QV	QV.	QN
	ON ON	QN C	QN	ON	QN	QN
	ON ON	ON C	QN	QN	QV	Q
5.000E-04 3,000E-04	E-04 2.619E-06		9.623E-05	3.170E-07	4.812E-05	1.443E-03
3.140E-04 ND	2.378E-06	E-06 1.926E-07	8.737E-05	2.878E-07	4.369E-05	1.311E-03
QN QN	QN	QN	QN	QN	ND.	QN
. 2.400E-03 1.900	1.900E-03 3.723E-06	E-06 3.016E-07	1.368E-04	4.506E-07	6.840E-05	2.052E-03
1.324E-04 N	ND 9.743E-07	E-07 7.892E-08	3.580E-05	1,179E-07	1.790E-05	5.369E-04
	1.000E-04 3.188E-05	H	1.171E-03	3.859E-06	5.857E-04	1.757E-02
4.000E-04	3.1	2.5	1.145E-04	3.771E-07	5.724E-05	1.717E-03
QN		QN	QN	QN	QN	QN
QN		Н	ON	QN	QN	QN
4.281E-04	ND 3.224E-06	E-06 2.611E-07	1.185E-04	3.902E-07	5.923E-05	1.777E-03

Table B-2: Air Modeling Output Data for Volatile Organic Compounds

Compound (a)	Measured Actual Concentration (mo/m3)	- & 3	Average Average Adjusted Adjusted Emission Factor Emission Factor	Average Adjusted Emission Factor	Total Mass of Pollutant Emitted Per Item (grams)	Pollutent Concentration 1 Item (grams/m³)	Pollutant Emission Rate (g/sec)/item	· Eve Emiss Iter
	(a	(mg/m3)	(that NEW)	(lb/ilem)	<b>X</b>	CONC	ER,	ERev
Toluene	1.600E-03	5.000E-04	8.289E-06	6.698E-07	3.038E-04	1.001E-06	1.519E-04	4.557E-03
Toluene	1.627E-03	5.086E-04	8.410E-06	6.812E-07	3.090E-04	1.018E-06	1.545E-04	4.635E-03
trans 1,3-Dichloro-1-propene	ON	QN	QN	QN	QN	QN	ND	QN
trans-2-Butenal	3.566E-04	QN	2.686E-06	2.175E-07	9.867E-05	3.250E-07	4.933E-05	1,480E-03
trans-2-Butene	7.500E-04	QN	5.628E-06	4.559E-07	2.068E-04	6.811E-07	1,034E-04	3.102E-03
trans-2-Hexene	ON.	ON	QN	QN	ND	ON	ON	ON
trans-2-Pentene	QN	ON	QN	QN	ON	Q	QN	ON
Trichloroethylene	QN	QN	QN	QN	ON	QN	QN	ON.
Trichloromonofluoromethane	2.441E-03	2.527E-03	QN	QN	ON	QN	ND	ON
Vinylidenechloride	QN	QN	QN	QN	ND	QN	ND	ON

a: Items in bold represent duplicate values for those compounds that are common for Method TO-14 and TO-12. ND: Not Detected

Table B-3: Air Modeling Output Data for Semi-Volatile Organic Compounds

		Simulator Hand Grenade	d Grenade		Items per event (I):	30	30 items/hour	
		Average NEW, tb = 0.32 Average Number of Items =	/, tb = 0.32 r of ttems = 4		release duration (t): Unit Concentration (UC):	2 2.196E-04	seconds g/m^3	
	Measured Actual	Measured	Average	Average	Total Mass of Pollutant	Pollutant	Pollutant	* Event Pollutant
Compound	Concentration (mg/m³)	Concentration (mg/m³)	Adjusted Emission Factor (Ib/Ib NEW)	Adjusted Emission Factor (Ib/ftsm)	Emitted Per Item (grams) M	Concentration 1 Item (grams/m²) CONC	Emission Rate (g/sec)/item ER,	Emission Rate 30 Item (g/sec) ERev
Particulate/Vapor-phase SVOCs						6		
1,2,4,5-Tetrachlorobenzene	QV	QN	QN	QN	QN	QN	QN	CN
1,2,4-Trichlorobenzene	ND	QN	Q	QV	QN	ND.	QN	QN
1,2-Dichlorobenzene	QN	QN	QN	Q	QN	Q	QN	QN
1,3-Dichlorobenzene	Q	QN	QN	QN	ON	QN	QN	QN
1,3-Dinitrobenzene	QV	QN	QN	QV	QN	QN	QN	QN
1,4-Dichlorobenzene	QN	QN	Q	QV	QN	QN	QN	QN
1,4-Naphthoquinone	QN	S	QN	QN	QN	QN	QN	QN
1-Naphthylamine	QN	QN	QN	2	QN	QN	QN	ND
2,3,4,6-Tetrachlorophenol	QN	ON	QN	QV	QN	QN	QN	QN
2,4,5-Trichlorophenol	QN	QN	QN	QN	QN	Q.	QN	QN
2,4,6-Trichlorophenol	GN	ND	QN	Q	QN	Q	QN	QN
2,4-Dichlorophenol	QN	QN	ON	QN	QN	Q	QN	QN
2,4-Dimethylphenol	QN	QN	ΩN	QN	QN	Q	QN	QN
2,4-Dinitrophenol	ON	ON	QN	ON	QN	QN	QN	QN
2,4-Dinitrotaluene	QN	QN	QN	QN	QN	QN	ON	S
2,6-Dichlorophenal	ON	ON	ON	QN	QN	QN	QN	QN
2,6-Dinitrotoluene	QN	QN	GN	QN	QN	QN	QN	QN
2-Acetylaminofluorene	ON	QN	QN	QN	ON	QN	QN	ON
2-Chloronaphthalene	ON	QN	ON	ON	GN	QN	QN	ON
2-Chfarophenol	QN	QN	ON	ND	QN	QN	QN	ON
2-Methyinaphthalene	2.530E-04	QN	1.990E-06	1.612E-07	7.310E-05	2.408E-07	3.655E-05	1.097E-03
2-Methylphenol	ON	QN	QN	QN	ND	QN	QN	ON
2-Naphthylamine	QN	QN	QN	QN	QN	QN	QN	QN
2-Nitroaniline	ON ON	QN	QN	ND	QN	QN	ON	QN
2-Nitrophenol	QN	QN	QN	QN	QN	QN	QN	QN
2-Picoline	QQ	QN	QN	QN	QN	2	QN	QN
3,3'-Dichlorobenzidine	Q	QN	Q	Q.	QN	QN	ND	QN
3,3'-Dimethylbenzidine	Q	Q	QN	ON	QN	QN	QN	QN
3-Methylcholanthrene	QV	QN	QN	QN	ND	QN	ON	QN
3-Nitroaniline	QN	QN	Q	Q	ND	QN	QN	QN
4,6-Dinitra-2-methylphenol	QN	Q	QN	Q	ND	QN	QN	QN
4-Aminobiphenyl	QV	Q	QN	QN	QN	QN	ON	QN
4-Bromophenyiphenyi ether	QN	Q	QN	QN	ND	QN	ON	QN
4-Chloro-3-methylphenol	QV	Q	QN	Q	ND	ON	ON .	QN
4-Chlorophenylphenyl ether	QN	Q	QN	QN	QN	QN	QN	ON
4-Methyiphenol/3-Methyiphenol	QN	QN	Q	Q	QN	QN	ON	ON
4-Nitroaniline	QN	Q	QN	QN	QN	QN	QN	QN

Table B-3: Air Modeling Output Data for Semi-Volatile Organic Compounds

Compound	Measured Actual Concentration (mg/m²)	Background Concentration (mg/m²)	Average Adjusted Emission Factor (Ib/Ib NEW)	Average Adjusted Emission Factor (Ib/ritem)	Total Mass of Pollutant Emitted Per Item (grams) M	Pollutant Concentration 1 Item (grams/m³) CONC	Pollutant Emission Rate (g/sec)/item ER,	• Event Pollutant Emission Rate 30 Item (g/sec) ER <sub>EV</sub>
4-Nitrophenol	QN	QN	QN	QN	QN	QN	QN	QN
4-Nitroquinoline-1-oxide	QN	QN	QN	QN	ND	QN	QV	QN
5-Nitro-o-toluidine	QN	QN	QN	QN	QN	QN	QN	QV
7,12-Dimethylbenz(a)anthracene	QN	ON	QN	QN	QN	QN	S	QN
Acenaphthene	QN	QN	QV	QN	QN	QN	QN	QN
Acenaphthylene	QN	QN	QN	Q.	QN	QN	QN	QN
Acetophenone	6.209E-04	1.897E-04	3.376E-06	2.735E-07	1.240E-04	4.086E-07	6.202E-05	1.861E-03
Aniline	QN	ND	QN	QN	QN .	QN	QN	QN
Anthracene	QN	ON	QN	QN	QN	QV	QV	QN
Benz(a)anthracene	QN	QN	QN	ON	QN	QN	QV	QN
Benz(a)pyrene	QN	QN	QN	ON.	QN	Q	S	QN
Benzidine	QN	QN	ON	2	QN	QN	QN	QN
Benzo(b)fluoranthene	QN	QN	QN	Q.	QN	S	QN	QN
Benzo(g,h,i)perylene	QN	QN	QN	QV	QN	QN	QN	QN
Benzo(k)fluoranthene	QN	ND	QN	QN	QN	Q	QN	QN
Benzoic acid	QN	QN	QN	QN	QN	2	QV	QN
Benzyl alcohol	QN	ND	QN	QN	ON	QN	QN	QN
bis(2-Chloroethoxy)methane	. QN	ND	ND	QN	QN	QN	QN	QN
bis(2-Chloroethyl)ether	QN	ND	ON	QN	QN	QN	ON	QN
bis(2-Chloroisopropyl)ether	QN	ND	QN	QN	ND	QN	QN	QN
bis(2-Ethylhexyl)phthalate	9.531E-04	2.139E-02	QN	Q	QN	QN	QN	QN
Butylbenzylphthalate	1.489E-03	ND	1.163E-05	9.417E-07	4.272E-04	1.407E-06	2.136E-04	6.407E-03
Carbazole	Q	ON	QN	QN	QN	QN	QN	QN
Chlorobenzilate	QN	NO	QN	QV	ON	QN	ON	QN
Chrysene	ON	Q.	QN	Q	ON	QN	QN	QN
Diallate	QN	QN ON	QN	QN	ON	QN	QN	QN
Dibenz(a,h)anthracene	QN	QN	QN	QN	ON	QN	QN	QN
Dibenzofuran	QN	Q	Q	Q	QN	Q	QN	ON
Diethylphthalate	2.007E-04	QN	1.578E-06	1.278E-07	5.798E-05	1.910E-07	2.899E-05	8.698E-04
Dimethylphenethylamine	Q	Q	Q	QN	QN	QN	QN	QN
Dimethylphthalate	QN	QN	2	Q	QN	QN	QN	QN
Di-n-Butylphthalate	3.892E-03	QN	3.017E-05	2.444E-06	1.109E-03	3.652E-06	5.543E-04	1.663E-02
Di-n-octylphthalate	QN	QN	Q	Q	QN	QN	QN	QN
Diphenylamine/N-NitrosoDPA	QN	QN	Q	Q	ON	QN	ON	ON
Ethyl methanesulfonate	Q	QN	QN	QN	QN	QN	ON	ON
Fluoranthene	QN	ND	QN	QN	QN	QN	QN	QN
Fluorene	QN	QN	QN	QN	QN	QN	QN	QN
Hexachlorobenzene	ND	ON	QN	QN	QN	ON	QN	2
Hexachlorobutadiene	QN	QN	ON	Q	QN	QN	ON	ON
Hexachlorocyclopentadiene	NO	ON	QN	QN	QN	QN	QN	QN
Hexachloroethane	ON	Q.	Q	Q.	Q	QN	2	Q

5/18/00

Table B-3: Air Modeling Output Data for Semi-Volatile Organic Compounds

Compound	Measured Actual Concentration	Measured	Average Adjusted	Average Adjusted	Total Mass of Pollutant Emitted Per Item (grams)	Pollutant Concentration 1	Pollutant Emission Rate	Emission Rate 30
	(m/6m)	Concentration (mg/m³)	Emission Factor (Ib/Ib NEW)	Emission Factor (lb/rtem)	M	Item (grams/m²) CONC	(g/secµnem ER,	item (g/sec) ER <sub>EV</sub>
Hexachloropropene	QN	QN	QN	QN	QN	QN	QN	QN
Indeno(1,2,3-cd)pyrene	QV	QN	QN	ON	ND	QN	ON	QN
Isophorone	QN	QN	QN	QN	QN	QN	QN	ON
Isosafrole	QN	QN	QN	Q	ND	QN	QN	ON
Kepone	QN	QN	Q.	QV	GN	QN	QN	ON
Methapyrilene	QN	QN	QN	QN	QN	QN	QN	QN
Methyl methanesulfonate	QN	QN	QN	QN	ON	QN	QN	ND
Naphthalene	6.122E-04	QN	4.789E-06	3.879E-07	1.760E-04	2.796E-07	8.798E-05	2.639E-03
Nitrobenzene	QN	QN	QN	QN	QN	QN	QN	ND
N-Nitrosodiethylamine	QN	QN	QN	QN	ON	QN	QN	QN
N-Nitrosodimethylamine	QN	QN	QN	QN	QN	QN	QN	QN
N-Nitroso-di-n-butylamine	QN	QN	QN	ON	ON	ON	QN	QN
N-Nitroso-di-n-propylamine	QN	QN	QN	QN	ON	GN	ON	ON
N-Nitrosomethylethylamine	QN	QN	QN	QN	QN	QN	QN	ON
N-Nitrosomorpholine	QN	QN	Q	QN	ON	QN	ON	QN
N-Nitrosopiperidine	QV	QN	GN	QN	ON	QN	QN	ON
N-Nitrosopyrrolidine	QN	QN	QN	QN	ON	QN	ON	ON
o-Toluidine	Q.	QV	QN	QN	QN	QN	ON	QN
p-Chloroaniline	QN ,	O.	ON	QN	QN	QN	ON	ND
p-Dimethylaminoazobenzene	QN	QN	QN	QN	QN	QN	QN	QN
Pentachlorobenzene	Q	QN	QN	QN	QN	QN	QN .	GN
Pentachloroethane	QV	QN	QN	ND	ON	QN	ON	QN
Pentachloronitrobenzene	QN	ON	QN	ON	QN	QN	QN	QN
Pentachlorophenol	QN	GN	QN	ND	ND	QN	QN	QV
Phenacetin	QN	QN	QN	ON	QN	ON	QN	QN
Phenanthrene	S	QN	QN	QN	QN	QN	ÒN	ON
Phenol	QN	QN	QN	QN	QN	QN	ND	ON
Pronamide	QN	QN	QN	ON	QN	QN	QN	QN
Pyrene	QN	Q	QN	QN	QN	QN	QN	ON
Pyridine	QN	QN	QN	ON	GN	QN	ON	QN
Safrole	ON	QN	QN	QN	QN	QN	QN	QV
sym-Trinitrobenzene	QN	QN	QN	ON	QN	QN	QN	ND
Footnotes:								

Footnotes: ND: Not Detected NEW: Net Explosive Weight

### APPENDIX C

HEALTH-BASED SCREENING LEVELS AND ACUTE TOXICITY VALUES

Appendix C: Health-based Screening Levels and Acute Toxicity Values

			For the (	For the Chronic Evaluation (HBSL)	luation (HE	(SF)		For the Ac	For the Acute Evaluation (ATV)	n (ATV)
		Region 9	Toxicity	Region 9	Toxicity	Health-based				Acute Toxicity
		PRG	Endpoint	RBC	Endpoint	Screening Level	ERPG	TEEL	Source	Value
Compound	CAS#	(hg/m³)	(c or nc)	(ng/m <sub>3</sub> )	(c or nc)	(µg/m³)	(hg/m³)	(hg/m <sub>3</sub> )	(T or E)	(µg/m³)
TSP	12789-66-1	5.00E+01		NA		5.00E+01				0.00E+00
PM <sub>10</sub>		5.00E+01		NA		5.00E+01				0.00E+00
HCI	7647-01-0	2.08E+01	nc	2.08E+01	JU	2.08E+01		7.14E+03	T	7.14E+03
Cl <sub>2</sub>	7782-50-5	2.09E-01	nc	3.65E+02	ည	2.09E-01	2.89E+03	2.90E+03	ш	2.89E+03
Dioxin TEQ	1746-01-6	4.48E-08	o	4.48E-08	O	4.48E-08		3.50E+00	⊢	3.50E+00
Carbon Monoxide (CO)	630-08-0	1.57E+02		ΑN		1.57E+02	2.30E+05	2.28E+05	ш	2.30E+05
Nitrogen Oxide (NOx)	10024-97-2	1.00E+02		NA		1.00E+02		2.70E+05	1	2.70E+05
HCI (CEM System)	7647-01-0	2.08E+01	nc	2.08E+01	nc	2.08E+01		7.14E+03	Ţ	7.14E+03
Carbon Dioxide (CO <sub>2</sub> )	124-38-9	ΑΝ		ΑN		NA		5.40E+07	T	5.40E+07
Sulfur Dioxide (SO <sub>2</sub> )	202-58-84	8.00E+01		AN		8.00E+01	7.89E+02	7.86E+02	Э	7.89E+02
Aluminum	7429-90-5	Ϋ́		3.65E+00	ည	3.65E+00		3.00E+04	1	3.00E+04
Antimony	7440-36-0	NA		1.46E+00	nc	1.46E+00		1.50E+03	T	1.50E+03
Arsenic	7440-38-2	4.47E-04	υ	4.15E-04	ပ	4.47E-04		3.00E+01	1	3.00E+01
Barium	7440-39-3	5.21E-01	uc	5.11E-01	nc	5.21E-01		1.50E+03	T	1.50E+03
Beryllium	7440-41-7	8.00E-04	U	7.45E-04	ပ	8.00E-04		5.00E+00	Ţ	5.00E+00
Cadmium	7440-43-9	1.07E-03	0	9.94E-04	ပ	1.07E-03		3.00E+01	T	3.00E+01
Chromium	7440-43-9		o	1.53E-04	U	1.53E-04		1.50E+03	1	1.50E+03
Cobalt	7440-48-4	NA		2.20E+02	nc	2.20E+02		6.00E+01	⊢	6.00E+01
Copper	7440-50-8	NA		1.46E+02	nc	1.46E+02		3.00E+03	_	3.00E+03
Lead	7439-92-1	1.50E+00		NA		1.50E+00		1.50E+02	-	1.50E+02
Magnesium	7439-95-4	AN		NA		NA		3.00E+04	_	3.00E+04
Manganese	7439-96-5	5.11E-02	uc	5.22E-02	nc	5.11E-02		3.00E+03	⊢	3.00E+03
Nickel	7440-02-0	NA		7.30E+01	nc	7.30E+01		3.00E+03	1	3.00E+03
Phosphorus	7723-14-0	NA		NA		NA		3.00E+02	⊢	3.00E+02
Selenium	7782-49-2	NA		1.83E+01	nc	1.83E+01		6.00E+02	⊢	6.00E+02
Silver	7740-22-4	NA		1.83E+01	nc	1.83E+01				0.00E+00
Thallium	7440-28-0	NA		2.56E-01	nc	2.56E-01				0.00E+00
Zinc	7440-66-6	NA		1.10E+03	DU	1.10E+03		3.00E+04	⊢	3.00E+04
Mercury	7439-97-6	3.13E-01	ou	3.14E-01	nc	3.13E-01		1.00E+02	Τ	1.00E+02
TNMHC		NA		NA		NA				0.00E+00
1,1,2,2-Tetrachloroethane	79-34-5	3.31E-02	၁	3.13E-02	0	3.31E-02				0.00E+00
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	3.13E+04	uc	3.14E+04	nc	3.13E+04		9.58E+06	⊢	9.58E+06
1,1,2-Trichloroethane	2-00-62	1.20E-01	၁	1.12E-01	၁	1.20E-01				0.00E+00
1,1-Dichloroethane	75-34-3	5.21E+02	nc	5.11E+02	nc	5.21E+02				0.00E+00
1,2,4-Trichlorobenzene	120-82-1	2.1E+02	nc	2.08E+02	nc	2.08E+02		3.71E+04	⊢	3.71E+04
1.2.4-Trimethylbenzene	95-63-6	6.21E+00	2	6.21E+00	nc	6.21E+00		1.80E+05	<b> </b>	1.80E+05

Appendix C: Health-based Screening Levels and Acute Toxicity Values

			For the C	For the Chronic Evaluation (HBSL)	luation (HE	SL)		For the Ac	For the Acute Evaluation (ATV)	n (ATV)
		Region 9	Toxicity	Region 9	Toxicity	Health-based			1	Acute Toxicity
Compound	CAS#	(ng/m³)	(c or nc)	(ma/m³)	(c or nc)	Screening Level (uq/m³)	ERPG (ug/m³)	(La/m³)	Source	Value (uq/m³)
1,2,4-Trimethylbenzene & sec-Butylbenzene	135-98-8	3.65E+01	nc	3.65E+01	nc	3.65E+01				0.00E+00
1,2-Dibromoethane	106-93-4	8.73E-03	o	8.24E-03	0	8.73E-03				0.00E+00
1,2-Dichloroethane	107-06-2	7.39E-02	O	6.88E-02	ပ	7.39E-02				0.00E+00
1,2-Dichloroethene	540-59-0	AN		3.29E+01	nc	3.29E+01		2.38E+06	L	2.38E+06
1,2-Dichloropropane	78-87-5	9.89E-02	ပ	9.21E-02	ပ	9.89E-02				0.00E+00
1,3,5-Trimethylbenzene	108-67-8	6.21E+00	nc	6.21E+00	nc	6.21E+00		3.68E+05	F	3.68E+05
1,3,5-Trimethylbenzene	108-67-8	6.21E+00	nc	6.21E+00	nc	6.21E+00		3.68E+05	<b>F</b>	3.68E+05
1,3-Butadiene	106-99-0	3.7E-03	O	3.48E-03	o	3.74E-03	2.20E+04	2.21E+04	ш	2.20E+04
1,3-Butadiene	106-99-0	3.7E-03	၁	3.48E-03	ပ	3.74E-03	2.20E+04	2.21E+04	Ш	2.20E+04
1,4-Dioxane	123-91-1	6.11E-01	၁	9.13E+01	၁	6.11E-01				0.00E+00
1-Butanol	71-36-3	3.65E+02	nc	3.65E+02	uc	3.65E+02				0.00E+00
1-Butene	106-98-9	AN		NA		A A				0.00E+00
1-Hexene	592-41-6	NA		NA		NA		1.03E+05	⊢	1.03E+05
1-Hydroxy-2-propanone	116-09-6	ΑN		NA		NA				0.00E+00
1-Methylnaphthalene	90-12-0	ΝA		ΝA		AN				0.00E+00
1-Pentene	109-67-1	AN		AA		ΑΝ				0.00E+00
1-Propanol	71-23-8	NA		NA		NA				0.00E+00
2,2,4-Trimethylhexane	16747-25-5	NA		NA		NA				0.00E+00
2,2,4-Trimethylpentane	540-84-1	NA		NA		NA		3.50E+05	T	3.50E+05
2,2-Dimethylbutane	75-83-2	NA	•	NA		NA		1.80E+06	T	1.80E+06
2,2-Dimethylheptane	1071-26-7	NA		NA		NA				0.00E+00
2,2-Dimethylpropane	463-82-1	NA		NA		NA				0.00E+00
2,3,4-Trimethylpentane	565-75-3	NA		NA		NA				0.00E+00
2,3-Butanedione	431-03-8	NA		NA		NA				0.00E+00
2,3-Dihydro-1-methyl-1H-indene	767-58-8	NA		Ϋ́		NA				0.00E+00
2,3-Dihydro-4-methyl-1H-indene		NA		N A		NA				0.00E+00
2,3-Dimethylbutane	79-29-8	ΑN		NA		NA				0.00E+00
2,3-Dimethylhexane	584-94-1	NA		NA		NA				0.00E+00
2,3-Dimethylpentane	565-59-3	NA		ΥN		AN				0.00E+00
2,4,4-Trimethyl-1-pentene	107-39-1	NA		ΑN		NA				0.00E+00
2,4,4-Trimethyl-2-pentene	107-40-4	ΑΝ		A V		NA				0.00E+00
2,4-Dimethylhexane	589-43-5	NA		NA		NA				0.00E+00
2,4-Dimethylpentane	108-08-7	NA		AN		NA				0.00E+00
2,5-Dimethylhexane	592-13-2	NA		NA		AN				0.00E+00
2-Butanone	78-93-3	1.04E+03	uc	1.04E+03	nc	1.04E+03		8.85E+05	1	8.85E+05
2-Butoxyethanol	111-76-2	2.09E+01	nc	2.08E+01	nc	2.09E+01				0.00E+00
2-Ethyl-1-hexanol	104-76-7	AA		NA		NA				0.00E+00

Appendix C: Health-based Screening Levels and Acute Toxicity Values

									The Dealer Property of the Party of the Part	
		Region 9	Toxicity	Region 9	Toxicity	Health-based				Acute Toxicity
		PRG	Endpoint	RBC	Endpoint	Screening Level	ERPG	TEEL	Source	Value
Compound	CAS#	(µg/m³)	(c or nc)	(µg/m³)	(c or nc)	(µg/m³)	(µg/m³)	(hg/m³)	(T or E)	(µg/m³)
2-Furaldehyde	98-01-1	5.21E+01	ဥ	3.65E+01	nc	5.21E+01	8.00E+03		Ē	8.00E+03
2-Methyl-1,3-dioxolane	497-26-7	ΝΑ		AN		AN				0.00E+00
2-Methyl-1-butene	563-46-2	ΑN		ΑN		AN				0.00E+00
2-Methyl-1-pentene	763-29-1	NA		NA		NA				0.00E+00
2-Methyl-2-butene	513-35-9	ΑN		AN		NA				0.00E+00
2-Methyl-2-pentene	625-27-4	ΑN		NA		NA				0.00E+00
2-Methylfuran	534-22-5	ΑN		NA		AN				0.00E+00
2-Methylheptane	592-27-8	NA		NA		NA				0.00E+00
2-Methylhexane	591-76-4	ΑN		NA		NA				0.00E+00
2-Methylnaphthalene	91-57-6	ΑN		7.30E+01	ည	7.30E+01		2.00E+04	T	2.00E+04
2-Methylpentane	107-83-5	ΑN		AN		NA		1.80E+06	  - 	1.80E+06
2-Methylpropanal	78-84-2	NA		NA		NA				0.00E+00
2-Methylpropanenitrile	78-82-0	NA		NA		NA				0.00E+00
2-Nitrophenol	88-75-5	NA		NA		NA			:	0.00E+00
2-Pentanone	107-87-9	NA		NA		NA		8.80E+05	Τ	8.80E+05
2-Propanol	67-63-0	NA		NA		NA				0.00E+00
3-Ethylhexane	619-99-8	NA		NA		NA				0.00E+00
3-Methyl-1-butene	563-45-1	NA		NA		NA				0.00E+00
3-Methylhexane	589-34-4	Ϋ́		NA		NA				0.00E+00
3-Methylpentane	96-14-0	NA		NA		NA				0.00E+00
4-Methyl-1-pentene	691-37-2	NA		NA		NA				0.00E+00
6-Methyl-5-hepten-2-one	101-99-0	NA		NA		NA				0.00E+00
Acetic Acid	64-19-7	NA		NA		NA		3.68E+04	Ţ	3.68E+04
Acetone	67-64-1	3.65E+02	nc	3.65E+02	nc	3.65E+02		2.37E+06	T	2.37E+06
Acetonitrile	75-05-8	6.2E+01	nc	6.21E+01	uc	6.21E+01		1.01E+05	T	1.01E+05
Acetophenone	98-86-2	2.08E-02	nc	2.08E-02	nc	2.08E-02		3.00E+04	1	3.00E+04
Acetylene	74-86-2	AN		AN		NA				0.00E+00
Acrolein	107-02-8	2.09E-02	nc	2.08E-02	nc	2.09E-02	2.30E+02	2.29E+02	Ε	2.30E+02
Acrylonitrile	107-13-1	2.83E-02	၁	2.61E-02	O	2.83E-02	2.20E+04		Э	2.20E+04
Allylchloride	107-05-1	1.04E+00	nc	NA		1.04E+00				0.00E+00
alpha-Pinene	80-26-8	AN		NA		NA				0.00E+00
Benzaldehyde	100-52-7	3.65E+02	nc	3.65E+02	nc	3.65E+02		1.50E+04	T	1.50E+04
Benzene	71-43-2	2.5E-01	O	2.16E-01	ပ	2.49E-01	1.56E+05	1.60E+05	ш	1.56E+05
Benzene	71-43-2	2.5E-01	υ	2.16E-01	O	2.49E-01	1.56E+05	1.60E+05	ш	1.56E+05
Benzofuran	271-89-6	NA		NA		AA				0.00E+00
Benzonitrile	100-47-0	ΑΝ		ΥN		NA		1.50E+04	⊢	1.50E+04
Benzylchloride	100-44-7	3.96E-02	၁	3.68E-02	ပ	3.96E-02				0.00E+00

Appendix C: Health-based Screening Levels and Acute Toxicity Values

			For the (	For the Chronic Evaluation (HBSL	luation (Hi	3SL)		For the Act	For the Acute Evaluation (ATV)	n (ATV)
		Region 9	Toxicity	Region 9	Toxicity	Health-based				Acute Toxicity
		PRG	Endpoint	RBC	Endpoint	Screening Level	ERPG	TEEL	Source	Value
Compound	CAS#	(mg/m³)	(c or nc)	(µg/m³)	(c or nc)	(hg/m³)	(m/grl)	(hg/m³)	(T or E)	( <sub>Е</sub> ш/бп)
beta-Pinene	127-91-3	ΝA		AN		NA				0.00E+00
Butanal	123-72-8	NA		NA		NA		7.38E+04	⊢	7.38E+04
Carbon Disulfide	75-15-0	7.30E+02	nc	7.30E+02	nc	7.30E+02	3.10E+03	3.73E+04	Ш	3.10E+03
Carbontetrachloride	56-23-5	1.28E-01	O	1.18E-01	ပ	1.28E-01	1.28E+05		ш	1.28E+05
Carbonyl Sulfide	463-58-1	NA		NA		NA		9.84E+03	T	9.84E+03
Chlorobenzene	108-90-7	6.2E+01	uc	6.21E+01	nc	6.21E+01				0.00E+00
Chloroethene	75-01-4	2.24E-02	U	2.09E-02	ပ	2.24E-02				0.00E+00
Chloroform	67-66-3	8.35E-02	O	7.73E-02	0	8.35E-02	2.48E+05		ш	2.48E+05
cis 1,3-Dichloro-1-propene	10061-01-5	5.17E-02	ပ	4.82E-02	O	5.17E-02				0.00E+00
cis-2-Butene	590-18-1	AN		AN		ΑN				0.00E+00
cis-2-Hexene	7688-21-3	ΑN		ΝA		AN				0.00E+00
cis-2-Pentene	627-20-3	ΑN		NA		NA				0.00E+00
cis-4-Methyl-2-pentene	691-38-3	NA.		۷N		۷N				0.00E+00
Cyanogen	2074-87-5	AN		ΝA		AN				0.00E+00
Cyclohexane	110-82-7	NA		AN		AN		3.10E+06	T	3.10E+06
Cyclohexanone	108-94-1	1.83E+04	uc	1.83E+04	nc	1.83E+04				0.00E+00
Cyclopentane	278-92-3	NA		ΝA		۷A				0.00E+00
Cyclopentanone	120-92-3	NA		AN		AN				0.00E+00
Cyclopentene	142-29-0	NA		Y.		NA				0.00E+00
Decanal	112-31-2	NA		NA		AN				0.00E+00
delta 3-Carene	13466-78-9	NA		NA		AN				0.00E+00
Dichlorodifluoromethane	75-71-8	2.09E+02	nc	1.83E+02	nc	2.09E+02		1.48E+07	T	1.48E+07
Dichlorotetrafluoroethane	1320-37-2	NA		ΑN		NA				0.00E+00
Dimethyldisulfide	624-92-0	NA		AN		NA				0.00E+00
d-Limonene	5989-27-5	NA		NA NA		NA				0.00E+00
ETBE	637-92-3	NA		NA		NA				0.00E+00
Ethane	74-84-0	ΑN		NA		NA.				0.00E+00
Ethylbenzene	100-41-4	1.06E+03	nc	1.06E+03	nc	1.06E+03		5.43E+05	Ţ	5.43E+05
Ethylbenzene	100-41-4	1.06E+03	nc	1.06E+03	nc	1.06E+03		5.43E+05	T	5.43E+05
Ethylchloride	75-00-3	2.3E+00	nc	NA		2.32E+00				0.00E+00
Ethylcyclohexane	1678-91-7	NA		NA		NA				0.00E+00
Ethylene	74-85-1	AN		ΝA		NA		4.60E+05	1	4.60E+05
Furan	110-00-9	3.65E+00	nc	3.65E+00	nc	3.65E+00		1.67E+02	۲	1.67E+02
Heptanal	111-71-7	NA		AN		NA				0.00E+00
Hexachlorobutadiene	87-68-3	8.73E-02	၁	8.03E-02	ပ	8.73E-02				0.00E+00
Hexanal	66-25-1	Ϋ́		ΑN		NA				0.00E+00
Hexanenitrile	628-73-9	NA		NA		NA				0.00E+00

Appendix C: Health-based Screening Levels and Acute Toxicity Values

			For the (	For the Chronic Evaluation (HBSL)	luation (HE	SSL)		For the Act	For the Acute Evaluation (ATV)	n (ATV)
		Region 9	Toxicity	Region 9	Toxicity	Health-based				Acute Toxicity
		PRG	Endpoint	RBC	Endpoint	Screening Level	ERPG	TEEL	Source	Value
Compound	CAS#	(µg/m³)	(c or nc)	(µg/m³)	(c or nc)	(µg/m³)	(mg/m <sub>3</sub> )	(µg/m³)	(T or E)	(hg/m³)
i-Butane	75-28-5	NA		NA		NA		9.52E+05	Ţ	9.52E+05
i-Butene	115-11-7	NA		NA		NA		6.87E+06	L	6.87E+06
Indane	496-11-7	NA		ΑN		NA A		1.25E+05	F	1.25E+05
i-Pentane	78-78-4	ΝA		NA		ΝΑ				0.00E+00
i-Propylbenzene	98-85-8	4.02E+02	nc	4.02E+02	ည	4.02E+02				0.00E+00
Isoprene	78-79-5	ΑN		ΑΝ		NA				0.00E+00
m&p-Xylene	108-38-3 106-42-3	7.30E+02	nc	7.30E+03	nc	7.30E+02		6.51E+05	⊢	6.51E+05
m-Dichlorobenzene	541-73-1	3.3E+00	nc	3.29E+00	nc	3.29E+00				0.00E+00
Methacrolein	78-85-3	ΝΑ		NA		NA				0.00E+00
Methyl Methacrylate	80-62-6	7.30E+02	nc	7.30E+02	nc	7.30E+02				0.00E+00
Methylbromide	74-83-9	5.21E+00	nc	5.11E+00	nc	5.21E+00				0.00E+00
Methylchloride	74-87-3	1.07E+00	၁	1.79E+00	ပ	1.07E+00				0.00E+00
Methylchloroform	71-55-6	1.04E+03	nc	1.04E+03	nc	1.04E+03	1.94E+06		В	1.94E+06
Methylcyclohexane	108-87-2	3.13E+03	nc	3.14E+03	nc	3.13E+03		4.81E+06	1	4.81E+06
Methylcyclopentane	96-37-7	NA		NA		NA				0.00E+00
Methylenechloride	75-09-2	4.09E+00	c	3.79E+00	ပ	4.09E+00	6.96E+05	6.94E+05	Ε	6.96E+05
Methylnitrite	624-91-9	NA		NA		NA				0.00E+00
m-Ethyltoluene	620-14-4	ΝA		NA		NA				0.00E+00
Methyl-vinyl Ketone	78-94-4	NA		NA		NA		8.61E+01	T	8.61E+01
MTBE	1634-04-4	3.13E+03	nc	3.13E+03	nc	3.13E+03		4.32E+05	T	4.32E+05
MTBE	1634-04-4	3.13E+03	nc	3.13E+03	nc	3.13E+03		4.32E+05	T	4.32E+05
m-Xylene & p-Xylene	108-38-3 106-42-3	7.30E+02	nc	7.30E+03	пс	7.30E+02		6.51E+05	T	6.51E+05
Naphthalene	91-20-3	3.13E+00	nc	3.29E+00	nc	3.13E+00		7.86E+04	⊥	7.86E+04
n-Butane	106-97-8	NA		NA		NA				0.00E+00
n-Decane	124-18-5	N A		Υ V		NA		4.37E+03	⊢	4.37E+03
n-Heptane	142-82-5	ΝΑ		A A		NA		1.80E+06	⊢	1.80E+06
n-Hexane	110-54-3	2.09E+02	nc	2.08E+02	nc	2.09E+02		5.28E+05	⊥	5.28E+05
Nitromethane	75-52-5	NA		NA		NA		1.50E+05	T	1.50E+05
n-Nonane	111-84-2	NA		ΑN		NA		1.05E+06	T	1.05E+06
n-Octane	111-65-9	AN		NA		NA				0.00E+00
Nonanal	124-19-6	NA		AN		NA				0.00E+00
n-Pentane	109-66-0	NA		NA		NA		1.80E+06	T	1.80E+06
n-Propylbenzene	103-65-1	3.65E+01	nc	NA		3.65E+01		3.68E+05	1	3.68E+05
Octanal	124-13-0	NA		NA		NA				0.00E+00
o-Dichlorobenzene	95-50-1	2.09E+02	nc	3.29E+01	υC	2.09E+02				0.00E+00
o-Ethyltoluene	611-14-3	AN		¥		NA		7.50E+02	⊢	7.50E+02

92 92	CAS# 95-47-6 95-47-6 1106-46-7 1110-62-3 127-18-4 622-96-8	Region 9 PRG (µg/m³)	Toxicity Endpoint	Region 9	Toxicity	Health-hased				Acute Toxicity
	CAS# 95-47-6 95-47-6 106-46-7 110-59-8 127-18-4 622-96-8	PRG (µg/m³)	Endpoint	700		30032				שביים ביים
	CAS# 95-47-6 95-47-6 106-46-7 110-62-3 110-59-8 127-18-4 622-96-8	(mg/m³)		202	Endpoint	Screening Level	ERPG	TEEL	Source	Value
	95-47-6 95-47-6 106-46-7 110-62-3 110-59-8 127-18-4 622-96-8		(c or nc)	(µg/m³)	(c or nc)	(µg/m³)	(µg/m³)	(µg/m³)	(T or E)	(ng/m³)
	95-47-6 106-46-7 110-62-3 110-59-8 127-18-4 622-96-8	7.30E+02	uc	7.30E+03	ПС	7.30E+02		6.51E+05	T	6.51E+05
	106-46-7 110-62-3 110-59-8 127-18-4 622-96-8	7.30E+02	nc	7.30E+03	nc	7.30E+02		6.51E+05	T	6.51E+05
	110-62-3 110-59-8 127-18-4 622-96-8	2.80E-01	၁	2.85E-01	0	2.80E-01				0.00E+00
	110-59-8 127-18-4 622-96-8	NA		NA		NA				0.00E+00
	127-18-4 622-96-8	NA		NA		NA				0.00E+00
	622-96-8	3.31E+00	υ	3.13E+00	ပ	3.31E+00	6.89E+05	6.78E+05	Ш	6.89E+05
	0 00 000	¥		AN		NA		1.25E+05	Ţ	1.25E+05
p-Etnylfoluene	0-06-770	¥		NA		NA		1.25E+05	T	1.25E+05
Phenylacetylene	536-74-3	NA		NA		NA				0.00E+00
Propane	74-98-6	NA		ĄN		NA		3.78E+06	T	3.78E+06
Propanenitrile	107-12-0	Ϋ́Α		Y.		NA		3.38E+04	1	3.38E+04
Propene	115-07-1	A'A		Ŋ		NA				0.00E+00
Styrene	100-42-5	1.06E+03	nc	1.04E+03	nc	1.06E+03	2.13E+05	2.13E+05	3	2.13E+05
	100-42-5	1.06E+03	nc	1.04E+03	nc	1.06E+03	2.13E+05	2.13E+05	3	2.13E+05
Tetrahydrofuran	109-99-9	9.9E-01	nc	9.21E-01	ပ	9.89E-01				0.00E+00
Thiophene	110-02-1	Ϋ́		NA		NA				0.00E+00
Toluene	108-88-3	4.02E+02	nc	4.16E+02	nc	4.02E+02	1.88E+05	1.89E+05	Ш	1.88E+05
Toluene	108-88-3	4.02E+02	nc	4.16E+02	nc	4.02E+02	1.88E+05	1.89E+05	Е	1.88E+05
trans 1,3-Dichloro-1-propene	10061-02-6	NA		NA		AN				0.00E+00
trans-2-Butenal	123-73-9	3.54E-03	၁	3.30E-03	၁	3.54E-03				0.00E+00
trans-2-Butene	624-64-6	ΝA		NA		AN				0.00E+00
trans-2-Hexene	4050-45-7	Α̈́		AN		AN				0.00E+00
trans-2-Pentene	646-04-8	NA		AN		AN				0.00E+00
Trichloroethylene	79-01-6	1.12E+00	၁	1.04E+00	ပ	1.12E+00				0.00E+00
Trichloromonofluoromethane	75-69-4	7.30E+02	nc	7.30E+02	nc	7.30E+02				0.00E+00
Vinylidenechloride	75-35-4	3.84E-02	၁	3.58E-02	ပ	3.84E-02	-			0.00E+00
1,2,4,5-Tetrachlorobenzene	95-94-3	1.10E+00	ou	1.10E+00	nc	1.10E+00				0.00E+00
1,2,4-Trichlorobenzene	120-82-1	2.08E+02	nc	2.08E+02	nc	2.08E+02				0.00E+00
1,2-Dichlorobenzene	95-50-1	2.09E+02	ou	3.29E+01	nc	2.09E+02				0.00E+00
1,3-Dichlorobenzene	541-73-1	3.3E+00	nc	3.29E+00	nc	3.29E+00				0.00E+00
1,3-Dinitrobenzene	99-62-0	3.65E-01	uc	3.65E-01	nc	3.65E-01				0.00E+00
1,4-Dichlorobenzene	106-46-7	3.1E-01	၁	2.85E-01	ပ	3.06E-01				0.00E+00
1,4-Naphthoquinone	130-15-4	NA		NA		NA				0.00E+00
1-Naphthylamine	134-32-7	NA		NA		NA				0.00E+00
2,3,4,6-Tetrachtorophenol	58-90-2	1.10E+02	nc	1.10E+02	nc	1.10E+02				0.00E+00
2,4,5-Trichlorophenol	95-95-4	3.65E+02	nc	3.65E+02	ည	3.65E+02				0.00E+00
2,4,6-Trichlorophenol	88-06-2	6.20E-01	ပ	6.26E-01	ပ	6.20E-01				0.00E+00

Appendix C: Health-based Screening Levels and Acute Toxicity Values

CAS #         (µg/m³)         Toxicity         Region 9         Toxicity         Region 9           ol         (L26.87-8)         (µg/m³)         (c or nc)         (µg/m³)           ol         (120-83-2         (1.0E+01)         nc         (1.0E+01)           ol         (105-67-9         7.30E+01         nc         7.30E+01           ol         (121-88-5         7.30E+00         nc         7.30E+00           ol         (121-42-2         7.30E+00         nc         7.30E+01           ol         (606-20-2         3.7E+00         nc         7.30E+02           ol         (606-20-2         3.7E+00         nc         7.30E+01           ol         (606-20-2         3.7E+00         nc         7.30E+02           ol         (606-20-2         3.7E+00         nc         7.30E+01           ne         (606-20-2         3.7E+00         nc         7.30E+01           ne         (606-20-2         3.7E+00         nc         7.30E+01           ne         (91-50-8         NA         NA         NA           ne         (91-50-8         NA         NA         NA           ne         (91-50-8         NA         NA	200 10	אשיים אוויס	ror the Chronic Evaluation (HBSL)	(SL)		For the Act	For the Acute Evaluation (ATV)	n (AIV)
CAS #         (µg/m³)         (c or nc)         (µg/m³)           120-83-2         1.10E+01         nc         1.10E+01           120-83-2         1.10E+01         nc         1.10E+01           120-83-2         1.10E+01         nc         1.30E+01           121-14-2         7.30E+00         nc         7.30E+01           121-14-2         7.30E+00         nc         7.30E+01           121-14-2         7.30E+00         nc         7.30E+01           87-65-0         NA         nc         7.30E+01           87-65-0         NA         nc         7.30E+01           87-65-0         NA         nc         7.30E+01           91-58-7         1.83E+01         nc         7.30E+01           91-59-8         NA         nc         1.83E+02           91-59-8         NA         nA         NA           91-59-8         NA         nA         NA           91-69-9         NA         nA         NA           91-99-7         1.49E-02         c         1.36E-01           91-99-8         NA         NA         NA           91-99-9         NA         NA         NA           100-09-1 <th>Ľ</th> <th>Region 9</th> <th>Toxicity</th> <th>Health-based</th> <th></th> <th></th> <th></th> <th>Acute Toxicity</th>	Ľ	Region 9	Toxicity	Health-based				Acute Toxicity
CAS#         (µg/m³)         (cornc)         (µg/m³)           120-83-2         1.10E+01         nc         1.10E+01           120-83-2         1.10E+01         nc         1.10E+01           121-8-5         7.30E+00         nc         7.30E+00           121-14-2         7.30E+00         nc         7.30E+00           121-14-2         7.30E+00         nc         7.30E+00           87-65-0         NA         NA         NA           91-58-7         1.83E+01         nc         2.92E+02           91-58-7         1.83E+01         nc         2.92E+02           91-59-8         NA         NA         NA           91-59-8         NA         NA         NA           91-59-8         NA         NA         NA           91-59-8         NA         NA         NA           109-06-8         NA         NA         NA           1109-06-8         NA         NA         NA           1109-06-8         NA         NA         NA           1109-06-9         NA         NA         NA           1109-06-8         NA         NA         NA           1100-06-9         NA		RBC	Endpoint	Screening Level	ERPG	TEEL	Source	Value
120-83-2 1.10E+01 nc 1.10E+01 105-67-9 1.30E+01 nc 1.30E+01 105-67-9 7.30E+01 nc 7.30E+01 105-67-9 7.30E+01 nc 7.30E+00 1121-14-2 7.30E+00 nc 7.30E+00 nc 1.20E+00 nc 1.20E+01	(hg/m³) (	(µg/m³)	(c or nc)	(µg/m³)	(µg/m³)	(µg/m³)	(T or E)	(hg/m³)
105-67-9 7.30E+01 nc 7.30E+01 17.30E+01 17.30E+00 nc 51-28-5 7.30E+00 nc 7.30E+00 nc 12.1-14-2 7.30E+00 nc 7.30E+00 nc 12.90E+00 nc 12.90E+00 nc 55-96-3 NA nA 109-06-8 NA 109-06-8 NA 109-06-8 NA 100-01-6 NA 100	1.10E+01	1.10E+01	nc	1.10E+01				0.00E+00
51-28-5       7.30E+00       nc       7.30E+00         121-14-2       7.30E+00       nc       7.30E+00         87-65-0       NA       NA       NA         606-20-2       3.7E+00       nc       3.65E+00         53-96-3       NA       NA       NA         91-58-7       2.92E+02       nc       2.92E+02         95-57-8       1.83E+01       nc       2.92E+02         91-59-8       NA       nc       1.83E+01         91-57-6       NA       NA       NA         91-59-8       NA       nA       NA         91-59-8       NA       NA       NA         91-59-8       NA       NA       NA         109-06-8       NA       NA       NA         88-75-5       NA       NA       NA         99-09-2       NA       NA       NA         99-09-2       NA       NA       NA         109-06-8       NA       NA       NA         99-09-2       NA       NA       NA         109-06-8       NA       NA       NA         109-07-1       NA       NA       NA         109-08-2	7.30E+01	7.30E+01	nc	7.30E+01				0.00E+00
121-14-2       7.30E+00       nc       7.30E+00       nc       7.30E+00         87-65-0       NA       NA       NA         606-20-2       3.7E+00       nc       3.65E+00         53-96-3       NA       NA       NA         91-53-7       2.92E+02       nc       2.92E+02         95-57-8       1.83E+01       nc       1.83E+01         91-57-6       NA       NA       7.30E+01         91-57-8       1.83E+02       nc       1.83E+02         91-57-9       NA       NA       7.30E+01         91-59-8       NA       NA       NA         109-06-8       NA       NA       NA         88-75-5       NA       NA       NA         109-06-8       NA       NA       NA         109-06-8       NA       NA       NA         119-93-7       7.31E-04       c       6.81E-04         56-49-5       NA       NA       NA         56-49-5       NA       NA       NA         101-55-3       NA       NA       NA         36-45-1       NA       NA       NA         100-01-8       NA       NA	7.30E+00	7.30E+00	nc	7.30E+00				0.00E+00
87-65-0         NA         NA           606-20-2         3.7E+00         nc         3.65E+00           53-96-3         NA         NA         NA           91-58-7         2.92E+02         nc         2.92E+02           95-57-8         1.83E+01         nc         1.83E+01           91-59-8         1.83E+02         nc         1.83E+02           91-59-8         NA         1.83E+02         nc         1.83E+02           91-59-8         NA         1.83E+02         nc         1.83E+02           91-94-1         1.49E-02         c         1.33E-02         nA           109-06-8         NA         NA         NA         NA           99-09-2         NA         NA         NA         NA           109-06-8         NA         NA         NA         NA           99-09-2         NA         NA         NA         NA           101-55-3         NA         NA         NA         NA           106-44-5         NA         NA         NA         NA           106-44-5         NA         NA         NA         NA           100-01-6         NA         NA         NA <tr< td=""><td>7.30E+00</td><td>7.30E+00</td><td>nc</td><td>7.30E+00</td><td></td><td></td><td></td><td>0.00E+00</td></tr<>	7.30E+00	7.30E+00	nc	7.30E+00				0.00E+00
606-20-2         3.7E+00         nc         3.65E+00           53-96-3         NA         NA         NA           91-58-7         2.92E+02         nc         2.92E+02           95-57-8         1.83E+01         nc         1.83E+01           91-59-8         1.83E+02         nc         1.83E+02           91-59-8         NA         nc         1.83E+02           91-59-8         NA         NA         NA           109-06-8         NA         NA         NA           109-06-8         NA         NA         NA           109-06-8         NA         NA         NA           119-93-7         7.31E-04         c         6.81E-04           56-49-5         NA         NA         NA           99-09-2         NA         NA         NA           101-55-3         NA         NA         NA           101-55-3         NA         NA         NA           106-44-5         1.83E+01         nc         1.83E+01           100-01-6         NA         NA         NA           100-02-7         2.9E+01         nc         2.92E+01           56-57-5         NA         NA		NA		NA				0.00E+00
53-96-3       NA       NA         91-58-7       2.92E+02       nc       2.92E+02         95-57-8       1.83E+01       nc       1.83E+01         91-57-6       NA       nc       1.83E+02         91-59-8       NA       nc       1.83E+02         91-59-8       NA       NA       NA         88-75-5       NA       NA       NA         109-06-8       NA       NA       NA         101-55-3       NA       NA       NA         100-07-2       1.00-07       1.00-07         100-01-6       NA       NA         100-02-7       1.00-07       1.00-07         1	3.7E+00	3.65E+00	nc	3.65E+00				0.00E+00
91-58-7 2.92E+02 nc 2.92E+02		AN		NA				0.00E+00
95-57-8 1.83E+01 nc 1.83E+01	2.92E+02	2.92E+02	nc	2.92E+02				0.00E+00
91-57-6 NA 7.30E+01 95-48-7 1.83E+02 nc 1.83E+02	1.83E+01	1.83E+01	nc	1.83E+01				0.00E+00
95-48-7 1.83E+02 nc 1.83E+02		7.30E+01	nc	7.30E+01		2.00E+04	T	2.00E+04
91-59-8 NA	1.83E+02	1.83E+02	nc	1.83E+02				0.00E+00
88-74-4       2.09E-01       nc       2.08E-01         88-75-5       NA       NA       NA         109-06-8       NA       NA       NA         91-94-1       1.49E-02       c       1.39E-02         119-93-7       7.31E-04       c       6.81E-04         56-49-5       NA       NA       NA         99-09-2       NA       NA       NA         101-55-3       NA       NA       NA         101-55-3       NA       NA       NA         100-07-7       1.83E+01       nc       1.83E+01         100-01-6       NA       NA       NA         100-01-6       NA       NA       NA         100-02-7       2.9E+01       nc       2.92E+01         56-57-5       NA       NA       NA         100-01-6       NA       NA       NA         56-57-5       NA       NA       NA         83-32-9       2.19E+02       nc       2.19E+02         208-96-8       NA       NA       NA         98-86-2       2.08E-02       nc       2.08E-02         120-12-7       1.10E+03       1.10E+03         56-55-3 </td <td></td> <td>AN</td> <td></td> <td>NA</td> <td></td> <td></td> <td></td> <td>0.00E+00</td>		AN		NA				0.00E+00
88-75-5       NA       NA         109-06-8       NA       NA         91-94-1       1.49E-02       c       1.39E-02         119-93-7       7.31E-04       c       6.81E-04         56-49-5       NA       NA       NA         99-09-2       NA       NA       NA         101-55-3       NA       NA       NA         101-55-3       NA       NA       NA         100-07-2       1.83E+01       nc       1.83E+01         100-01-6       NA       NA       NA         100-01-6       NA       NA       NA         100-02-7       2.9E+01       nc       2.92E+01         56-57-5       NA       NA       NA         99-52-5       NA       NA       NA         83-32-9       2.19E+02       nc       2.19E+02         208-96-8       NA       NA       NA         98-86-2       2.08E-02       nc       2.08E-02         62-53-3       1.10E+03       nc       2.08E-02         120-12-7       1.10E+03       nc       8.58E-03         56-55-3       2.17E-02       8.58E-03	2.09E-01	2.08E-01	nc	2.09E-01				0.00E+00
109-06-8 NA NA NA NA NA NA NA NA NA 91-94-1 1.49E-02 c 1.39E-02 1.39E-02 c 1.39E-02 c 1.39E-02 c 1.39E-02 c 1.39E-02 c 1.39E-04 c 6.81E-04 c 6.81E-03 c 6.85E-03 c 6.81E-04 c 6.		AN		NA				0.00E+00
91-94-1 1.49E-02 c 1.39E-02 119-93-7 7.31E-04 c 6.81E-04		NA		NA				0.00E+00
119-93-7       7.31E-04       c       6.81E-04         56-49-5       NA       NA       NA         99-09-2       NA       3.65E-01         92-67-1       NA       NA         101-55-3       NA       NA         105-72-3       NA       NA         100-01-6       NA       NA         100-02-7       2.9E+01       nc         56-57-5       NA       NA         100-02-7       2.9E+01       nc         56-57-5       NA       NA         83-32-9       2.19E+02       nc         208-96-8       NA       NA         98-86-2       2.08E-02       nc         62-53-3       1.04E+00       nc         120-12-7       1.10E+03       nc         120-12-7       1.10E+03       nc         120-12-7       1.10E+03       nc         120-12-7       1.10E+03       nc	1.49E-02	1.39E-02	၁	1.49E-02				0.00E+00
56-49-5       NA       NA         99-09-2       NA       NA         93-67-1       NA       3.65E-01         92-67-1       NA       NA         101-55-3       NA       NA         3542-108-8       NA       NA         106-44-5       1.83E+01       NA         100-01-6       NA       NA         100-02-7       2.9E+01       nc         56-57-5       NA       NA         99-52-5       NA       NA         83-32-9       2.19E+02       nc         208-96-8       NA       NA         98-86-2       2.08E-02       nc         62-53-3       1.04E+00       nc       2.08E-02         120-12-7       1.10E+03       nc       1.06E+00         120-12-7       1.10E+03       c       8.58E-03	7.31E-04	6.81E-04	ပ	7.31E-04				0.00E+00
99-09-2 NA 3.65E-01 534-52-1 NA 3.65E-01 92-67-1 NA NA NA 101-55-3 NA NA 106-44-5 1.83E+01 NA NA 100-01-6 NA NA 100-02-7 2.9E+01 NC 1.83E+01 100-02-7 2.9E+01 NC 2.92E+01 56-57-5 NA NA NA 99-52-5 NA NA NA 57-97-6 NA NA NA 57-97-7 NA NA NA 57-97-8 NA NA NA NA 57-97-9 NA		۸A		NA				0.00E+00
534-52-1       NA       3.65E-01         92-67-1       NA       NA         101-55-3       NA       NA         105-72-3       NA       NA         106-44-5       1.83E+01       NA         100-01-6       NA       NA         100-02-7       2.9E+01       nc         56-57-5       NA       NA         99-52-5       NA       NA         83-32-9       2.19E+02       nc         208-96-8       NA       NA         83-32-9       2.08E-02       nc       2.08E-02         62-53-3       1.04E+00       nc       2.08E-02         120-12-7       1.10E+03       nc       1.10E+03         56-55-3       2.17E-02       c       8.58E-03		NA		NA				0.00E+00
92-67-1 NA NA NA NA NA 101-55-3 NA NA NA NA NA NA NA NA 106-44-5 1.83E+01 nc 1.83E+01 100-01-6 NA 100-02-7 2.9E+01 nc 2.92E+01 56-57-5 NA S5-57-6 NA NA S5-57-6 NA S5-57-6 NA S5-57-6 NA S5-57-6 NA S5-57-6 NA S5-57-6 NA NA S5-57-7 1.10E+03 nc 1.10E+03 56-55-3 2.17E-02 c 8.58E-03		3.65E-01	၁	3.65E-01				0.00E+00
101-55-3 NA NA NA NA NA NA S421-08-8 NA 106-44-5 1.83E+01 nc 1.83E+01 100-02-7 2.9E+01 nc 2.92E+01 100-02-7 2.9E+01 nc 2.92E+01 100-02-5 NA NA S5-57-5 NA NA S7-97-6 NA S3-32-9 2.19E+02 nc 2.08E-02 120-12-7 1.10E+03 nc 1.10E+03 120-12-7 1.10E+03 c 8.58E-03		AN		NA				0.00E+00
35421-08-8 NA NA NA NA NA 1005-72-3 NA 100-01-6 NA 100-01-6 NA 100-02-7 2.9E+01 nc 2.92E+01 100-02-7 2.9E+01 nc 2.92E+01 100-02-7 2.9E+01 nc 2.92E+01 100-02-5 NA NA 100-02-5 NA NA 100-02-6 NA 100-02-6 NA 100-02 1		NA		NA				0.00E+00
7005-72-3         NA         NA           106-44-5         1.83E+01         nc         1.83E+01           100-01-6         NA         NA         NA           100-02-7         2.9E+01         nc         2.92E+01           56-57-5         NA         NA         NA           99-52-5         NA         NA         NA           83-32-9         2.19E+02         nc         2.19E+02           208-96-8         NA         NA         NA           98-86-2         2.08E-02         nc         2.08E-02           62-53-3         1.04E+00         nc         1.06E+00           120-12-7         1.10E+03         nc         1.06E+00           56-55-3         2.77E-02         c         8.58E-03		NA		NA				0.00E+00
106-44-5 1.83E+01 nc 1.83E+01 100-01-6 NA NA NA NA 100-02-7 2.9E+01 nc 2.92E+01 56-57-5 NA ST-97-6 NA ST-97-6 NA ST-97-6 NA ST-97-6 NA ST-97-8 NA NA ST-97-8 NA NA ST-97-8 NA NA ST-97-8 NA NA NA ST-98-6-2 1.04E+00 nc 1.06E+00 120-12-7 1.10E+03 nc 1.10E+03 120-12-7 1.10E+03 c 8.58E-03		NA		NA				0.00E+00
100-01-6         NA         NA           100-02-7         2.9E+01         nc         2.92E+01           56-57-5         NA         NA         NA           99-52-5         NA         NA         NA           83-32-9         2.19E+02         nc         2.19E+02           208-96-8         NA         NA         NA           98-86-2         2.08E-02         nc         2.08E-02           62-53-3         1.04E+00         nc         1.06E+00           120-12-7         1.10E+03         nc         1.10E+03           56-55-3         2.17E-02         c         8.58E-03	1.83E+01	1.83E+01	nc	1.83E+01				0.00E+00
100-02-7 2.9E+01 nc 2.92E+01		NA		NA A				0.00E+00
56-57-5 NA NA NA NA SPE-25 SPE-25 NA SPE-25 SPE-	7.9E+01	2.92E+01	nc	2.92E+01				0.00E+00
99-52-5 NA NA NA NA STATE NA NA STATE NA STATE NA NA NA STATE NA NA NA STATE NA NA NA STATE NA NA STATE NA STATE NA NA STATE NA STATE NA NA STATE NA STAT		NA		NA				0.00E+00
57-97-6       NA       NA         83-32-9       2.19E+02       nc       2.19E+02         208-96-8       NA       NA         98-86-2       2.08E-02       nc       2.08E-02         62-53-3       1.04E+00       nc       1.06E+00         120-12-7       1.10E+03       nc       1.10E+03         56-55-3       2.17E-02       c       8.58E-03		NA		NA				0.00E+00
83-32-9 2.19E+02 nc 2.19E+02 208-96-8 NA NA 98-86-2 2.08E-02 nc 2.08E-02 62-53-3 1.04E+00 nc 1.06E+00 120-12-7 1.10E+03 nc 1.10E+03 56-55-3 2.17E-02 c 8.58E-03		NA		NA				0.00E+00
208-96-8 NA NA NA NA SECONDARY	2.19E+02	2.19E+02	nc	2.19E+02				0.00E+00
98-86-2 2.08E-02 nc 2.08E-02 62-53-3 1.04E+00 nc 1.06E+00 120-12-7 1.10E+03 nc 1.10E+03 56-55-3 2.17E-02 c 8.58E-03		NA		NA		2.00E+02	⊢	2.00E+02
62-53-3 1.04E+00 nc 1.06E+00 120-12-7 1.10E+03 nc 1.10E+03 56-55-3 2.17E-02 c 8.58E-03	2.08E-02	2.08E-02	nc	2.08E-02		3.00E+04	Τ	3.00E+04
120-12-7 1.10E+03 nc 1.10E+03 56-55-3 2.17E-02 c 8.58E-03	1.04E+00	1.06E+00	nc	1.04E+00		2.29E+04	1	2.29E+04
56-55-3 2.17E-02 c 8.58E-03	1.10E+03	1.10E+03	nc	1.10E+03				0.00E+00
CO LICO C	2.17E-02	8.58E-03	ပ	2.17E-02				0.00E+00
2.1/E-03 C 2.02E-03	50-32-8 2.17E-03 c	2.02E-03	U	2.17E-03				0.00E+00

Appendix C: Health-based Screening Levels and Acute Toxicity Values

			For the C	For the Chronic Evaluation (HBSL)	luation (HE	(SL)		For the Ac	For the Acute Evaluation (ATV)	n (ATV)
		Region 9	Toxicity	Region 9	Toxicity	Health-based	-			Acute Toxicity
		PRG	Endpoint	RBC	Endpoint	Screening Level	ERPG	TEEL	Source	Value
Compound	CAS#	(µg/m³)	(c or nc)	(µg/m³)	(c or nc)	(µg/m³)	(mg/m³)	(hg/m³)	(T or E)	(mg/m³)
Benzidine	92-87-5	2.92E-05	O	2.72E-05	0	2.92E-05				0.00E+00
Benzo(b)fluoranthene	205-99-2	2.17E-02	υ	8.58E-03	၁	2.17E-02				0.00E+00
Benzo(g,h,i)perylene	191-24-2	AN		NA		NA				0.00E+00
Benzo(k)fluoranthene	207-08-9	2.17E-01	υ	8.58E-02	O	2.17E-01				0.00E+00
Benzoic acid	65-85-0	1.46E+04	пс	1.46E+04	၁	1.46E+04				0.00E+00
Benzyl alcohol	100-51-6	1.10E+03	пс	1.10E+03	nc	1.10E+03		5.53E+04	F	5.53E+04
bis(2-Chloroethoxy)methane	111-91-1	NA		NA		AN				0.00E+00
bis(2-Chloroethyl)ether	111-44-4	5.82E-03	υ	5.69E-03	U	5.82E-03				0.00E+00
bis(2-Chloroisopropyl)ether	108-60-1	1.92E-01	υ	1.79E-01	ပ	1.92E-01				0.00E+00
bis(2-Ethylhexyl)phthalate	117-81-7	4.80E-01	υ	4.47E-01	ပ	4.80E-01				0.00E+00
Butylbenzylphthalate	85-68-7	7.30E+02	nc	7.30E+02	nc	7.30E+02		5.00E+05	L	·5.00E+05
Carbazole	86-74-8	3.36E-01	C	3.13E-01	ပ	3.36E-01				0.00E+00
Chlorobenzilate	510-15-6	2.49E-02	၀	2.32E-02	၁	2.49E-02				0.00E+00
Chrysene	218-01-9	2.17E+00	၁	8.58E-01	ပ	2.17E+00				0.00E+00
Diallate	2303-16-4	1.10E-01	၁	NA		1.10E-01				0.00E+00
Dibenz(a,h)anthracene	53-70-3	2.17E-03	၁	8.58E-04	ပ	2.17E-03				0.00E+00
Dibenzofuran	132-64-9	1.46E+01	nc	1.46E+01	nc	1.46E+01				0.00E+00
Diethylphthalate	84-66-2	2.92E+03	nc	2.92E+03	nc	2.92E+03		1.50E+04	1	1.50E+04
Dimethylphenethylamine	122-09-8	3.65E+00	nc	NA		3.65E+00				0.00E+00
Dimethylphthalate	131-11-3	3.65E+04	ou	3.65E+04	nc	3.65E+04				0.00E+00
Di-n-butylphthalate	84-74-2	3.65E+02	nc	3.65E+02	nc	3.65E+02		1.50E+04	T	1.50E+04
Di-n-octylphthalate	117-84-0	7.30E+01	uc	7.30E+01	nc	7.30E+01		1.50E+05	T	1.50E+05
Diphenylamine/N-NitrosoDPA	122-39-4	9.13E+01	nc	9.13E+01	nc	9.13E+01				0.00E+00
Ethyl methanesulfonate	62-50-0	NA		NA		NA				0.00E+00
Fluoranthene	206-44-0	1.46E+02	nc	1.46E+02	nc	1.46E+02				0.00E+00
Fluorene	86-73-7	1.46E+02	nc	1.46E+02	nc	1.46E+02		7.50E+04	⊥	7.50E+04
Hexachlorobenzene	118-74-1	4.18E-03	ပ	3.91E-03	ပ	4.18E-03				0.00E+00
Hexachlorobutadiene	87-68-3	8.6E-02	၁	8.03E-02	ပ	8.62E-02				0.00E+00
Hexachlorocyclopentadiene	77-47-4	7.30E-02	nc	7.30E-02	nc	7.30E-02				0.00E+00
Hexachloroethane	67-72-1	4.80E-01	υ	4.47E-01	ပ	4.80E-01				0.00E+00
Hexachloropropene	1888-71-7	NA		A		NA				0.00E+00
Indeno(1,2,3-cd)pyrene	193-39-5	2.17E-02	C	8.58E-03	C	2.17E-02				0.00E+00
Isophorone	78-59-1	7.08E+00	ပ	6.59E+00	O	7.08E+00				0.00E+00
Isosafrole	120-58-1	ΝΑ		¥		NA				0.00E+00
Kepone	143-50-0	3.74E-04	υ	ΑN		3.74E-04				0.00E+00
Methapyrilene	91-80-5	AA		W		NA				0.00E+00
Methyl methanesulfonate	66-27-3	¥		¥		NA				0.00E+00

Appendix C: Health-based Screening Levels and Acute Toxicity Values

			For the (	For the Chronic Evaluation (HBSL)	luation (HE	SL)		For the Act	For the Acute Evaluation (ATV)	n (ATV)
		Region 9	Toxicity	Region 9	Toxicity	Health-based				Acute Toxicity
		PRG	Endpoint	RBC	Endpoint	Screening Level	ERPG	TEEL	Source	Value
Compound	CAS#	(µg/m³)	(c or nc)	(hg/m³)	(c or nc)	(µg/m³)	(mg/m <sub>3</sub> )	(µg/m³)	(T or E)	(hg/m³)
Naphthalene	91-20-3	3.13E+00	ПС	3.29E+00	nc	3.13E+00		7.86E+04	T	7.86E+04
Nitrobenzene	98-95-3	2.09E+00	nc	2.19E+00	nc	2.09E+00				0.00E+00
N-Nitrosodimethylamine	55-18-5	4.47E-05	υ	4.17E-05	U	4.47E-05				0.00E+00
N-Nitrosodimethylamine	55-18-5	4.47E-05	υ	4.17E-05	O	4.47E-05				0.00E+00
N-Nitroso-di-n-butylamine	924-16-3	1.2E-03	υ	1.12E-03	U	1.20E-03				0.00E+00
N-Nitroso-di-n-propylamine	621-64-7	9.61E-04	υ	8.94E-04	υ	9.61E-04				0.00E+00
N-Nitrosomethylethylamine	10595-95-6	3.06E-04	υ	2.85E-04	υ	3.06E-04				0.00E+00
N-Nitrosomorpholine	59-89-2	ΑN		ΑN		NA				0.00E+00
N-Nitrosopiperidine	100-75-4	ΑN		ΑN		NA				0.00E+00
N-Nitrosopyrrolidine	930-55-2	3.15E-03	U	ΝΑ		3.15E-03				0.00E+00
o-Toluidine	95-53-4	2.80E-02	υ	ΑN		2.80E-02				0.00E+00
p-Chloroaniline	106-47-8	1.46E+01	nc	1,46E+01	nc	1.46E+01				0.00E+00
p-Dimethylaminoazobenzene	60-11-7	NA		AN		NA				0.00E+00
Pentachlorobenzene	608-93-5	2.92E+00	nc	2.92E+00	nc	2.92E+00				0.00E+00
Pentachloroethane	76-01-7	AN		¥		AN				0.00E+00
Pentachloronitrobenzene	82-68-8	2.59E-02	υ	2.41E-02	ပ	2.59E-02				0.00E+00
Pentachlorophenol	87-86-5	5.60E-02	С	5.22E-02	O	5.60E-02				0.00E+00
Phenacetin	62-44-2	NA		NA		NA				0.00E+00
Phenanthrene	85-01-8	NA		NA		NA		2.00E+03	1	2.00E+03
Phenol	108-95-2	2.19E+03	nc	2.19E+03	nc	2.19E+03				0.00E+00
Pronamide	23950-58-5	2.74E+02	nc	AN		2.74E+02				0.00E+00
Pyrene	129-00-1	ΑΝ		Ϋ́		AN				0.00E+00
Pyridine	110-86-1	3.65E+00	nc	3.65E+00	JU	3.65E+00				0.00E+00
Safrole	94-59-7	NA		NA		NA				0.00E+00
sym-Trinitrobenzene	99-35-4	1.10E+02	nc	1.10E+02	nc	1.10E+02				0.00E+00
ootpotos.										

Footnotes:

PRG: Preliminary Remediation Goals

c: Cancer

nc:non-cancer

RBC: Risk-Based Concentration

HBSL: Health-based Screening Level

(E) ERPG: Emergency Response Planning Guidelines (T) TEEL: Temporary Emergency Exposure Limits

ATV: Acute Toxicity Value

NA: Not applicable

# APPENDIX D RISK EVALUATION DATA

Table D-1: Comparison of Air Concentrations with Health-Based Values: Metals, Particulates and Miscellaneous Compounds

Compound C <sub>ct</sub> TSP PM <sub>10</sub> HCI (a) Cl <sub>2</sub> (a)	ŕ		Simulator Hand	Hand	Grenade			
TSP PM <sub>10</sub> HCI (a) CI <sub>2</sub> (a)	Cchronic (µg/m²)	Health-Based Screening Level (µg/m³)	C <sub>chronic</sub> / HBSL	> 1?	C <sub>acute</sub> (µg/m³)	Acute Toxicity Value (µg/m³)	Cacute/ ATV	> 1?
PM <sub>10</sub> HCI (a) CI <sub>2</sub> (a)	8.17E+00	5.00E+01	1.63E-01	ou	AN	>N		na
HCI (a) Cl <sub>2</sub> (a)	9.36E+00	5.00E+01	1.87E-01	ou	NA	N<	•	na
Cl <sub>2</sub> (a)	AN	2.08E+01		na	NA AN	7.14E+03		па
	4.27E-04	2.09E-01	2.05E-03	ou	3.74E-01	2.89E+03	1.29E-04	2
Dioxin TEQ (b)	3.66E-12	4.48E-08	8.17E-05	ဥ	3.00E-08	3.50E+00	8.56E-09	2
Carbon Monoxide (CO)	2.43E-02	1.57E+02	1.55E-04	OU	2.13E+01	2.30E+05	9.26E-05	ဥ
Nitrogen Oxide (NOx)	5.15E-01	1.00E+02	5.15E-03	OU	1.80E+03	2.70E+05	6.68E-03	20
HCI (a)	AN	2.08E+01		na	NA	7.14E+03		na
Carbon Dioxide (CO <sub>2</sub> )	3.78E-01	NA		na	1.32E+03	5.40E+07	2.45E-05	2
Sulfur Dioxide (SO <sub>2</sub> )	4.27E-02	8.00E+01	5.34E-04	ou	3.74E+01	7.89E+02	4.74E-02	2
Aluminum	8.06E-01	3.65E+00	2.21E-01	no	2.82E+03	3.00E+04	9.41E-02	2
Antimony	1.43E-03	1.46E+00	9.79E-04	no	5.01E+00	. 1.50E+03	3.34E-03	no
Arsenic	8.47E-12	4.47E-04	1.90E-08	no	6.92E-02	3.00E+01	2.31E-03	no
Barium	2.83E-03	5.21E-01	5.42E-03	no	00+306 <sup>6</sup>	1.50E+03	6.60E-03	92
Beryllium	1.17E-12	8.00E-04	1.47E-09	no	6.60E-03	5.00E+00	1.92E-03	00
Cadmium	7.12E-06	1.07E-03	6.68E-03	ou	5.83E-02	3.00E+01	1.94E-03	2
Chromium	1.93E-05	1.53E-04	1.26E-01	no	1.58E-01	1.50E+03	1.05E-04	no
Cobalt	2.44E-05	2.20E+02	1.11E-07	no	8.53E-02	6.00E+01	1.42E-03	no
Copper	1.33E-03	1.46E+02	9.08E-06	no	4.64E+00	3.00E+03	1.55E-03	no
Lead	1.02E-04	1.50E+00	6.81E-05	no	3.58E-01	1.50E+02	2.39E-03	no
Magnesium	9.58E-01	NA		na	3.36E+03	3.00E+04	1.12E-01	no
Manganese	9.08E-04	5.11E-02	1.78E-02	no	3.18E+00	3.00E+03	1.06E-03	no
Nickel	8.87E-05	7.30E+01	1.21E-06	no	3.11E-01	3.00E+03	1.04E-04	no
Phosphorus	1.12E-03	NA		na	3.92E+00	3.00E+02	1.31E-02	no
Selenium	1.90E-11	1.83E+01	1.04E-12	DO	6.64E-02	6.00E+02	1.11E-04	no
Silver	NA	1.83E+01		na	NA	N		na
Thallium	A A	2.56E-01		na	A'N	N		na

Table D-1: Comparison of Air Concentrations with Health-Based Values: Metals, Particulates and Miscellaneous Compounds

			Simulator Hand Grenade	Hand	Grenade			
Compound	C <sub>chronic</sub> (µg/m³)	Health-Based Screening Level С <sub>chronic</sub> / HBSL > 1? С <sub>асите</sub> (µg/m³) (µg/m³)	C <sub>chronic</sub> / HBSL	> 1?	С <sub>асиtе</sub> (µg/m³)	Acute Toxicity Value (µg/m³)	C <sub>acute</sub> / ATV   > 1?	> 1?
Zinc	9.12E-04	1.10E+03	8.33E-07	ou	3.20E+00	3.00E+04	1.07E-04	ou
Mercury	1.26E-13	3.13E-01	4.02E-13	no	4.40E-04	1.00E+02	4.40E-06	20

Footnotes:

(a) HCI/Cl<sub>2</sub> levels were too low to be reliably measured.

(b) Presence questionable - reported at similar levels in samples and blanks.

>1? = Is the ratio greater than one?

NA = Not applicable because compound was not detected.

NV = No Value available

C<sub>chronic</sub> = chronic averaged air Concentration

HBSL =chronic Health-Based Screening Level

Cacute = acute averaged air Concentration

ATV = Acute Toxicity Value

na = not applicable because compound was not detected or toxicity data is not available.

Table D-2: Comparison of Air Concentrations with Health-Based Values: Volatile Organic Compounds

			Simulator Hand Grenade	Hand	Grenade			
Compound (a)	C <sub>chronic</sub> (µg/m³)	Health-Based Screening Level (µg/m³)	C <sub>chronic</sub> / HBSL	> 1?	C <sub>acute</sub> (µg/m³)	Acute Toxicity Value (µg/m³)	C <sub>acute</sub> / ATV	> 1?
TNMHC	3.94E-03	NA		na	NA	>N		na
1,1,2,2-Tetrachloroethane	AN	3.31E-02		na	NA	^N		na
1,1,2-Trichloro-1,2,2-trifluoroethane	ΑΝ	3.13E+04		na	NA	9.58E+06		na
1,1,2-Trichloroethane	Ā	1.20E-01		na	NA	N/		na
1,1-Dichloroethane	AN	5.21E+02		na	AN	N/		na
1,2,4-Trichlorobenzene	AN	2.08E+02		na	ΑN	3.71E+04		na
1,2,4-Trimethylbenzene	1.22E-05	6.21E+00	1.96E-06	ou	4.27E-02	1.80E+05	2.37E-07	no
1,2,4-Trimethylbenzene & sec-Butylbenzene	4.07E-05	3.65E+01	1.12E-06	ou	AN	N		na
1,2-Dibromoethane	NA	8.73E-03		na	AN	NV		na
1,2-Dichloroethane	NA	7.39E-02		na	AN	N/	•	na
1,2-Dichloroethene	NA	3.29E+01		na	AN	2.38E+06		na
1,2-Dichloropropane	NA	9.89E-02		na	AN	NV		na
1,3,5-Trimethylbenzene	1.73E-05	6.21E+00	2.78E-06	no	6.05E-02	3.68E+05	1.64E-07	no
1,3,5-Trimethylbenzene	NA	6.21E+00		na	AN	3.68E+05		na
1,3-Butadiene	6.19E-06	3.74E-03	1.66E-03	no	1.27E-02	2.20E+04	5.76E-07	no
1,3-Butadiene	6.30E-06	3.74E-03	1.69E-03	no	1.29E-02	2.20E+04	5.85E-07	no
1,4-Dioxane	NA	6.11E-01		na	۷N	N<		na
1-Butanol	NA	3.65E+02		na	NA	N		na
1-Butene	2.89E-05	NA		na	NA	N<		na
1-Hexene	NA	NA		na	ΑΝ	1.03E+05		na
1-Hydroxy-2-propanone	1.18E-04	NA		na	NA	N		na
1-Methylnaphthalene	NA	NA		na	NA	N<		na
1-Pentene	NA	NA		na	ΝΑ	N		na
1-Propanol	NA	NA		na	NA	N<		na
2,2,4-Trimethylhexane	NA	NA		na	NA	N		na
2,2,4-Trimethylpentane	2.31E-05	NA		na	8.09E-02	3.50E+05	2.31E-07	ou
2,2-Dimethylbutane	NA	NA		na	NA	1.80E+06		na
2,2-Dimethylheptane	۸N	NA		па	NA	>N		na

Table D-2: Comparison of Air Concentrations with Health-Based Values: Volatile Organic Compounds

			Simulator Hand Grenade	Hand	Grenade			
Compound (a)	С <sub>сhronic</sub> (µg/m³)	Health-Based Screening Level (µg/m³)	C <sub>chronlc</sub> / HBSL	> 1?	C <sub>acute</sub> (µg/m³)	Acute Toxicity Value (µg/m³)	C <sub>acute</sub> / ATV	¢.
2,2-Dimethylpropane	NA	NA		na	ΑN	N/		na
2,3,4-Trimethylpentane	NA	NA		na	AN	N		na
2,3-Butanedione	NA	NA		na	AN	N		па
2,3-Dihydro-1-methyl-1H-indene	AN	NA		na	AN	N		na
2,3-Dihydro-4-methyl-1H-indene	NA	NA		na	NA	N		na
2,3-Dimethylbutane	NA	NA		na	NA	N		па
2,3-Dimethylhexane	NA	NA	-	na	AN	N		na
2,3-Dimethylpentane	NA	NA		na	ΑN	NV		na
2,4,4-Trimethyl-1-pentene	NA	NA		na	۷N	۸N		na
2,4,4-Trimethyl-2-pentene	AN	AN		na	ΥN	N		na
2,4-Dimethylhexane	NA	NA		na	ΑN	>N		na
2,4-Dimethylpentane	NA	NA		na	NA	N/		na
2,5-Dimethylhexane	NA	NA		na	AN	NN		na
2-Butanone	5.06E-05	1.04E+03	4.85E-08	no	1.77E-01	8.85E+05	2.00E-07	2
2-Butoxyethanol	NA	2.09E+01		na	· NA	N/		na .
2-Ethyl-1-hexanol	NA	NA		na	NA	> <u>N</u>		na
2-Furaldehyde	1.22E-04	5.21E+01	2.34E-06	ou	1.07E-01	8.00E+03	1.34E-05	9
2-Methyl-1,3-dioxolane	NA	NA		na	NA	N/		na
2-Methyl-1-butene	5.65E-06	NA		na	NA	N/		na
2-Methyl-1-pentene	NA	NA		na	AN	N<		na
2-Methyl-2-butene	NA	NA		na	AN	NN		na
2-Methyl-2-pentene	NA	NA		na	NA	N\		na
2-Methylfuran	NA	NA		na	NA	N/		na
2-Methylheptane	NA	AN		na	AN	N/		na
2-Methylhexane	NA	NA		na	NA	NN		na
2-Methyinaphthalene	NA	7.30E+01		na	NA	2.00E+04		na
2-Methylpentane	5.65E-06	AN		na	1.98E-02	1.80E+06	1.10E-08	no
2-Methylpropanal	AN	NA		na	AN A	N		na

Table D-2: Comparison of Air Concentrations with Health-Based Values: Volatile Organic Compounds

			Simulator Hand	Hand	Grenade			
Compound (a)	C <sub>chronic</sub> (µg/m³)	Health-Based Screening Level (µg/m³)	C <sub>chronic</sub> / HBSL	> 1?	С <sub>асиtе</sub> (µg/m³)	Acute Toxicity Value (µg/m³)	C <sub>acute</sub> / ATV	> 1?
2-Methylpropanenitrile	NA	AN		na	NA	>N		па
2-Nitrophenol	NA	NA		na	A'A	>N		na
2-Pentanone	1.62E-05	AA		na	5.67E-02	8.80E+05	6.44E-08	0
2-Propanol	NA	NA		na	NA A	N<		g
3-Ethylhexane	NA	NA		na	NA	N<		na
3-Methyl-1-butene	AN	NA		na	NA	> <u>N</u>		Бa
3-Methylhexane	NA	NA		na	NA	> <u>N</u>		na
3-Methylpentane	NA	NA		na	NA	> <u>2</u>		na
4-Methyl-1-pentene	NA	AN		na	NA	> <u>N</u>		na
6-Methyl-5-hepten-2-one	AN	ΑΝ		na	NA	>N		na
Acetic Acid	1.17E-05	NA		na	4.10E-02	3.68E+04	1.12E-06	ou
Acetone	3.15E-04	3.65E+02	8.63E-07	ou	1.10E+00	2.37E+06	4.66E-07	92
Acetonitrile	7.04E-06	6.21E+01	1.13E-07	OU	2.47E-02	1.01E+05	2.45E-07	2
Acetophonone	1.86E-05	2.08E-02	8.95E-04	ou	6.53E-02	3.00E+04	2.18E-06	2
Acetylene	6.91E-04	NA		na	ΑN	AN.		na
Acrolein	1.59E-04	2.09E-02	7.65E-03	ou	1.40E-01	2.30E+02	6.07E-04	92
Acrylonitrile	2.50E-05	2.83E-02	8.86E-04	no	5.12E-02	2.20E+04	2.33E-06	ou
Allylchloride	NA	1.04E+00		na	ΑN	ΛN		na
alpha-Pinene	NA	NA		na	AN	۸N		na
Benzaldehyde	6.79E-05	3.65E+02	1.86E-07	no	2.38E-01	1.50E+04	1.59E-05	no
Benzene	5.92E-05	2.49E-01	2.38E-04	no	1.21E-01	1.56E+05	7.76E-07	no
Benzene	6.03E-05	2.49E-01	2.42E-04	ou	1.23E-01	1.56E+05	7.89E-07	no
Benzofuran	2.02E-05	NA		na	AN	ΛN		na
Benzonitrile	NA	NA		na	ΥN	1.50E+04		na
Benzylchloride	NA	3.96E-02		na	NA	NN/		na
beta-Pinene	NA	NA		na	AN	N N		na
Butanal	2.99E-06	NA		na	1.05E-02	7.38E+04	1.42E-07	ou
Carbon Disulfide	5.14E-03	7.30E+02	7.05E-06	on	4.51E+00	3.10E+03	1.45E-03	OU

Table D-2: Comparison of Air Concentrations with Health-Based Values: Volatile Organic Compounds

			Simulator Hand	Hand	Gronado			Γ
Compound (a)	C <sub>chronic</sub> (µg/m³)	Health-Based Screening Level (µg/m³)	C <sub>chronic</sub> / HBSL	> 1?		Acute Toxicity Value (µg/m³)	Cacute/ ATV	× 42
Carbontetrachloride	1.26E-06	1.28E-01	9.83E-06	OU	2.57E-03	1.28E+05	2.01E-08	2
Carbonyl Sulfide	1.52E-05	AN		na	5.32E-02	9.84E+03	5.40E-06	2
Chlorobenzene	AN	6.21E+01		na	NA	>N		БE
Chloroethene	NA	2.24E-02		na	NA	N/		g
Chloroform	NA	8.35E-02		na	AN	2.48E+05		Б
cis 1,3-Dichloro-1-propene	NA	5.17E-02		na	AN	2		na
cis-2-Butene	8.64E-06	NA		na	NA A	>N		na
cis-2-Hexene	AN	NA		na	NA	N N		na
cis-2-Pentene	NA	NA		na	NA	<b>≥</b>		na
cis-4-Methyl-2-pentene	NA	NA		na	ΑN	N N		an
Cyanogen	NA	NA		na	AN	> <u>N</u>		na
Cyclohexane	NA	NA		na	AN	3.10E+06		na
Cyclohexanone	NA	1.83E+04		na	AN	N/		na
Cyclopentane	NA	NA		na	ΑN	N<		na
Cyclopentanone	NA	NA		na	AN	N		na
Cyclopentene	NA	NA		na	NA	>N		na
Decanal	NA	AN		na	AN	N		na
delta 3-Carene	NA	NA		na	NA	N/		na
Dichlorodifluoromethane	1.51E-05	2.09E+02	7.24E-08	o L	5.29E-02	1.48E+07	3.57E-09	OU
Dichlorotetrafluoroethane	NA	AA		na	ΑΝ	NV		na
Dimethyldisulfide	NA	AN A		na	NA	ΛN		na
d-Limonene	NA	NA		na	NA	N/		na
ETBE	NA	NA A		na	AN	N		na
Ethane	1.63E-04	NA		na	NA	N<		na
Ethylbenzene	1.73E-05	1.06E+03	1.63E-08	no	6.05E-02	5.43E+05	1.12E-07	2
Ethylbenzene	3.55E-05	1.06E+03	3.35E-08	no	1.24E-01	5.43E+05	2.29E-07	2
Ethylchloride	AN	2.32E+00		na	AN	N		na
Ethylcyclohexane	AN	NA		na	NA	>N		na

Table D-2: Comparison of Air Concentrations with Health-Based Values: Volatile Organic Compounds

			Simulator Hand Grenade	Hand	Grenade			
Compound (a)	С <sub>chronic</sub> (µg/m³)	Health-Based Screening Level (µg/m³)	C <sub>chronic</sub> / HBSL	> 1?	C <sub>acute</sub> (µg/m³)	Acute Toxicity Value (µg/m³)	C <sub>acute</sub> / ATV	> 1?
Ethylene	7.25E-04	AN		na	2.54E+00	4.60E+05	5.52E-06	on
Furan	3.06E-05	3.65E+00	8.39E-06	ou	1.07E-01	1.67E+02	6.43E-04	no
Heptanal	4.12E-06	NA		na	NA	ΛN		na
Hexachlorobutadiene	AN	8.73E-02		na	NA	ΛN		na
Hexanal	3.39E-07	ΝΑ		na	NA	ΛN		na
Hexanenitrile	NA	ΑN		na	NA	ΛN		na
i-Butane	1.13E-05	NA		na	3.96E-02	9.52E+05	4.16E-08	no
i-Butene	4:27E-05	NA		na	1.50E-01	6.87E+06	2.18E-08	OU.
Indane	AN	NA		na	NA	1.25E+05		na
i-Pentane	8.80E-06	VA		na	AN	NΛ		na
i-Propylbenzene	AN	4.02E+02		na	NA	ΛN		пa
Isoprene	NA	AN		na	NA	N/		na
m&p-Xylene	3.05E-05	7.30E+02	4.18E-08	no	1.07E-01	6.51E+05	1.64E-07	no
m-Dichlorobenzene	NA	3.29E+00		na	NA	N		na
Methacrolein	NA	NA		na	NA	N<		na
Methyl Methacrylate	NA	7.30E+02		na	NA	N		na
Methylbromide	NA	5.21E+00		na	NA	N		na
Methylchloride	NA	1.07E+00		na	NA	N		па
Methylchloroform	2.90E-07	1.04E+03	2.78E-10	no	2.54E-04	1.94E+06	1.31E-10	2
Methylcyclohexane	NA	3.13E+03		na	NA	4.81E+06		na
Methylcyclopentane	NA	NA		na	NA	N		na
Methylenechloride	1.55E-04	4.09E+00	3.79E-05	ou	3.17E-01	6.96E+05	4.55E-07	no
Methylnitrite	8.14E-05	NA		na	NA	N		na
m-Ethyltoluene	1.45E-05	AN		na	NA	NN		na
Methyl-vinyl Ketone	2.23E-05	NA		na	7.80E-02	8.61E+01	9.06E-04	no
MTBE	NA	3.13E+03		na	ΑΝ	4.32E+05		na
MTBE	NA	3.13E+03		na	NA	4.32E+05		na
m-Xylene & p-Xylene	1.45E-05	7.30E+02	1.98E-08	2	5.06E-02	6.51E+05	7.78E-08	no

Table D-2: Comparison of Air Concentrations with Health-Based Values: Volatile Organic Compounds

			Simulator Hand	Hand	Grenade			Γ
Compound (a)	C <sub>chronic</sub> (µg/m³)	Health-Based Screening Level (µg/m³)	C <sub>chronic</sub> / HBSL	> 15	С <sub>асиte</sub> (µg/m³)	Acute Toxicity Value (µg/m³)	C <sub>acute</sub> / ATV	^ 12
Naphthalene	2.33E-05	3.13E+00	7.44E-06	ou	8.16E-02	7.86E+04	1.04E-06	S C
n-Butane	NA	NA		na	NA	N		na
n-Decane	5.98E-06	NA		na	2.10E-02	4.37E+03	4.80E-06	2
n-Heptane	5.65E-06	NA		na	1.98E-02	1.80E+06	1.10E-08	2
n-Hexane	5.81E-06	2.09E+02	2.79E-08	ou	2.04E-02	5.28E+05	3.86E-08	2
Nitromethane	7.06E-05	NA		na	2.47E-01	1.50E+05	1.65E-06	2
n-Nonane	1.71E-05	NA		na	6.00E-02	1.05E+06	5.72E-08	2
n-Octane	AN	NA		na	NA	N/N		na
Nonanal	NA	NA		na	AN	>N		na
n-Pentane	5.65E-06	NA		na	1.98E-02	1.80E+06	1.10E-08	no
n-Propylbenzene	5.65E-06	3.65E+01	1.55E-07	no	1.98E-02	3.68E+05	5.38E-08	2
Octanal	2.01E-05	NA		na	AN	NV .		Вa
o-Dichlorobenzene	NA	2.09E+02	•	na	AN	N\		E E
o-Ethyltoluene	1.74E-05	NA		na	6.11E-02	7.50E+02	8.15E-05	2
o-Xylene	2.01E-05	7.30E+02	2.75E-08	no	7.04E-02	6.51E+05	1.08E-07	ou
o-Xylene	3.23E-05	7.30E+02	4.42E-08	no	1.13E-01	6.51E+05	1.74E-07	2
p-Dichlorobenzene	NA	2.80E-01		na	AN	NV		na
Pentanal	NA	NA		na	NA	ΛN		na
Pentanenitrile	NA	NA		na	NA	NV		na
Perchloroethylene	NA	3.31E+00		na	ΑΝ	6.89E+05		na
p-Ethyltoluene	2.01E-05	ΑΝ		na	7.04E-02	1.25E+05	5.64E-07	ou
p-Ethyltoluene	1.83E-05	NA		na	6.40E-02	1.25E+05	5.12E-07	ņ
Phenylacetylene	NA	NA		na	NA	N		па
Propane	2.86E-05	NA		na	1.00E-01	3.78E+06	2.65E-08	on O
Propanenitrile	7.48E-06	NA		na	2.62E-02	3.38E+04	7.76E-07	92
Propene	2.45E-04	AN		na	NA	NV		na
Styrene	2.39E-05	1.06E+03	2.26E-08	no	2.10E-02	2.13E+05	9.84E-08	ou
Styrene	AN	1.06E+03		na	NA	2.13E+05		na

Table D-2: Comparison of Air Concentrations with Health-Based Values: Volatile Organic Compounds

			Simulator Hand Grenade	Hand	Grenade			
Compound (a)	С <sub>сһгопіс</sub> (µg/m³)	Health-Based Screening Level (µg/m³)	C <sub>chronic</sub> / HBSL	· 1?	С <sub>асиtе</sub> (µg/m³)	Acute Toxicity Value (µg/m³)	C <sub>acute</sub> / ATV > 1?	> 1?
Tetrahydrofuran	AN	9.89E-01		na	NA	/N		na
Thiophene	2.47E-05	AN		па	NA	^N		na
Toluene	6.35E-05	4.02E+02	1.58E-07	no	5.56E-02	1.88E+05	2.97E-07	no
Toluene	6.46E-05	4.02E+02	1.61E-07	ou	5.65E-02	1.88E+05	3.02E-07	OL
trans 1,3-Dichloro-1-propene	NA	NA		na	NA	N		na
trans-2-Butenal	8.83E-06	3.54E-03	2.50E-03	no	NA	N	1	na
trans-2-Butene	4.32E-05	NA		na	NA	N		na
trans-2-Hexene	NA	AN		na	AN	>N		па
trans-2-Pentene	NA	ΝΑ		na	AN	N		na
Trichloroethylene	NA	1.12E+00		na	AN	N		na
Trichloromonofluoromethane	NA	7.30E+02		na	AN	>N		па
Vinylidenechloride	NA	3.84E-02		na	NA	NV		na

Footnotes:

(a) Items in bold represent duplicate values for those compounds that are common for Method TO-14 and TO-12.

>1? = Is the ratio greater than one?

NA = Not Applicable because compound was not detected

NV = No Value available

C<sub>chronic</sub> = chronic averaged air Concentration

RBSL = chronic Health-Based Screening Level

Cacule = acute averaged air Concentration

ATV = Acute Toxicity Value

na = not applicable because compound was not detected or toxicity data is not available.

Table D-3: Comparison of Air Concentrations with Health-Based Values: Semi-Volatile Organic Compounds

			Simulato	or Hai	Simulator Hand Grenade	0		
Compound	C <sub>chronic</sub> (µg/m³)	Health-Based Screening Level (µg/m³)	C <sub>chronic</sub> / HBSL	> 1?	> 1?   C <sub>acute</sub> (µg/m³)	Acute Toxicity Value (µg/m³)	C <sub>acute</sub> / ATV	× 1?
1,2,4,5-Tetrachlorobenzene	ΨN	1.10E+00		пa	ΑN	N/		na
1,2,4-Trichlorobenzene	ΑΝ	2.08E+02		na	ΑN	N		na
1,2-Dichlorobenzene	ΑN	2.09E+02		na	NA	NV		na
1,3-Dichlorobenzene	ΑΝ	3.29E+00		na	NA	N		пa
1,3-Dinitrobenzene	ΑN	3.65E-01		na	NA	NN		na
1,4-Dichlorobenzene	NA	3.06E-01		na	NA	ΛN		na
1,4-Naphthoquinone	AN	NA		na	NA	NN		na
1-Naphthylamine	AN	NA	,	na	NA	N/		вu
2,3,4,6-Tetrachlorophenol	AN	1.10E+02		na	NA	NV		มล
2,4,5-Trichlorophenol	NA	3.65E+02		na	NA	NV		вu
2,4,6-Trichlorophenol	NA	6.20E-01		na	NA	N/		eu
2,4-Dichlorophenol	NA	1.10E+01		na	NA	N		na
2,4-Dimethylphenol	NA	7.30E+01		na	NA	NΛ		иa
2,4-Dinitrophenol	NA	7.30E+00		na	NA	N		na
2,4-Dinitrotoluene	NA	7.30E+00		na	NA	NV		na
2,6-Dichlorophenol	NA	NA		na	NA	NV		na
2,6-Dinitrotoluene	NA	3.65E+00		na	AN	NV		ua
2-Acetylaminofluorene	NA	NA		na	ΑN	NV		na
2-Chloronaphthalene	NA	2.92E+02		na	NA	NV		na
2-Chlorophenol	NA	1.83E+01		na	AN	N		na
2-Methylnaphthalene	1.53E-05	7.30E+01	2.09E-07	no	5.35E-02	2.00E+04	2.68E-06	ou
2-Methylphenol	NA	1.83E+02		na	NA	NV		na
2-Naphthylamine	NA	NA		na	AN	N/		na
2-Nitroaniline	NA	2.09E-01		na	AA	N/		na
2-Nitrophenol	NA	NA		na	NA	N		na
2-Picoline	NA	NA		na	NA	N/		na
3,3'-Dichlorobenzidine	NA	1.49E-02		na	۸N	N<		na
3,3'-Dimethylbenzidine	Ϋ́	7.31E-04		na	ΑΝ	<b>≥</b>		na
3-Methylcholanthrene	Ϋ́	NA		na	Ϋ́	>2		na
3-Nitroaniline	A'N	NA		na	AA	≥		na

Table D-3: Comparison of Air Concentrations with Health-Based Values: Semi-Volatile Organic Compounds

			Simulato	or Hai	Simulator Hand Grenade			
Compound	C <sub>chronic</sub> (µg/m³)	Health-Based Screening Level (µg/m³)	C <sub>chronic</sub> / HBSL	> 15	С <sub>асиtе</sub> (µg/m³)	Acute Toxicity Value (µg/m³)	C <sub>acute</sub> / ATV	> 1?
4,6-Dinitro-2-methylphenol	ΑN	3.65E-01		na	Ϋ́	N/		na
4-Aminobiphenyl	AN	NA		na	NA	N		na
4-Bromophenylphenyl ether	AN	NA		na	NA	N		пa
4-Chloro-3-methylphenol	NA	AN		na	ΑΝ	N		na
4-Chlorophenylphenyl ether	NA	AN		na	Ϋ́	N		na
4-Methylphenol/3-Methylphenol	NA	1.83E+01		na	Ϋ́	N/		na
4-Nitroaniline	NA	NA		na	ΑN	N		na
4-Nitrophenol	NA	2.92E+01		na	NA	N		ng n
4-Nitroquinoline-1-oxide	NA	NA		na	AN	N<		na
5-Nitro-o-toluidine	NA	NA		na	NA	N		na
7,12-Dimethylbenz(a)anthracene	NA	NA		na	NA	N		na
Acenaphthene	NA	2.19E+02		na	NA	Ž		na
Acenaphthylene	Ϋ́	NA		na	NA	2.00E+02		na
Acetophenone	2.59E-05	2.08E-02	1.24E-03	ou	9.08E-02	3.00E+04	3.03E-06	on O
Aniline	N A	1.04E+00		na	NA	2.29E+04		na
Anthracene	ΝΑ	1.10E+03		na	NA	NV		na
Benz(a)anthracene	Ϋ́	2.17E-02		na	AN	N N		na
Benz(a)pyrene	NA	2.17E-03		na	NA	NN		пa
Benzidine	NA	2.92E-05		na	NA	NN .		na
Benzo(b)fluoranthene	NA	2.17E-02		na	۷A	NV		па
Benzo(g,h,i)perylene	NA	AN		na	NA	NN		na
Benzo(k)fluoranthene	ΝΑ	2.17E-01		na	VΑ	N		na
Benzoic acid	ΑN	1.46E+04		na	ΑN	>N		na
Benzyl alcohol	NA	1.10E+03		na	AN	5.53E+04		na
bis(2-Chloroethoxy)methane	ΝΑ	NA		na	AN	<b>≥</b> N		na
bis(2-Chloroethyl)ether	٩Z	5.82E-03		na	NA	<b>≥</b> N		na
bis(2-ChloroisopropyI)ether	ΑΝ	1.92E-01		na	AN	N/		па
bis(2-Ethylhexyl)phthalate	NA	4.80E-01		na	NA	NV.		na
Butylbenzylphthalate	8.92E-05	7.30E+02	1.22E-07	ou	3.13E-01	5.00E+05	6.25E-07	2
Carbazole	ΑN	3.36E-01		па		>N		na

Table D-3: Comparison of Air Concentrations with Health-Based Values: Semi-Volatile Organic Compounds

			Simulato	or Hai	Simulator Hand Grenade			
Compound	C <sub>chronic</sub> (µg/m³)	Health-Based Screening Level (µg/m³)	C <sub>chronic</sub> / HBSL	> 1?	> 1? G <sub>acute</sub> (µg/m³)	Acute Toxicity Value (µg/m³)	C <sub>acute</sub> / ATV	> 1?
Chlorobenzilate	ΑN	2.49E-02		na		> <u>N</u>		na
Chrysene	NA	2.17E+00		na		N/		na
Diallate	NA	1.10E-01		na		N		na
Dibenz(a,h)anthracene	NA	2.17E-03		na		ΛN		na
Dibenzofuran	NA	1.46E+01		na		ΛN		na
Diethylphthalate	1.21E-05	2.92E+03	4.15E-09	ou	4.24E-02	1.50E+04	2.83E-06	ဥ
Dimethylphenethylamine	ΑN	3.65E+00		na	NA	N		na
Dimethylphthalate	NA	3.65E+04		ua	NA	N/		na
Di-n-butylphthalate	.2.32E-04	3.65E+02	6.34E-07	na	8.11E-01	1.50E+04	5.41E-05	on O
Di-n-octylphthalate	NA	7.30E+01		na	NA	1.50E+05		na
Diphenylamine/N-NitrosoDPA	AN	9.13E+01		na	NA	ΛN		па
Ethyl methanesulfonate	NA	NA		na	NA	N/		na
Fluoranthene	NA	1.46E+02		na	NA	NV		na
Fluorene	NA	1.46E+02		na	NA	7.50E+04		na
Hexachlorobenzene	NA	4.18E-03		na	NA NA	N		na
Hexachlorobutadiene	AN	8.62E-02		na	A'N	>N		na
Hexachlorocyclopentadiene	NA	7.30E-02		na	NA	N/		na
Hexachloroethane	NA	4.80E-01		na	NA	NV		na
Hexachloropropene	AN	NA		na	NA	NV		na
Indeno(1,2,3-cd)pyrene	٩N	2.17E-02		na	NA	> <sub>N</sub>		na
Isophorone	ΑΝ	7.08E+00		na	NA	N<		na
Isosafrole	ΑΝ	NA		au	NA V	>N		na
Kepone	AA	3.74E-04		na	NA	NV		na
Methapyrilene	ΝΑ	NA		na	NA	N<		na
Methyl methanesulfonate	NA	AN		na	NA	NV		na
Naphthalene	3.68E-05	3.13E+00	1.18E-05	DOL	1.29E-01	7.86E+04	1.64E-06	no
Nitrobenzene	NA	2.09E+00		na	NA	NV		na
N-Nitrosodiethylamine	NA	4.47E-05		na	NA	N<		na
N-Nitrosodimethylamine	NA	4.47E-05		na	NA	N<		na
N-Nitroso-di-n-butylamine	NA	1.20E-03		na	NA	>N		na

Table D-3: Comparison of Air Concentrations with Health-Based Values: Semi-Volatile Organic Compounds

			Simulato	r Hai	Simulator Hand Grenade			
Compound	С <sub>chronic</sub> (µg/m³)	Health-Based Screening Level (µg/m³)	C <sub>chronic</sub> / HBSL	> 13	> 1?   C <sub>acute</sub> (µg/m³)	Acute Toxicity Value (μg/m³)	C <sub>acute</sub> / ATV	v 1?
N-Nitroso-di-n-propylamine	NA	9.61E-04		па	Ϋ́	Ž		na
N-Nitrosomethylethylamine	Ϋ́	3.06E-04		na	ΑN	>N		na
N-Nitrosomorpholine	AN	Ϋ́		na	Ϋ́	N		na
N-Nitrosopiperidine	NA A	ΑΝ		na	Ϋ́	N		na
N-Nitrosopyrrolidine	AN	3.15E-03		na	ΑΝ	N .		na
o-Toluidine	Ϋ́	2.80E-02		na	ΑN	N		na
p-Chloroaniline	NA	1.46E+01		na	AN	N		na
p-Dimethylaminoazobenzene	AN	ΑΝ		na	AN	N		na
Pentachlorobenzene	AN	2.92E+00		na	NA	N		na
Pentachloroethane	NA	NA		na	AA	N		na
Pentachloronitrobenzene	NA .	2.59E-02		na	NA	N		na
Pentachlorophenol	NA	5.60E-02		na	NA	N		na
Phenacetin	NA	. NA		na	NA	>2		na
Phenanthrene	NA	NA		na	NA	2.00E+03		na
Phenol	NA	2.19E+03		na	N A A	N		na
Pronamide	NA	2.74E+02		na	NA	N		na
Pyrene	NA	NA		na	N A	N		na
Pyridine	NA	3.65E+00		na	A'N	≥ N		na
Safrole	NA	NA		na	ΑΝ	Ž		na
sym-Trinitrobenzene	NA	1.10E+02		na	NA	N		na
Footnotes:								

>1? = Is the ratio greater than one?

NA = Not Applicable because compound was not detected.

NV = No Value available

C<sub>chronic</sub> = chronic averaged air Concentration

HBSL = chronic Health-Based Screening Level

Cacute = acute averaged air Concentration

ATV = Acute Toxicity Value

na = not applicable because compound was not detected or no toxicity data is available.

Table D-4: Comparison of Air Concentrations with Health-Based Values: Total Petroleum Hydrocarbons

(a) Cehronia Alipha enzene sec-Butylbenzene 2.3 lentane 2.3 lentane 2.3 lentane 5.6 ane 6.6 ane 8.8 ne ne 7.1 1.1 4.2 e 8.8 e 5.6 e 6.6 e 6.6 e 6.6 e 6.6 e 7.8 e			Simulator Ha	Simulator Hand Grenade	
Aliphatic:C<=8  NA  NA  2.89E-05  2.31E-05  5.65E-06  5.65E-06  NA  NA  NA  NA  NA  NA  NA  NA  NA  N	Compound (a)	C <sub>chronic</sub> (µg/m³)	С <sub>сhronic</sub> (µg/m³)	C <sub>chronic</sub> (µg/m³)	С <sub>сhronic</sub> (µg/m³)
NA  2.89E-05  2.31E-05  5.65E-06  5.65E-06  NA  NA  NA  NA  NA  NA  NA  NA  NA  N		Aliphatic:C<=8	Aliphatic:C>8	Aromatic:C<=8	Aromatic:C>8
2.89E-05 2.31E-05 5.65E-06 5.65E-06 5.65E-06 NA	1,2,4-Trimethylbenzene	NA	AN	NA	1.22E-05
2.89E-05 2.31E-05 5.65E-06 5.65E-06 NA	Trimethylbenzene & sec-Butylbenzene	AN	NA	NA	4.07E-05
2.31E-05 5.65E-06 5.65E-06 5.65E-06 NA NA NA NA 1.13E-05 4.27E-05 8.80E-06 NA	1-Butene	2.89E-05	AN	NA	AN
5.65E-06 5.65E-06 NA NA NA 8.64E-06 NA NA 1.13E-05 4.27E-05 8.80E-06 NA	2,2,4-Trimethylpentane	2.31E-05	NA	NA	NA
5.65E-06 NA NA NA NA NA NA 1.13E-05 4.27E-05 8.80E-06 NA	2-Methyl-1-butene	5.65E-06	AN	NA	AN
NA NA NA NA NA NA NA NA 1.13E-05 8.80E-06 8.80E-06 NA	2-Methylpentane	5.65E-06	NA	NA	ΑΝ
NA  NA  NA  1.13E-05  4.27E-05  8.80E-06  8.80E-06  NA  NA  NA  NA  NA  NA  NA  NA  NA  N	Benzene	NA	NA	1.38E-04	AN
8.64E-06 NA NA 1.13E-05 4.27E-05 8.80E-06 NA	Benzene	NA	NA	1.41E-04	AN
NA  NA  1.13E-05  4.27E-05  8.80E-06  NA  NA  NA  S.65E-06  5.65E-06  NA  NA  NA  NA  NA  NA  NA  NA  NA  N	cis-2-Butene	8.64E-06	NA	NA	ΑΝ
1.13E-05 1.13E-05 4.27E-05 8.80E-06 NA NA NA 5.65E-06 5.81E-06 5.81E-06 NA NA NA NA NA NA NA NA NA NA NA NA NA	Ethylbenzene	NA	NA	1.73E-05	ΑΝ
1.13E-05 4.27E-05 8.80E-06 NA NA NA NA NA 5.65E-06 5.81E-06 NA	Ethylbenzene	NA	NA	3.55E-05	AN
4.27E-05 8.80E-06 NA NA NA NA 5.65E-06 5.81E-06 NA	i-Butane	1.13E-05	NA	NA	NA
8.80E-06  NA  NA  NA  5.65E-06  5.81E-06  NA  NA  NA  NA  NA  NA  NA  NA  NA  N	i-Butene	4.27E-05	NA	NA	NA
NA NA 5.65E-06 5.81E-06 NA NA NA NA NA NA NA NA NA NA	i-Pentane	8.80E-06	NA	NA	NA
NA S. 65E-06 5.81E-06 1. NA	m&p-Xylene	NA	NA	3.05E-05	NA
5.65E-06 5.81E-06 NA NA NA NA NA NA NA NA NA NA NA NA NA	m-Xylene & p-Xylene	NA	NA	1.45E-05	NA
5.65E-06 5.81E-06 NA 5.65E-06 NA NA NA 2.86E-05 NA	n-Decane	NA	5.98E-06	NA	NA
5.81E-06 NA 1. 5.65E-06 NA	n-Heptane	5.65E-06	NA	NA	AN
5.65E-06 NA NA NA NA 2.86E-05 NA	n-Hexane	5.81E-06	NA	NA	AN
5.65E-06 NA NA NA 2.86E-05 NA	n-Nonane	NA	1.71E-05	NA	NA
NA NA NA 2.86E-05 NA	n-Pentane	5.65E-06	NA	NA	AN
NA NA 2.86E-05 NA NA	n-Propylbenzene	NA	NA	NA	5.65E-06
NA 2.86E-05 NA NA	o-Xylene	NA	NA	2.01E-05	AN
2.86E-05 NA NA	o-Xylene	NA	NA	3.23E-05	NA
NA	Propane	2.86E-05	NA	NA	NA
NA	Styrene	NA	NA	NA	2.39E-05
	Toluene	NA	NA	6.35E-05	AN
AN	Toluene	NA	NA	6.46E-05	NA

		Simulator Ha	Simulator Hand Grenade	
Compound (a)	С <sub>сhronic</sub> (µg/m³)	С <sub>сьголіс</sub> (µg/m³)	C <sub>chronic</sub> (µg/m³)	C <sub>chronic</sub> (µg/m³)
trans-2-Butene	4.32E-05	NA	NA	AN
2-Methylnaphthalene	NA	NA	NA	1.53E-05
Total	2.24E-04	2.31E-05	3.03E-04	7.03E-05
C <sub>chronic</sub> /HBSL	1.17E-08	2.21E-08	7.27E-07	3.37E-07
>19	uo	ou	no	no
Footnotes				

·ootnotes:

(a) Items in bold represent duplicate values: highest concentration was used to estimate total petroleum hydrocarbon concentration

>1? = Is the ratio greater than one?

NA = Not Applicable because compound was not detected

Cehronic = chronic averaged air Concentration

HBSL = Health-Based Screening Level


SHGrisk5.xls

# APPENDIX E FACT SHEET SUBMITTED TO AEC

### **United States Army Environmental Center Pyrotechnics Fact Sheet**

#### M116A1 Hand Grenade Simulator

Department of Defense Identification Code: L601



#### WHAT ARE PYROTECHNICS?

The terms pyrotechnics and fireworks interchangeably. often used are Pyrotechnics are devices that give off smoke, light, and/or a loud noise when activated. In the military, pyrotechnics are used for signaling, obscuring, and illuminating during training and combat.

#### WHAT IS THE M116A1?

The M116A1 is a pyrotechnic simulator that is used exclusively in training to imitate battle sounds and flashes. It mimics that of actual grenades used during combat and is only used on land. It is 4.30 inches long, 2.18 inches wide, and weighs 0.43 pounds.

#### **HOW IS THE M116A1 USED?**

The M116A1 is thrown in the same manner as a live grenade and creates a loud bang and flash 5-10 seconds after igniting. It looks and sounds very similar to a live grenade, creating a realistic combat environment. This environment is very important in preparing our troops for potential combat situations.

#### WHERE IS THE M116A1 USED?

The M116A1 is used during many Army training events. These events are held training Army nearly every installation. At most locations, training areas are at least 1000 meters (over half a mile) away from populated areas. In general, about sixty of these items are used during a day of training, which typically occurs five times per year.

#### WHAT IS IN THE M116A1?

The body of the M116A1 consists of a cylindrical paper tube containing a sealed charge of photoflash powder. This component creates the flash and bang after the M116A1 is ignited. The potassium powder consists of

perchlorate, magnesium powder, and aluminum powder. A fuse igniter is attached to the outside of the tube and is joined to the photoflash by a safety fuse.

# WILL BREATHING AIR EMISSIONS FROM THE M116A1 AFFECT MY HEALTH?

To answer this question, the U.S. Army Environmental Center tested the air emissions from the M116A1. The U.S. Army Center for Health Promotion and Preventive Medicine then determined if there would be a potential for health effects from inhalation to residents living near training areas. Results showed that residents breathing air as close as 100 meters (328 feet) from the activation site are safe from these emissions.

#### **HOW WAS THE STUDY DONE?**

To gather data for the study, airborne emissions were collected by activating the M116A1 in a test chamber. The air in the chamber was tested to identify the types and amount of substances released. More than 300 substances were looked for during this part of the study.

This information was then used in an air model (a computer program that allows estimation of air concentrations) to determine the amount of each substance, to which someone living near a training area might be exposed. Downwind concentrations were estimated based on a typical use

scenario for the M116A1. Since the study does not look at a specific training area, generic assumptions were used to model the path of the emissions.

These estimated air concentrations were then compared to safe screening levels established by the U.S. Environmental Protection Agency and other agencies. If the air concentrations are below these screening levels, they are considered safe for everyone, including sensitive people such as the sick, elderly, and children.

# WHAT ARE THE LIMITATIONS OF THIS STUDY?

Many steps were taken to ensure that the results of this study are protective of everyone who lives close to training However, limitations do exist areas. with this study. For example, the study does not consider exposure to other types of pyrotechnics that could also be used during the same training event. Due to these limitations, conservative assumptions were used to ensure the public health of protection inhalation of the M116A1 air emissions.

## WHERE CAN / I GET MORE INFORMATION?

For more information on the M116A1 and other military munitions call the Army Environmental Center Hotline at 1-800-USA-3845, visit our website at www.aec.army.mil, or email us at t2hotline@aec.apgea.army.mil.